# MOTOTRBO™ DP3441e/DP3661e Portable Radio

**NOW YOU'RE READY FOR ANYTHING** 

**EUR Price Catalogue** 





# **Contents**

# DP3441e MOTOTRBO Portable Radio DP3661e MOTOTRBO Portable Radio DP3441/DP3441e/DP3661e MOTOTRBO Accessories

Price Catalogues are subject to change without notice.

We endeavor to periodically update the price catalogues; however

Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2010-2020 by Motorola Solutions, Inc. All rights reserved.

2-Way Radios and Systems | MOTOTRBO DP3441/DP3661 Series Portable

### **DP3441e MOTOTRBO Portable Radio**

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

### YOU'RE READY FOR ANYTHING



### Features

- VHF (136-174MHz); UHF (403-527MHz)
- 32 channels
- Compact and rugged form factor
- Large, textured push-to-talk button for ease of use
- 2 programmable buttons to improve ease-of-use and increase operator efficiency
- Tri-colour LED for clear visual feedback on radio operating status
- Emergency button to help ensure rapid response to critical incidents
- · Quick, easy-to-use Group, Individual and All-call capability
- Digital Phone Patch capability
- Sophisticated Emergency Calls help ensure employee safety
- PTT ID helps improve communications efficiency and system discipline
- Remote Monitor features help ensure employee safety and enable fast assessment of remote user status
- Elegant channel scanning schemes help ensure calls are received first time every time
- Basic / Enhanced Privacy
- AES256 Encryption via Software Purchase
- VOX Capability
- Transmit Interrupt
- Lone Worker
- Over the Air Programming (OTAP)
- 5 Tone Signaling
- Option Board Capability
- Integrated GNSS (GPS and GLONASS)
- Integrated Bluetooth 4.0 LE for wireless and data
- Integrated Wi-Fi (OTA Software Updates and ADK)
- Integrated man-down
- Indoor Location Tracking
- Intelligent Audio allowing the radio volume to automatically adjust to compensate for background noise.
- IP68 environmental sealing helps ensure continued operation in tough working conditions
- Direct Mode (including Dual Capacity Direct Mode)
- IP Site Connect (Single and Multi-Site)
- Capacity Plus (Single and Multi-Site)
- Capacity Max via Software Purchase
- Memory enhancement (128MB RAM & 256MB Flash memory)
- Audio improvements (loudness and quality)
- Improved range
- Battery life improvements
- IMPRES battery support

### Standard Package

- Battery Options
- Single Unit Charger Options
- Antenna Options
- Compact Holster Option
- Dust Cover
- In-box Documentation

NOTE 1: The 24 month hardware warranty applies only to the radio, it does not apply to batteries or accessories shipped within the model package.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

### Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 140, 144, 150, 153.6, 156, 158.4, 160, 162, 163.2, 172.8, 174

UHF: 417.6, 419.995, 421.765, 422.4, 432, 446.4, 450.56, 452.605, 454.655, 456.705, 460.8, 468, 480  $\pm$  10k, 484.8, 494.4, 499.2, 518.4, 519.25

### **DP3441E VHF NKP GNSS BT WIFI PRER302BE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69JDC9RA1AN	DP3441E VHF NKP GNSS BT WIFI PRER302BE CE: Yes RTTE: Yes	€583.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACC DP		DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03909AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA03910AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA03911AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03917AA	DEL: CHARGER	€-50.00
	QA06046AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06047AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3441E VHF NKP GNSS BT WIFI PRER302BE**

	MODEL NO.	DESCRIPTION	MANUF SUGG. LIST PRICE
	MDH69JDC9RA1	ANB DP3441E VHF NKP GNSS BT WIFI PRER302BE CE: Yes RTTE: Yes	€565.00
Mandatory Op	tions: One opt	ion from each group must be chosen	
CLS ACC DP		DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03909AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA03910AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA03911AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03920AA	DEL: CHARGER	€-50.00
	QA06048AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06049AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3441E UHF NKP GNSS BT WIFI PRER502BE**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH69RDC9RA	1AN DP3441E UHF NKP GNSS BT WIFI PRER502BE CE: Yes RTTE: Yes	€583.00
Mandatory Options: One op	tion from each group must be chosen	
CLS ACC DP QA03922AA	DEL: HOLSTER	€-6.00
COMPACT QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna QA03912AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
QA03913AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
QA03914AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00

### **DP3441e MOTOTRBO Portable Radio**

### DP3441E UHF NKP GNSS BT WIFI PRER502BE (Continued)

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Battery QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger QA03917AA	DEL: CHARGER	€-50.00
QA06046AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
QA06047AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3441E UHF NKP GNSS BT WIFI PRER502BE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69RDC9RA	1ANBDP3441E UHF NKP GNSS BT WIFI PRER502BE CE: Yes RTTE: Yes	€565.00
Mandatory Op	tions: One opt	ion from each group must be chosen	
CLS ACC DP		DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03912AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA03913AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA03914AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03920AA	DEL: CHARGER	€-50.00
	QA06048AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06049AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80



2-Way Radios and Systems | MOTOTRBO DP3441/DP3661 Series Portable

### **DP3661e MOTOTRBO Portable Radio**

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

### YOU'RE READY FOR ANYTHING



### Features

- VHF (136-174MHz); UHF (403-527MHz)
- 1000 channels
- Large Full-colour, 5-line display
- · Compact and rugged form factor
- Easy-to-use menu navigation keys enable intuitive user interface
- · Large, textured push-to-talk button for ease of use
- 4 programmable buttons to improve ease-of-use and increase operator efficiency
- Tri-colour LED for clear visual feedback on radio operating status
- Emergency button to help ensure rapid response to critical incidents
- · Quick, easy-to-use Group, Individual and All-call capability
- Digital Phone Patch capability
- Sophisticated Emergency Calls help ensure employee safety
- PTT ID helps improve communications efficiency and system discipline
- Remote Monitor features help ensure employee safety and enable fast assessment of remote user status
- Elegant channel scanning schemes help ensure calls are received first time every time
- Basic / Enhanced Privacy
- AES256 Encryption via Software Purchase
- VOX Capability
- Transmit Interrupt
- Lone Worker
- Over the Air Programming (OTAP)
- 5 Tone Signaling
- Option Board Capability
- Integrated GNSS (GPS and GLONASS)
- Integrated Bluetooth 4.0 LE for wireless and data
- Integrated Wi-Fi (OTA Software Updates and ADK)
- Integrated man-down
- Indoor Location Tracking
- Intelligent Audio allowing the radio volume to automatically adjust to compensate for background noise.
- IP68 environmental sealing helps ensure continued operation in tough working conditions
- Direct Mode (including Dual Capacity Direct Mode)
- IP Site Connect (Single and Multi-Site)
- Capacity Plus (Single and Multi-Site)
- Capacity Max via Software Purchase
- Memory enhancement (128MB RAM & 256MB Flash memory)
- Audio improvements (loudness and quality)
- Improved range
- Battery life improvements
- IMPRES battery support

### Standard Package

- Battery Options
- Single Unit Charger Options
- Antenna Options
- Compact Holster Option
- Dust Cover
- In-box Documentation

NOTE 1: The 24 month hardware warranty applies only to the radio, it does not apply to batteries or accessories shipped within the model package.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

### Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF (all ±5kHz): 138, 139.84, 140, 144, 145.92, 150, 152, 153.6, 156, 158.08, 160, 162, 163.2, 164.16, 168, 170.24, 172.8, 174.

UHF:  $407.36 \pm 3$ kHz\*,  $408 \pm 3$ kHz,  $413.44 \pm 3$ kHz\*,  $414 \pm 3$ kHz,  $419.52 \pm 3$ kHz\*,  $420 \pm 5$ kHz, 421.765, 422.4,  $425.6 \pm 3$ kHz\*,  $426 \pm 3$ kHz,  $431.68 \pm 3$ kHz\*, 432,  $437.76 \pm 3$ kHz\*,  $438 \pm 3$ kHz,  $440 \pm 5$ kHz,  $443.84 \pm 3$ kHz\*,  $444 \pm 3$ kHz,  $449.92 \pm 3$ kHz\*, 450, 456, 460,

\* This is only a Potential Self-Quieting Frequency for "Text to Speech" and "Capacity Max". If neither of these features is enabled in the radio then this is NOT a Self-Quieting frequency.

### **DP3661E VHF LKP GNSS BT WIFI PRER302FE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69JDQ9RA1AN	DP3661E VHF LKP GNSS BT WIFI PRER302FE CE: Yes RTTE: Yes	€668.00
Mandatory Opt	tions: One option	from each group must be chosen	
CLS ACC DP		DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03909AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA03910AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA03911AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03917AA	DEL: CHARGER	€-50.00
	QA06046AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06047AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3661E VHF LKP GNSS BT WIFI PRER302FE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69JDQ9RA1	I ANB DP3661E VHF LKP GNSS BT WIFI PRER302FE CE: Yes RTTE: Yes	€648.00
Mandatory Opt	tions: One opt	ion from each group must be chosen	
CLS ACC DP		DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03909AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA03910AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA03911AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03920AA	DEL: CHARGER	€-50.00
	QA06048AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06049AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV		STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3661E UHF LKP GNSS BT WIFI PRER502FE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69RDQ9RA1AN	DP3661E UHF LKP GNSS BT WIFI PRER502FE CE: Yes RTTE: Yes	€668.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACC DP	QA03922AA	DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03912AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA03913AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA03914AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00

### DP3661E UHF LKP GNSS BT WIFI PRER502FE (Continued)

ı	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03917AA	DEL: CHARGER	€-50.00
	QA06046AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06047AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV		STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

### **DP3661E UHF LKP GNSS BT WIFI PRER502FE**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH69RDQ9RA1AN B	DP3661E UHF LKP GNSS BT WIFI PRER502FE CE: Yes RTTE: Yes	€648.00
andatory Op	tions: One option	from each group must be chosen	
	QA03922AA	DEL: HOLSTER	€-6.00
COMPACT	QA06461AA	ADD: DP COMPACT HOLSTER	€0.00
Antenna	QA03912AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA03913AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA03914AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
Battery	QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	€0.00
	QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	€76.00
	QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	€87.00
Charger	QA03920AA	DEL: CHARGER	€-50.00
	QA06048AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA06049AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
User Guide	QA03923AA	ADD: DP3441/DP3661 QUICK REFERENCE GUIDE	€1.00
	QA03924AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	OA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80



2-Way Radios and Systems | MOTOTRBO DP3441/DP3661 Series Portable

### MOTOTRBO DP3441/DP3661 Series Radio Accessories


(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

### **Antennas**














### **Batteries**



### Li-lon 1700mAh CE Battery

- Dimensions L x W x H (mm): 95.8 x 55.71 x 14.52
- Weight(g): 125g
- Chemistry: Li-lon
- Operational Time (Hrs) approximately:
   12.3/8.5 hrs (Digital/Analogue DP3441
  Series)

16/12 hrs (Digital/Analogue - DP3441e Series)

- Capacity[mAH]: 1700mAh (Typical)
- Intelligent: No
- No. of Charge cycle: 500
- Energy Density (mAH/cm3): 11.8
- Operating Tem Range (°c): -10 to +60
- IP Rating: IP68
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Standard: No

Part Number: PMNN4440AR					
BATTERY PACK, BATT LIIO				€80.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		000.00	



### IMPRES Li-lon 2900mAh UL-TIA4950 CE Battery

- Dimensions L x W x H (mm): 95.80 x 55.70 x 23.55
- Weight (g): 154 (Typ), 157 (Max)
- Operational Time (Hrs): 26.5 (Digital), 20 (Analog)
- No. of Charge cycles : 300
- Capacity (mAh): 2900 (typ)
- Energy Density (Wh/m3) : 171.178
- $\bullet\,$  Operating Temp Range (°C) : -20  $\sim 60$
- Chemistry: Li Ion
- Intelligent: IMPRES
- IP Rating: IP68
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: TIA4950
- NOTE: Applicable only to DP3441e/DP3661e

Part Number: PMNN4511A				
BATTERY PACK, BATT IMPE				
IP68 2900T			€204.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		



### IMPRES Li-lon IP68 3000mAh CE Battery

- Dimensions L x W x H (mm): 95.80x55.70x23.55 mm
- Weight:155g
- Chemistry: Li Ion
- Operational Time (Hrs) approximately:
   23.6/17.8 hrs(Digital/Analogue DP3441)25.4/19.7 Hrs (Digital/Analogue DP3441e)
- Capacity (mAh): 3000 mAh (Typical)
- Intelligent: Yes
- No. of Charge cycle: 300
- Energy Density (mAh/cm3): 23.87
- Operating Temp Range (discharge): -10°C to +60°C
- IP Rating: IP68
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No

		*	
Part Number: PMNN450	2A		List Price
BATT IMPRES LIION LOV	V VOLT IP68 300	0T	€170.00
Unit of Measure: EA	CE: Vac BTTE:	Voc	€170.00

### **Carry Solutions**



# Nylon Carry Case with Fixed Belt Loop

- · Material: Nylon
- Belt Attachment: Yes
- Belt Swivel: No

CE: No RTTE: Yes

• D-rings: Yes

CARRY ACCESSORY-CASE, NYLON CC 3" FIXED LOOP NKP

• Quick Release: Yes

	0	
	34	

Part Number: PMLN7042A

Unit of Measure: EA

### L eather Carry Case with Fixed Belt LoopF or HI-CAP Battery

List Price

€28 00

- Material: ECOLON
- Belt Attachment: Yes
- Belt Swivel: No
- D-rings: Yes
- Quick Release: No
- Note: To use with HI-CAP Battery

Part Number: PMLN7537A	_		List Price
CARRY ACCESSORY-CASE, FOR HI-CAP BATTERY Unit of Measure: EA	, -	CASE WITH DISPLAY  RTTE: No	€29.00



### Leather Carry Case with Fixed Belt Loop for Standard Battery

- Material: ECOLON
- Belt Attachment: Yes
- Belt Swivel: No
- D-rings: Yes
- Quick Release: No
- Note: To use with Standard Battery

Part Number: PMLN7536A Li	ist Price
CARRY ACCESSORY-CASE, CARRY CASE WITH DISPLAY FOR STANDARD BATTERY Unit of Measure: EA  CE: No RTTE: No	€29.00



### Plastic Holster with Belt Clip

- Material: PC Lexan 1414
- Belt Attachment: Clip
- Belt Swivel: Yes
- · Quick release: Yes

Part Number: PMLN7559A		List Price
CARRY ACCESSORY-HOLSTER, PLASTICS CARRY H	OLDER [	
WITH BELT CLIP		€8.00
Unit of Measure: EA CE: No RTTE: No		

### **Chargers**



### Wall Mount Bracket for IMPRES 6-Way Multi-Unit Charger

- Weight: 2.128 kg (without charger)
- Dimensions WxHxL (cm): 41 x 22 x 26
- Compatible with IMPRES 6-way Multi-Unit Charger PMPNxxxxA kits for Mototrbo DP4000Ex/Ma Ex series ,DP4000/DP4000e series, DP3000 series, DP2000/DP2000e series and TETRA MTP8000Ex series, MTP850Ex series, MTP3000 series, MTP6000 series
- Bracket design allows an audio accessory to remain attached

to the radio while charging - for example Remote Speaker Microphone

Part Number: BR000272		List Price
BRACKET, WALL MOUN	T, 6WAY MAINTENANCE MUC	€58.00
Unit of Measure: EA	CE: No RTTE: No	€56.00



### IMPRES Single Unit Charger (EU type plug - Switch mode power supply)

- Dimensions HxWxD (mm): TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 220-240 V
- Line Cord: Euro
- Display: No
- Charger Type: IMPRES

Part Number: PMLN5188	ВВ			List Price
CHARGER, SINGLE-UNIT,	IMPRES,	1.25A, 230VAC,	EU/EA	€66.07
Unit of Measure: EA	CE: Yes	RTTE: No		€66.07

### IMAGE COMING SOON

### Multi Unit Charger Insert

- Enables Compact Professional Radio Series and MOTOTRBO DP3441/DP3441e/DP3661e radios with accessories attached to be charged in GP Multi Unit Chargers WPLN4188, WPLN4189, WPLN4193 and WPLN4194.
- NOTE: This insert cannot be used for MOTOTRBO DP3661e radios attached to IMPRES batteries PMNN4502 and PMNN4511.

Part Number: PMLN5010A	List Price		
MINNOW/WARIS CHARGER	INSER	T	66.50
Unit of Measure: EA	CE: No	RTTE: No	€6.50



# IMPRES Single Unit Charger (UK type plug - Switch mode power supply)

- Dimensions HxWxD (mm): TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 220-240V
- Line Cord: UK
- Display: No
- Charger Type: IMPRES

Part Number: PMLN5194E	_		List Price
CHARGER, SINGLE-UNIT, I Unit of Measure: EA	,	1.25A, 230VAC, UK/EA RTTE: No	€62.90

### Chargers (Continued)



# IMPRES Single Unit Charger (US type plug - Switch mode power supply)

- Dimensions HxWxD (mm):TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 120V
- Line Cord: US
- Display: No
- Charger Type: Impres

Part Number: PMLN5198	List Price	
	IMPRES, 1.25A, 115VAC, US	62.90€62.90
Unit of Measure: EA	CE: Yes RTTE: No	602.00



# Impres 6-Way Multi-Unit Charger with US cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- Line Cord: US
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- TETRA ATEX compatible with MTP850Ex MTP810Ex radios; MOTOTRBO compatible with DP3441e/DP3661e series
- Compatible wall mount bracket: BR000272A01

	t Number: PMPN4285A			List Price
	ARGER DESKTOP MULTI	I-UNIT II	MPRES 2 1 DISPLAY	
EXT	PS 100-240VAC US/NA			€543.00
Unit	of Measure: EA	CE: No	RTTE: No	



### Multi Unit Charger Insert

Enables MOTOTRBO
DP3441/DP3441e/DP3661e radios to be charged in MOTOTRBO Multi Unit Chargers WPLN4211, WPLN4219, WPLN4213, WPLN4214, WPLN4219, WPLN4220 and WPLN4221.

Part Number: PMLN6669A			List Price
INSERT MUC CHARGER			€24.00
Unit of Measure: EA	CE: Yes	RTTE: No	C24.00



# Impres 6-Way Multi-Unit Charger with Euro cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- Line Cord: Euro
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- TETRA ATEX compatible with MTP850EX MTP810Ex radios; MOTOTRBO compatible with DP3441e/DP3661e series
- Compatible wall mount bracket: BR000272A01

Part Number: PMPN4297A			List Price	
CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC EU			€543.00	
Unit of Measure: EA	CE: Yes	RTTE: No		

### **Chargers** (Continued)



### Impres 6-Way Multi-Unit Charger with UK cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- Line Cord: UK
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- TETRA ATEX compatible with MTP850Ex MTP810Ex radios

Part Number: PMPN4298A			List Price
CHARGER DESKTOP MULT EXT PS 100-240VAC UK/HK	I-UNIT IN	MPRES 2 1 DISPLAY	€543.00
Unit of Measure: EA	CE: Yes	RTTE: No	



### IMPRES Multi Unit Charger (230V) Euro)

- 300
- Weight (Kg): 3.6
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: Euro
- Display: Option
- Charger Type: Impres
- NOTE: Requires charger insert PMLN5010 for use with Compact Professional Radios GP344R/366R/388R and MOTOTRBO radios DP3441/DP3441e/DP3661e with accessories attached.
- NOTE: This charger cannot be used for MOTOTRBO DP3661e radios attached to IMPRES batteries PMNN4502 and PMNN4511.

Part Number: WPLN418			List Price
ACCESSORY KIT, IMPRE	S MUC, NO	DSPL- EURO PLUG	€499.00
Unit of Measure: EA	CE: Yes	RTTE: No	6433.00



# IMPRES Multi Unit Charger (230V

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.6
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- · Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: UK
- Display: Option
- Charger Type: Impres
- NOTE: Requires charger insert PMLN5010 for use with Compact Professional Radios GP344R/366R/388R and MOTOTRBO radios DP3441/DP3441e/DP3661e with accessories attached.
- NOTE: This charger cannot be used for MOTOTRBO DP3661e radios attached to IMPRES batteries PMNN4502 and PMNN4511.

Part Number: WPLN4188A	List Price	
ACCESSORY KIT, ASSEMBL' TC DT MUC UK EPP ND	Y,ACCESSORY,PROF IMPRES	€499.00
Unit of Measure: EA	CE: Yes RTTE: No	



### IMPRES Display Multi Unit Charger (230V UK)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.7
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- · Line Cord: UK
- Display: Yes
- Charger Type: Impres
- NOTE: Requires charger insert PMLN5010 for use with Compact Professional Radios GP344R/366R/388R and MOTOTRBO radios DP3441/DP3441e/DP3661e with accessories attached
- NOTE: This charger cannot be used for MOTOTRBO DP3661e radios attached to IMPRES batteries PMNN4502 and PMNN4511

Part Number: WPLN419			List Price
IMPRES MUC W/DSPL -	UK PLUG		€999.00
Unit of Measure: EA	CE: Yes	RTTE: No	€999.00

### Chargers (Continued)



### IMPRES Display Multi Unit Charger (230V Euro)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.7
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- · Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: Euro
- Display: Yes
- Charger Type: Impres
- NOTE: Requires charger insert PMLN5010 for use with Compact Professional Radios GP344R/366R/388R and MOTOTRBO radios DP3441/DP3441e/DP3661e with accessories attached.
- This charger cannot be used for MOTOTRBO DP3661e radios attached to IMPRES batteries PMNN4502 and PMNN4511.

Part Number: WPLN4	194A
POWER SUPPLY ADAF	TOR, IMPRES MUC W/DSPL - EURO
PLUG	
Unit of Measure: EA	CE: Yes RTTE: No

List Price €999.00




### IMPRES Multi Unit Charger (Euro Plug)

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- Line Cord: EURO
- Display: 1-Up
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4213	3B	
ACCESSORY		
KIT, ACCESSORY, ACCESS	ORY, CHAP	RGER,IMPRES MUC -
EURO PLUG		
Unit of Measure: EA	CE: Yes	RTTE: No

List Price €543.00





- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- Line Cord: US
- Display: YES
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4219B		
ACCESSORY, ACCESSORY, 0	CHARGE	R,IMPRES MUO
W/DISPLAY - US/NA PLUG		
Unit of Measure: EA	CE: Yes	RTTE: No

List Price

€840.00

### IMPRES Multi Unit Charger (US Plug)

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- · Line Cord: US
- Display: 1-Up
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4212B	List Price
IMPRES MUC CHARGER WITH 1 DISPLAY - US/NA PLUG Unit of Measure: EA CE: Yes RTTE: No	€543.00



### IMPRES Multi Unit Charger (UK Plug)

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- · Line Cord: UK
- Display: 1-Up
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4214B

ACCESSORY, CHARGER, IMPRES MUC - UK PLUG Unit of Measure: EA CE: Yes RTTE: No

List Price

€543.00



### IMPRES Multi Unit Charger with display (Euro Plug)

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- · Maintenance system: Y
- Operating voltage AC: 100-240
- Line Cord: EURO
- Display: YES
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4220B			List Price
ACCESSORY, ACCESSORY, C W/DISPLAY - EURO PLUG	€840.00		
Unit of Measure: EA	CE: Yes	RTTE: No	0.00

### Chargers (Continued)



# IMPRES Multi Unit Charger with display (UK Plug)

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3750
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- Line Cord: UK
- Display: YES
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4221B ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC List Price

W/DISPLAY - UK PLUG
Unit of Measure: EA CE: Yes

CE: Yes RTTE: No

€840.00

### **Ear Microphone Solutions**



# MagOne Earpiece with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Note: MagOne warranty 6 months

Part Number: PMLN57	'27A		List Price
EARPIECE INLINE MIC,	PTT,SWVL,MA	GONE	620 50
Unit of Measure: EA	CE: Yes R7	TTE: Yes	€30.59



# 3-Wire Surveillance Earpiece with Combined Mic/PTT(Black)

- Separate PTT and Microphone
- Operation: Receive and Transmit
- Programmable button: yes
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Replacement translucent tube and clear eartip: RLN6242A

Part Number: PMLN6754A	List Price
IMPRES 3WIRE SURV KIT W/CLR TUBE-BLK Unit of Measure: FA CF: Yes RTTF: Yes	€144.00
CE. 163 TITE. 163	€144.00



# Adjustable D Style Earpiece with Inline Mic/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: No
- Programmable Button: No
- Ear Hanger size adjustable as per User's need
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series

Part Number: PMLN6757A					
EARPIECE, ADJUST D-STY	LE W/ IN-I	LINE PTT/MIC			
Unit of Measure: EA	CE: Yes	RTTE: Yes			



# MagOne Earbud with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Note: MagOne warranty 6 months

 Part Number: PMLN5733A
 List Price

 EARBUD W IN-LINE MIC/PTT, MAG ONE
 €26.50

 Unit of Measure: EA
 CE: Yes RTTE: Yes



# 3-Wire Surveillance Earpiece with Combined Mic/PTT(Beige)

- Separate PTT and Microphone
- Operation: Receive and Transmit
- Programmable button: yes
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Replacement translucent tube and clear eartip: RLN6242A

 Part Number: PMLN6755A
 List Price

 AUDIO ACCESSORY-SURVEILLANCE, IMPRES 3WIRE
 €144.00

 SURV KIT W/CLR TUBE-BGE
 CE: Yes RTTE: Yes



# 2-Wire Surveillance Earpiece with Combined Mic/PTT(Black)

- Combined PTT and Microphone
- Operation: Receive and Transmit
- Programmable button: No
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Replacement translucent tube and clear eartip: RLN6242A

Part Number: PMLN7269A			List Price
AUDIO ACCESSORY-SURVEIL SURVEILLANCE KIT W/QUICH ACOUSTIC TUBE.BLACK			€65.00
	CE: Yes	RTTE: Yes	

Published: 04/09/2020 Page 7

List Price

€62.00

### Ear Microphone Solutions (Continued)

2-WIRE SURVEILLANCE KIT W/QUICK DISCONNECT CLEAR ACOUSTIC TUBE, BEIGE

**IMAGE COMING SOON** 

Part Number: PMLN7270A

Unit of Measure: EA

List Price

2-WIRE SURVEILLANCE KIT W/QUICK DISCONNECT CLEAR ACOUSTIC TUBE,BEIGE

€65.00

### **Replacement Parts**

### **Dust Cover for Accessory** Connector

CE: Yes RTTE: Yes

### **IMAGE COMING SOON**

· Protects the accessory connector whilst there is no accessory connected to the

	lumber: 0104058J40			List Price
DUST	COVER			€7.50
Unit of N	Measure: EA	CE: No	RTTE: No	€7.50



### Rapid Single Unit Charger Pocket

- Dimensions HxWxD (mm):50 x 110 x 100
- Weight (Kg): 0.4
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: No
- Display: No
- Charger Type: Rapid

SINGLE UNIT CHARGER POCKET Unit of Measure: EA CE: Yes RTTE: No €40.9	Part Number: MDHTN90		List Price
		 RTTE: No	€40.90



### COMMPORT MAINTENANCE KIT

· CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)

Part Number: NTN8821A			List Price
COMMPORT MAINT. KIT			€38.64
Unit of Measure: EA	CE: No	RTTE: No	€38.64

### Replacement (tri-unit) pocket for six-way charger base

### **IMAGE** COMING SOON

- Compatible with the following charger models: PMPN4297, PMPN4298 and PMPN4285
- Charges radio or battery (TETRA MTP850Ex series, PCR Legacy GP Pro / Atex series and MOTOTRBO DP3441/DP3661e series

			t Price
ADAPTER, CHARGING I	POCKET TRI UNIT		35.00
Unit of Measure: FA	CF: No RTTF: No	€.	35.00



### Replacement Ear Tip for Wirless Earbud

- Replacement Ear Tips for 1 Wire Earbud
- Bag contains one pair of S/M/L Ear Tips


Part Number: NNTN8299A List Price EARTIPS, REPLACEMENT Unit of Measure: EA €7.00




### **COMMPORT ADHESIVE PAD**

Part Number: NTN8986A List Price COMMPORT ADHESIVE PAD €18.00 Unit of Measure: EA CE: No RTTE: No

### Replacement Parts (Continued)





# IMPRES Multi Unit Charger - Base

- Dimensions HxWxD(mm): 157.6x445.0x287.9
- Weight(g): 3.75kg
- Chemistry: NiCd / NiMH / Lilon
- No. of Pockets: 6
- Maintenance system: Y
- Operating voltage AC: 100-240
- Line Cord: N/A
- Display: 1- Up
- Charger Type: Impres
- NOTE: Requires charger insert PMLN6669 for use with MOTOTRBO radios DP3441/DP3441e/DP3661e.

Part Number: WPLN4211B						
ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC BASE						
ONLY						
Unit of Measure: EA	CE: Vac BTT	E. No.	П			

List Price

€540.00

# 6-Way Multi-Unit Charger Base

### **IMAGE COMING SOON**

Part Number: PMPN4288A	List Price		
CHARGER DESKTOP MULTI			
EXT PS 100-240VAC			€540.00
Unit of Measure: EA	CE: Yes	RTTE: No	



### Single Unit Charger - base only

Part Number: WPLN4199B List Price IMPRES ADAPTIVE SINGLE UNIT CHARGER BASE Unit of Measure: EA CE: Yes RTTE: No €54.00

### Service and Repair

### **MOTOTRBO Portable Programming** Cable



Part Number: PMKN41	15B			List Price
PROGRAMMING CABLE USB			CEO 00	
Unit of Measure: FA	CE: No	RTTF: No		€58.00

### **MOTOTRBO Portable Programming** Cable (DB25/USB plug)

• Cable to allow radio programming.

### **IMAGE COMING SOON**

Part Number: PM	Part Number: PMKN4117B			
PROG CABLE SLII	675.00			
Unit of Measure: EA	CE: No RTTE: No	€75.00		

### **Software and Applications**



# MOTOTRBO CPS / RM Software

- · Software DVD containing:
- Customer Programming Software Version 16.0.
- Radio Management Version 2.11.45.0
- Associated Tools.
- Note 1: This version of CPS / RM supports up to MOTOTRBO system release R2.9 (including minor releases).
- Note 2: This version of CPS / RM contains an Italian help file format issue which has been fixed in the latest version which is available to download from Motorola Online (for details see R2.9.8 Release Notes).

Part Number: GMVN5141AV			List Price	
SOFTWARE, MOTOTRBO CPS-RM DVD			€155.00	
Unit of Measure: EA	CE: No	RTTE: No		€155.00



### Permanent BT Discoverable Mode Feature - Licence Key

- This orders the Licence key to activate the Permanent Bluetooth (BT) Discoverable Mode in a DP3441 / DP3441e / DP3661e / DP4x01 / DP4x01e / SL2600 / SL40x0 / SL40x0e radio.
- This feature enables a Bluetooth "Always On" mode to be configured in a Bluetooth capable portable radio.
- This feature is required to support certain 3rd party indoor location tracking applications.
- Note 1: This feature is NOT required by the Motorola Indoor Location Tracking solution which employs iBeacons.
- Note 2: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4239A			Т	List Price
MOTOTRBO PERMANENT BT DISCOVERY LICENSE KEY				€25.00
Unit of Measure: EA	CE: No	RTTE: No		€25.00



# Text to Speech Feature - Licence

- This orders the Licence key to activate Text to Speech in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- Text to Speech generates the voice announcement using a speech algorithm in the MOTOTRBO Radio.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4285	List Price		
MOTOTRBO RADIO TEXT	TO SPEE	CH LIC KEY	€10.00
Unit of Measure: EA	CE: No	RTTE: No	€10.00



# MOTOTRBO CPS 2.0 / RM and Tools Software DVD

- Software DVD containing:
- Customer Programming Software 2.0 Version 2.24.200.0.
- Radio Management Version 2.24.200.0.
- · Associated Tools.
- Note 1: This version of CPS 2.0 / RM is compatible with MOTOTRBO system releases back to R2.8 (or R2.6 for software updates).

				List Price
SOFTWARE,MOTOTRBO R	M-CPS 2	2.0 DVD		€155.00
Unit of Measure: EA	CE: No	RTTE: No		€155.00



### AES Privacy Feature - Licence Key

- This orders the Licence key to activate the AES Privacy feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- AES Privacy provides a 256 bit encryption solution for voice and data in digital mode.
- NOTE: The AES implementation introduced as part of system release R2.4 does NOT interoperate with the pre-R2.4 MOTOTRBO AES implementation. As such, all radios in an existing fleet with the pre-R2.4 AES implementation enabled must be upgraded to at least system release R2.4 before deploying any radios into that fleet with the new R2.4 AES implementation enabled.

 Part Number: HKVN4241A
 List Price

 AES PRIVACY SUBSCRIBER LICENSE KEY
 €250.00

 Unit of Measure: EA
 CE: No RTTE: No



# Single Input Noise Cancellation (SINC+) - Licence Key

- This orders the Licence key to activate the Single Input Noise Cancellation (SINC+) feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0x radio.
- This feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN43	71A			List Price
TRBO RADIO ENH NOISE CAN LIC KEY			€14.00	
Unit of Measure: EA	CE: No	RTTE: No		€14.00

### Software and Applications (Continued)



### Wi-Fi - Licence Key

- This orders the Licence key to activate the WiFi feature in a DP3441e / DP3661e / DP4x01e / SL2600 / SL40x0e / DM4x01e radio.
- This feature provides connectivity to Wi-Fi networks for fast and secure exchange of large volumes of data.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4379A
TRBO RADIO WIFI LIC KEY
Unit of Measure: EA

DIO WIFI LIC KEY sure: EA CE: No RTTE: No €45.00



### Transmit Inhibit - Licence Key

This orders the Licence key to activate the Transmit Inhibit feature in a DP34411/ DP3441e / DP3661e / DP4x0x DP4x0x / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.

List Price

- This feature permits the user to place the radio in a mode whereby it will not transmit any long range RF energy (note: this feature does NOT inhibit the radio's Bluetooth operations).
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4383A			List Price	
TRBO RADIO TX INHIBIT	ΓLIC KEY			610.00
Unit of Measure: EA	CE: No	RTTE: No		€18.00



### Software Value Pack 1 - Licence Kev

- This Software Value Pack Licence orders both the Text to Speech and Single Input Noise Cancellation (SINC+) features for activation in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- The Text to Speech feature generates voice announcements using a speech algorithm in the MOTOTRBO Radio.
- The SINC+ feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.

Part Number: HKVN4407A			List Price	
TRBO SW VALUE PACK	1 LIC KEY			610.00
Unit of Measure: EA	CE: No	RTTE: No		€18.00



### Authenticated Radio Disable -Licence Key

- This orders the Licence key to activate the Authenticated Radio Disable feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- This feature introduces an authentication procedure to ensure that target radios can only be disabled by authorised initiating radios/users.
- This feature needs to be activated in the target radios and is supported only by radios operating on Conventional Single Site / IPSC systems.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4382A			
TRBO RADIO AUTH DISABL Unit of Measure: EA		EY RTTF: No	€45.00



### Integrated Mandown - Licence Key

- This orders the Licence key to activate the integrated Man Down feature in a DP3441e / DP3661e / DP4x01e / SL40x0e radio.
- This feature uses the radio's integrated accelerometer to support Man Down operation without the need for an option board.
- Note 1: This feature is NOT supported by non-Bluetooth radio models
- Note 2: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard

 Part Number: HKVN4405A
 List Price

 TRBO MAN DOWN LIC KEY
 €41.00

 Unit of Measure: EA
 CE: No RTTE: No



### Indoor Location Tracking - Licence Key

- This orders the Licence key to activate the Indoor Location Tracking feature in a DP3441e / DP3661e / DP4x01e / SL2600 / SL40x0e / DM4x01e radio.
- This feature is available for MOTOTRBO radio models which support Bluetooth Low Energy (BLE) and relies on Bluetooth beacons (iBeacons) which are installed at known, fixed points around a building.
- The radio continually scans for iBeacons, and periodically sends a measurement report over the data channel to an application.
- The application uses the report to calculate the position of the radio and displays it on a map in a similar way to GPS
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4431A			List Price
EM INDOOR LOCATION			C4E 00
Unit of Measure: EA	CE: No	RTTE: No	€45.00

### Software and Applications (Continued)



### Bluetooth PTT AT Command -License Key

 This orders the license key to enable Bluetooth PTT (Push to Talk) connectivity for approved 3rd party Bluetooth accessories in the MOTOTRBO DP3441e / DP3661e / DP4x01e radio.

Part Number: HKVN4465	Α		
LICENSE, BT ACCESSORY	COMMAN	NDS RADIO	EΑ
Unit of Measure: EA	CE: No	RTTE: No	

DMMANDS RADIO EA CE: No RTTE: No List Price €70.00



### Received Audio Leveling - Licence Key

- This orders the Licence key to activate the Received Audio Leveling feature in a DP1400 / DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM1x00 / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it provides an improved audio experience by introducing more consistent audio levels that compensate for differences between different transmit radios.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4	497A		
LICENSE, MOTOTRBO	RADIO RX A	UDIO LEVELII	NG - EA
Unit of Measure: EA	CE: No	RTTE: No	

List Price €11.00

### Response Inhibit - Licence Key



- This orders the Licence key to activate the Response Inhibit feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it will not generate any outgoing transmissions in response to unsolicited incoming transmissions.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4499A	4		List Price
LICENSE, MOTOTRBO RAD			
Unit of Measure: EA	CE: No	RTTE: No	€18.00



### MOTOTRBO Spanish Band Restriction Feature - Licence Key

- This orders the License Key needed to activate the Spanish Band Restriction feature in the CPS/RM application.
- The Spanish Band Restriction feature is supported by CPS Version 13.5 (Build 679) onwards.
- Once activated, the CPS/RM does not allow applicable devices to be configured into parts of the VHF/UHF band which have been disallowed by the Spanish regulatory authority.

Part Number: HKVN4487A
LICENSE,SPAIN BAND FREQUENCY RANGE
Unit of Measure: EA CE: No RTTE: No

List Price €0.00



### Mute Mode - Licence Key

- This orders the Licence key to activate the Mute Mode feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature provides the user with a quick way to mute a radio upon entering into a quiet environment such as joining an important meeting.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4498A
LICENSE, MOTOTRBO RADIO MUTE MODE - EA
Unit of Measure: EA CE: No RTTE: No

List Price €9.00



### Premium Software Features -Licence Key

- This orders a License Key for activating Premium Software Features in DP3441e, DP3661e, SL4000e and SL4010e radios.
- This License Key is equivalent to the following individual License Keys: HKVN4239A, HKVN4285A, HKVN4371A, HKVN4383A, HKVN4405A, HKVN4431A, HKVN4497A, HKVN4498A, HKVN4379A, HKVN4382A and HKVN4499A.
- Note: This licence key is not required for radios purchased after 18th Nov 2019 which have Premium Software Features activated as standard.

Part Number: HKVN4806A			List Price
LICENSE, DP3000E SERIES &	ՏL400	0E SERIES PREMIUM	
SOFTWARE FEATURES			€281.00
Unit of Measure: EA	CE: No	RTTE: No	

### Software and Applications (Continued)



### MOTOTRBO Generic Option Board Kit

- T his generic option board enables MOTOTRBO DP3000e / DP4000e / DM4000e Series radios to support application partner developed s oftware applications.
- NOTE: Not for use with DP3441 / DP4000 / DM4000.

Part Number: PMLN7324AS			List Price	
GENERIC OPTION BOARD KIT			€48.00	
Unit of Measure: EA	CE: Yes	RTTE: No		₹46.00



### MOTOTRBO MPT Option Board Kit

- This option board enables MOTOTRBO DP3000e / DP4000e / DM4000e Series radios to support MPT1327 analogue trunking.
- On installing an MPT1327 option board, ensure that both the MPT1327 option board and the radio contain the latest available firmware versions.
- Use the latest available version of MOTOTRBO MPT1327 GOB CPS with this MPT1327 option board.
- NOTE: Not for use with DP3441 / DP4000 / DM4000.

			List Price
MPT OPTION BOARD KIT			640.00
Unit of Measure: EA	CE: Yes	RTTE: No	€48.00

### Wireless Solutions

### WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER

IMAGE COMING SOON

Kit contains wireless RSM PMMN4096, battery PMNN4461, belt clip and Euro plug desk charger PMLN7121.

Part Number: GMLN5503B						
WIRELESS RSM PORTABLE	SOLUT	ION W/ DESK				
CHARGER (EU)						
Unit of Measure: FA	CF: Yes	RTTF: Yes				

\_\_\_\_\_

List Price €345.00



### Operations Critical Wireless Portable RSM with Battery and D-Ring Swivel Clip

- Complete kit with battery and D-swivel ring
- Up to 10 metre range from the Radio
- Battery Life (Typical, 5/5/90): 28Hrs (13Hrs with 5/35/60 configuration)
- Slide Off removable battery with swivel clip
- Audio Jack: Y (compatible Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only MDRLN4885B)
- Emergency Button: Y
- Volume Control: Y
- Task Light: Y
- IP Rating: IP55
- Intrinsic Safety Standard: No
- Compatibility: Mototrbo DP4000 and DP4000e series, DP3441/DP3661 and DP3441e/DP3661e, SL4000/SL4010 and SL4000e/SL4010e (Accessory emergency function to be enabled on radio CPS); LTE LEX10 LEX11 Wave 5000 Kodiak

Part Number: MDRLN6561B			List Price	
WIRELESS PORTABLE R		RTTF: Yes		€318.00
Offit Of Weasure: EA	CE: Tes	niie. ies		

### WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (IIK)

IMAGE COMING SOON Kit contains wireless RSM PMMN4096, battery PMNN4461, belt clip and UK plug desk charger PMLN7122.

Part Number: GMLN5504B			List Price
WIRELESS RSM PORTABLE	SOLUT	ION W/ DESK	
CHARGER (UK)			€345.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	



### Fast PTT module without Charger

- Large PTT and volume control
- 25ms Fast PTT
- Fits easily in the hand or pocket
- Audible and visual status indicators for Pairing, Bluetooth link, Battery status(low and critical)and Charging status
- Compatible charger: PS000042A12 (EU), PS000042A13 (UK) and PS000042A11 (US) (to be ordered separately)
- Note1: For use with the SL4000/DM4000 Series radios the module requires a SW upgrade (Resource Centre/MOTOTRBO/Programming SW)

Part Number: NNTN8191C	List Price
ASSY,ACCY,BT ACCY KIT, STD PAIR, NCHGR	€220.24
Unit of Measure: EA CE: Yes RTTE: Yes	€220.24

### Wireless Solutions (Continued)



# Wireless Earbud,1 Wire,29cm length

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position

	rt Number: NNTN8294A			
1-WIRE EARBUD,29CM CORD,BLACK			€40.00	
Unit of Measure: EA	CE: Yes F	RTTE: Yes		C40.00



### Wireless Earbud, 2-Wire (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Cable Length: 116cm
- Colour: Black

Part Number: NNTN8		List Price
2-WIRE EARBUD,116C		
Unit of Measure: EA	CE: Yes RTTE: Yes	€52.00
		•



### Commercial Earbud Headset 3.5mm Adapter, Multipack

- Allows users to connect commercial earbud, earphones or headsets to the Fast PTT module (NNTN8191C).
- Comes in a Multipack of 10 units.

Part Number: NNTN8737A	List Price		
COMMERCIAL 3.5 EARBUD	HEADS	ET ADAPTER,	
MULTIPACK (10)			€320.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	



# Wireless Earbud, 1 Wire, 116cm length

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position

Part Number: NNTN8295A	List Price			
1-WIRE EARBUD,116CM CORD,BLACK				€55.50
Unit of Measure: EA	CE: Yes	RTTE: Yes		033.30



# Discreet Operational Critical Wireless Surveillance Kit

- Kit includes Phonak Phonito Nano wireless earpiece and neckloop kit (PMLN7696), Y-adapter for BT PTT pod (NNTN8385) and BT pod (NNTN8191)
- Compatible charger: PS000042A12 (EU), PS000042A13 (UK) and PS000042A11 (US) (to be ordered separately)
- Covert Wireless solution, ideal choice for undercover professionals
- Earpiece has a tiny form factor and is comfortable to wear all day long, 100% discrete
- The communications loop can be worn under a shirt or jacket
- The Microphone can be positioned under a lapel or similar for covert communication.

 Part Number: NNTN8433A
 List Price

 ACCESSORY KIT, OCW COMPLETELY DISCREET
 €1133.36

 SURVEILLANCE KIT
 €1133.36

 Unit of Measure: EA
 CE: Yes RTTE: Yes



# Wireless Overt Audio Kit for Fast PTT (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones

Part Number: NNTN8747	List Price			
AUDIO ACCESSORY-EAR	PIECE, BLA	CK OVERT AUDIO	) KIT	
FOR FAST PTT				€82.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		

### Wireless Solutions (Continued)



### Wireless Overt Audio Kit for Fast PTT (White)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones

List Price

€82.00

Part Number: NNTN8748	BA	
AUDIO ACCESSORY-EAR	PIECE,WH	ITE OVERT AUDIO KIT
FOR FAST PTT		
Unit of Measure: EA	CE: Yes	RTTE: Yes



### Business Wireless Accessory Kit(with Swivel Earpiece)

- Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psuincluded)
- Power Supply Unit (PS000042A12 EURO plug or PS000042A13 UK plug) to be purchased separately
- Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip
- Swivel Earpiece provides secure communication, comfort and flexibility
- Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger

Part Number: PMLN6463A			List Price
ACCESSORY KIT, BUSINESS WIRELESS ACCESSORY KIT		€70.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes	€/0.00



# Wireless 1- Wire Surveillance Kit (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone with a single-wire acoustic tube
- Ideal choice for discrete communication in noise environment
- Colour: Black

Part Number: PMLN7052A		List Price
AUDIO ACCESSORY-SURVEILLANCE,1-WIRE SURVEILLANCE KIT FOR OCW/MCW		€71.00
Unit of Measure: EA	CE: Yes RTTE: Yes	



# Wireless Earpiece with 12 inch cable

 This is a replacement wireless earpiece with 12 inch cable for GMTN6356\_ wireless kit.

Part Number: NTN2572A EARPIECE W/12" CABLE Unit of Measure: EA

CE: Yes RTTE: Yes

List Price €200.00



### Vehicular Charger for Wireless RSM

- Easy to install with Cigarette Lighter Socket
- Securely mount with the Hang Up clip HLN9073
- LED Indication for Charging, Standby or Ready status
- Note: Hang Up clip HLN9073 not included

			List Price
WIRELESS RSM VEHICULA	R CHAR	GER	€111.00
Unit of Measure: EA	CE: Yes	RTTE: No	€111.00



# Wireless RSM Dual Unit charger(Euro)

• Dimensions WxHxL(mm): 90x46x87

• Weight(g): 140g

Chemistry: Lilon

No. of Charger Pockets: 2

Maintenance system: N

• Operating Voltage (Vac): 90-264

• Line Cord: EU

Display: No

• Charger Type: Non IMPRES

Part Number: PMLN7121A CHR STD DUC EXT EURO Unit of Measure: EA

CE: Yes RTTE: Yes

List Price €79.00

### Wireless Solutions (Continued)



# Wireless RSM Dual Unit charger(UK)

- Dimensions WxHxL(mm): 90x46x87
- Weight(g): 140g
- · Chemistry: Lilon
- No. of Charger Pockets: 2
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- Display: No
- Charger Type: Non IMPRES

CHR STD DUC EXT UK Unit of Measure: EA

Part Number: PMLN7122A

CE: Yes RTTE: Yes €79.00

List Price

# Earpiece with Boom Mic (Multipack)

 Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN7181A

Part Number: PMLN7203A			List Price		
FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC,					
	MULTIPACK				€73.00
	Unit of Measure: EA	CE: Yes	RTTE: Yes		



# Vehicular Power Adapter with USB connector

- In-Vehicle charging Adapter with USB connector
- Radio compatibility: TETRA ST7000 and TPG2200; BT Wireless Pod NNTN8191C
- Input: 12/24V 1.5A
- USB C output: 5V 1.5A
- USB A output: 5V 1A



# Business Wireless Accessory Kit (with Boom Mic Earpiece)

- Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psu included)
- Power Supply Unit (PS000042A12 EURO plug or PS000042A13 UK plug) to be purchased separately
- Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip
- Earpiece with Boom Mic provides secure communication, comfort and flexibility
- Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger
- Not VOX capable

Part Number: PMLN7181A			List Price
FLEXIBLE-FIT SWIVEL EAR Init of Measure: EA		/ BOOM MIC RTTE: Yes	€85.00



### Wireless BT PoD (Multipack)

 Pack of 3 BT PoD which can be used as a replacement PoD for Business Wireless Solution PMLN6463A

			List Price	
WIRELESS BLUETOOTH P	OD,MUL	TI		
Unit of Measure: EA	CE: Yes	RTTE: Yes		€195.00



# Operations Critical Wireless EP900w BT Earpiece

- Complete kit with micro-USB charging cable
- BT4.2LE and Voice prompt with LED indication
- Fast PTT
- Weight: 23g
- Dimensions: 107 mm (W) x 72 mm (H) x 26 mm (D)
- Power source: internal battery
- Talk time (Typical, 5/5/90): 8Hrs
- Standby Time: 70 Hrs (LTE mode); 35 Hrs (LMR mode)
- Charge time: 2Hrs
- Microphone type: Omni-directional
- VOX: no
- Noise canceling: yes
- Controls: multi-function button, volume up/down and PTT
- Intrinsic Safety Standard: No
- Radio compatibility: Mototrbo BT radio models DP4000e series DP3000e series SL4000 SL2600 series and TETRA BT radio models ST7000 ST7500 MTP6000 series MTP3000 series, Android and iOS devices

Part Number: PMLN78		List Price
OPERATIONAL CRITICA	L WIRELESS EARPIECE PTT	€80.00
Unit of Measure: EA	CE: Yes RTTE: Yes	€60.00

Part Number: PMLN7745A		List Price		
CHGR VEHICULAR ADAPTER VPA		€45.00		
Unit of Measure: EA	CE: Yes	RTTE: No		€45.00

### Wireless Solutions (Continued)



# Small earbud replacement, pack of

- Size: small
- Compatible with EP900w BT Earpiece PMLN7851A
- One kit includes 5 replacement earbuds

Part Number: PMLN7940A			
ACCESSORY KIT, SMALL	EARBUD I	FOR OCW BT PTT,	
REPLACEMENT (PACK OF	= 5)	,	
Unit of Measure: EA	CE: No	RTTE: No	



# Large earbud replacement, pack of 5

- Size: large
- Compatible with EP900w BT Earpiece PMLN7851A
- One kit includes 5 replacement earbuds

Li-lon 1800mAh Battery for Wireless RSM PMMN4095 and

Dimensions HxWxD(mm): 83 x 60 x 18

Operational Time(Hrs): 28hrs (conf

• Operating Tem Range (°c): -10 to +60

:5/5/90)or 13 Hrs (Conf :5/35/60) • Capacity[mAh]: 1800mAh (Typical)

Part Number: PMLN7941A		List Price
ACCESSORY KIT,LARGE EARBUD FOR OCW BT PTT, REPLACEMENT (PACK OF 5)		€13.00
Unit of Measure: EA CE: N	RTTE: No	

**PMMN4096** 

Weight(g): 59g

· Chemistry: Lilon

• Type: Non IMPRES

No. of Charge cycle:

• Memory Effect: None

• Intrinsic Safety: N

• Requires Maintenance: N

• Energy Density (mAH/cm3):



# Wireless RSM for Portable Radios (without battery)

- Up to 10 metre range from the radio
- Replacement RSM unit excluding battery and clip
- Microphone Type : Omnidirectional
- Operating voltage: 3.6V DC
- IP rating: IP55 (with dust cover closed)
- Additional Functions: Emergency, Vol Ctrl, 3.5mm Audio Jack and Task light
- Compatible with Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only earpiece MDRLN4885B
- Compatibility: Mototrbo BT models on DP4000e series, DP3441/DP3661e series and SL4000e series; LTE LEX10 LEX11 Waye5000 Kodiak
- Intrinsic Safety Standard: No

,		
Part Number: PMMN4096B	List Price	Part Number: PMNN4461A
WIRELESS BLUETOOTH ACCESSORY-WIRELESS REMOTE		BATT STD LIION 1800T
SPEAKER MICROPHONE, WIRELESS REMOTE SPEAKER	€295.00	Unit of Measure: EA CE: Yes RTTE: Yes
MIC	€295.00	
Unit of Measure: EA CE: Yes RTTE: Yes		

List Price

€12.00

### Switch Mode Power Supply (US)

### IMAGE COMING SOON

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: US/JP

Part Number: PS000042A11	List Price
POWER SUPPLY ADAPTOR, POWER- WALL	
CUBE,AC,DC,PWR SUPPLY ADPT,WALL	
CUBE,AC,DC,SWITCH	€22.00
MODE,5W,100V-240V,MICRO-USB,US/JP	
Unit of Measure: EA CE: No RTTE: No	



### Switch Mode Power Supply (EU)

List Price €75.00

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- $\bullet~$  Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: EU

Part Number: PS000042A12	List Price
POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V,	
MICRO-USB, EU	€22.00
Unit of Measure: EA CE: Yes RTTE: No	

### Wireless Solutions (Continued)



### Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: UK

Part Number: PS00004	2A13		List Price
POWER SUPPLY ADAP	TOR, POWER	- WALL	
CUBE, AC, DC, SWITCH N	/IODE, 5W, 1	00 V - 240 V,	600.00
MICRO-USB, UK/HK			€22.00
Unit of Measure: FA	CF: Yes	RTTF: No	



# Over The Head Heavy Duty OCW Wireless Headset

- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over The Head
- Hearing Protection: 25dB
- Volume Up/Down: Yes
- Power Up/Down Button: On EarCup
- Battery Type: Lithium Polymer
- Battery Life(Typical, 5/5/90): 22Hrs
- Battery Charge Time: 7Hrs
- Weight: 422(g)

Part Number: RLN6491	_		List Price
ACCESSORY KIT,XBT HI	EADSET HB,	HEAVY DUTY	
HEADSET, BT			€847.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	



### Behind The Head Heavy Duty OCW Wireless Headset

- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Behind The Head
- Hearing Protection: 23dB
- Volume Up/Down: Yes
- Power Up/Down Button: On EarCup
- Battery Type: Lithium Polymer
- Battery Life(Typical, 5/5/90): 22Hrs
- Battery Charge Time: 7Hrs
- Weight: 429(g)

Part Number: RLN6490B		List Price	
ACCESSORY KIT,XBT HEADSET BTN	I, HEAVY DUTY		
HEADSET, BT		€847.00	
Unit of Measure: EA CE: Yes	RTTE: Yes	€047.00	



### Swivel Earpiece Multipack

 Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN6463A

Part Number: RLN6550A	List Price		
AUDIO ACCESSORY-EARPII	ECE,WR	LS EARPIECE, BT	
ACCY KIT MULTI			€49.00
Jnit of Measure: EA	CE: Yes	RTTE: Yes	

### **Headsets**



### MagOne Earset with Boom Microphone and In-line PTT/VOX switch

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Note: MagOne warranty 6 months

Part Number: PMLN5732A List Price EARSET W/ BOOM MIC, MAG ONE €35.00 CE: Yes RTTE: Yes Unit of Measure: EA



### IMPRES Temple Transducer with PTT and Noise Cancelling Microphone

- Receive method: Bone conduction
- · Transmit method: Microphone
- Voice Activation: Y
- PTT: In Line
- Intrinsic Safety: No

Part Number: PMLN6		List Price
AUDIO ACCESSORY-H Unit of Measure: EA	€210.00	
	MAGONE Breeze Headse	et w/ Boom



### om Mic & PTT

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Behind the Head
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Note: MagOne warranty 6 months

Part Number: PMLN67				List Price
AUDIO ACCESSORY-HE	ADSET, ULTI	ra-lite headse	ĒΤ	
MAGONE				€31.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		



### Lightweight Headset w/PTT & VOX

- PTT: In Line
- Receive method: Single muff
- Transmit method: Microphone
- Headband: Overhead
- Voice Activation (VOX): Y
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series

Part Number: PMLN6635A		List Price
ACCESSORY KIT, LIGHTWE Unit of Measure: EA	IGHT HEADSET CE: Yes RTTE: Yes	€83.00



### Noise Canceling Behind-The-Head Heavy Duty Headset

- PTT: yes
- Receive: both ears
- Transmit via: boom mic
- Headband: behind the head
- VOX capability: yes (no VOX switch but capable to support VOX function when enabled in the radio)
- Noise reduction: 24dB
- Intrinsic safety standard: No
- IP rating: IP54

Part Number: PMLN6760A List Price BEHIND THE HEAD H/DUTY HEADSET, SLIM €499.00 CE: Yes RTTE: Yes Unit of Measure: EA



### Noise Canceling Behind-The-Head Heavy Duty Headset - TIA4950 approved

- PTT: yes
- · Receive: both ears
- · Transmit via: boom mic
- Headband: behind the head
- VOX capability: yes (no VOX switch but capable to support VOX function when enabled in the radio)
- Noise reduction: 24dB
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- IP rating: IP54

Part Number: PMLN6763A		
BEHIND THE HEAD H/DUTY HEADSET/TIA, SLIM Unit of Measure: EA CE: Yes RTTE: Yes	€600.00	

### Headsets (Continued)



### Noise Canceling Over The Head Heavy Duty Headset

- PTT: yes
- Receive: both ears
- Transmit via: boom mic
- Headband: over the head
- VOX capability: yes (no VOX switch but capable to support VOX function when enabled in the radio)
- Noise reduction: 24dB
- Intrinsic safety standard: No
- IP rating: IP54

OVER THE HEAD H/DUTY HEADSET, SLIM Unit of Measure: EA CE: Yes RTTE: Yes  €478.0	Part Number: PMLN7464	 	List Price
	, -	, -	€478.00



### Noise Canceling Over-The-Head Heavy Duty Headset - TIA4950 approved

- PTT: yes
- Receive: both ears
- Transmit via: boom mic
- · Headband: over the head
- VOX capability: yes (no VOX switch but capable to support VOX function when enabled in the radio)
- Noise reduction: 24dB
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- IP rating: IP54

Part Number: PMLN7465A			
OVER THE HEAD H/DUTY HE	ADSET	/TIA, SLIM	C40F 00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€485.00

### **Remote Speaker Microphones**



### Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No.
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950/FM

Part Number: MDRLN4	1885B			List Price
EARBUD WITH 3.5MM PLUG			€40.52	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€40.52



### D-Shell Earpiece, 3.5mm for RSM

- Operation: Attach to RSM Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950 for DP4000e series/FM

			List Price	
D-SHELL RX-ONLY EARPIECE(3.5MM)			€13.90	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€13.90



### Receive only Earpiece with Translucent Tube and Eartip - FM

- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950/FM

 Part Number: MDRLN4941A
 List Price

 RECEIVE-ONLY EARP. W. TRANSC. TUBE
 €66.55

 Unit of Measure: EA
 CE: Yes RTTE: Yes



## Adjustable D-style Earpiece for

- Operation: attach to RSM Receive only
- No PTT
- 3.5mm jack
- For use with Remote Speaker microphones
- Ear Hanger size adjustable as per user's need

Part Number: PMLN /396/	-		List Price
RX-ONLY ADJ D-STYLE W/ Unit of Measure: EA		MM JACK RTTE: Yes	€32.00



### Receive only Earpiece with Translucent Tube and Eartip - Non FM non UL

- Replaces MDRLN4941A Voice Tube for non intrinsic safety standard requirements
- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: No

Part Number: PMLN7560	)A		List Price
REC ONLY EARPIECE W/	TRANSLUC	CENT TUBE	626.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€36.00



### IMPRES Remote Speaker Microphone, NC, IP54

- Audio Jack: Y
- Emergency Button: N
- Volume Control: N
- Programmable Button: N
- IP Rating: IP54
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Acoustic: Windporting Omni-Directional
- Housing: Large

Part Number: PMMN4071A		List Price	
	NE,IMPRES RSM LARGE 3.5 JACK NC		€75.00
Unit of Measure: EA	CE: Yes RTT	E: Yes	C70.00

### Remote Speaker Microphones (Continued)



### IMPRES Remote Speaker Microphone

- Audio Jack: Y
- Emergency Button: N
- Volume Control: N
- Programmable Button: N
- IP Rating: IP55
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series
- Acoustic: Windporting Omni-Directional
- Housing: Small

Part Number: PMMN4073	Α	
MICROPHONE, IMPRES RS	M, SMAL	L 3.5 JACK
Unit of Measure: EA	CE: Vac	RTTE: Vac

MICROPHONE, RSM SMALL 3.5 JACK, NO EMERG

List Price €58.00

List Price

€47.00



### Remote Speaker Microphone (IP54)with Ear Jack & Enhanced **Noise Reduction**

- Audio Jack: 3.5mm
- Emergency Button: N
- Volume Control: N
- Windporting feature : Y
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series

-	٠
٨)	•
((8)	
7	

Part Number: PMMN4076A

Unit of Measure: EA

### Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950 for DP4000e series/FM

Part Number: WADN419	)B		List Price
EAR RCVR W/COIL CBL&C Unit of Measure: EA		LUG RTTE: No	€55.00



### Remote Speaker Microphone (IP57), with Enhanced Noise Reduction

- Audio Jack: N
- Emergency Button: No
- · Volume Control: No
- Windporting feature : Y
- Intrinsic Safety Standard: UL-TIA4950 for DP2000e series

Part Number: PMMN4	075A		List Price
MICROPHONE, RSM, S	MALL IP57, NO E	MERG	€58.14
Unit of Measure: EA	CE: Yes RTTE	E: Yes	€58.14



P

### IMPRES Remote Speaker Microphone, Windporting, IP67

- Audio Jack: N
- Emergency Button: N
- Volume Control: N
- Programmable Button: N
- IP Rating: IP67
- Intrinsic Safety Standard: N
- Acoustic: Windporting Omni-Directional
- Housing: Large

Part Number: PMMN4108A	List Price
AUDIO ACCESSORY-REMOTE SPEAKER	
MICROPHONE, IMPRES WINDPORTING RSM IP67	€100.00
Unit of Measure: FA CF: Yes RTTF: Yes	

### Miscellaneous Accessories

### Antenna ID Band (Grey)

00000 00000

• These Antenna ID bands are packed in a poly bag, each bag contains 10 units

• Color : Gray

Part Number: 32012144001 List Price ANTENNA ID BAND (GREY- PACK OF 10PCS) €9.00 CE: No RTTE: No Unit of Measure: EA

### Antenna ID Band (Green)

00000 00000 • These Antenna ID bands are packed in a poly bag, each bag contains 10 units

Color : Green

Part Number: 32012144003 List Price ANTENNA ID BAND (GREEN- PACK OF 10PCS) Unit of Measure: EA CE: No RTTE: No €9.00

### Antenna ID Band (Purple)




• These Antenna ID bands are packed in a poly bag, each bag contains 10 units

• Color : Purple

Part Number: 3201214	4005	List Price
ANTENNA ID BAND (PL	JRPLE- PACK OF 10PCS)	60.00
Unit of Measure: EA	CE: No RTTE: No	€9.00

### Antenna ID Band (Yellow)



• Color : Yellow

Part Number: 32012144002

0000

0000

List Price €9.00

ANTENNA ID BAND (YELLOW-PACK OF 10PCS) CE: No RTTE: No Unit of Measure: EA

Color : Blue 00000

### Antenna ID Band (Blue)

• These Antenna ID bands are packed in a poly bag, each bag contains 10 units

Part Number: 32012144004 ANTENNA ID BAND (BLUE- PACK OF 10PCS)
Unit of Measure: EA CE: No RTTE: No List Price €9.00

### Multi-Unit Charger Wall Mount Kit



• Allows the Multi-Unit Chargers to be wall mounted.

Part Number: NLN7967A List Price MULTI-UNIT CHARGER WALL MOUNT KIT €24.42 Unit of Measure: EA CE: No RTTE: No

Appendix A

DP3441e/DP3661e - OPTION REFERENCE SHEET

Option	Option Description	Accessory Kit No.
QA03909AA	ADD: VHF Stubby Ant (136-148 MHz)	PMAD4119_
QA03910AA	ADD: VHF Stubby Ant (146-160 MHz)	PMAD4120_
QA03911AA	ADD: VHF Stubby Ant (160-174 MHz)	PMAD4121_
QA03912AA	ADD: UHF Stubby Ant (405-450MHz)	PMAE4069_
QA03913AA	ADD: UHF Stubby Ant (440-490MHz)	PMAE4070_
QA03914AA	ADD: UHF Stubby Ant (470-527MHz)	PMAE4071_
QA03908AA	ADD: DP BATT STD IP67 LIION 1700T	PMNN4440_
QA06050AA	ADD: DP BATT IMP IP68 LIION 3000T	PMNN4502_
QA06541AA	ADD: DP BATT IMP TIA LOW VOLT IP68 2900T	PMNN4511_
QA03915AA	ADD: DP Compact SUC SMPS UK 230V	PMLN5195_
QA03916AA	ADD: DP Compact SUC SMPS EU 220/240V	PMLN5196_
QA03921AA	ADD: DP Compact Holster	PMLN7559_