MOTOTRBOTM SL1600/SL2600 Portable Radio PORTABILITY AND SIMPLICITY REDEFINED

EUR Price Catalogue



Contents

SL1600 MOTOTRBO Portable Radio

SL2600 MOTOTRBO Portable Radio

Price Catalogues are subject to change without notice. We endeavor to periodically update the price catalogues; however Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2014-2020 by Motorola Solutions, Inc. All rights reserved.

MOTOROLA SOLUTIONS

2-Way Radios and Systems | MOTOTRBO SL1000 Series Portable

SL1600 MOTOTRBO Portable Radio

(EUR) Pricing Information Valid As Of: Thursday, September 03, 2020

Portability and Simplicity Redefined



- VHF (136-174MHz); UHF1 (403-470MHz)
- 99 channels

Features

- Large, textured push-to-talk button for ease of use
- 1 programmable buttons to access an action list with multiple programmable features
 - Tri-colour LED for clear visual feedback on radio operating status
- Digital Emergency via programmable button to help ensure rapid response to critical incidents
- Sophisticated Emergency Calls help ensure employee safety
- Quick, easy-to-use Group and Individual call capability
- PTT ID helps improve communications efficiency and system discipline
- Elegant channel scanning schemes help ensure calls are received first time every time
- 5 Tone Functionality via Software Purchase
- Basic Privacy
- VOX Capability
- Lone Worker
- Programmable Text Messaging Capability
- Voice announcement of channel change and feature activation
- IP Site Connect (Conventional Multiple Site Coverage) via Software Purchase
- · IP54 environmental sealing helps ensure continued operation in tough working conditions

Standard Package

- Li-lon 2300mAh (Typical) Battery
- Charger Options
- Antenna Options
- Carry Solution Options
- In-box Documentation (QRG option, Safety Booklet, RTTE Leaflet, and Accessory Leaflet)

NOTE 1: The 24 month hardware warranty applies only to the radio, it does not apply to batteries or accessories shipped within the model package.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 139.20MHz ±10kHz, 144.00MHz ±10kHz, 148.80MHz ±10kHz, 153.60MHz ±10kHz, 158.40MHz ±10kHz, 168.20MHz ±10kHz, 168.00MHz ±15kHz, 172.80MHz ±10kHz

- UHF: 403.20MHz ±15kHz, 408.00MHz ±10kHz, 412.80MHz ±10kHz, 417.60MHz ±10kHz, 422.40MHz
- ±15kHz, 427.20MHz ±10kHz, 432.00MHz ±20kHz, 436.80MHz ±10kHz, 441.60MHz ±20kHz, 446.40MHz

±10kHz, 451.20MHz ±20kHz, 456.00MHz ±10kHz, 460.80MHz ±20kHz, 465.60MHz ±10kHz

SL1600 VHF DISPLAY PTO302D

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH88JCP9JA2	2AN SL1600 VHF DISPLAY PTO302D CE: Yes RTTE: Yes	€350.00
Mandatory Options: One op	tion from each group must be chosen	
Antenna QA04816AA	ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.00
QA04817AA	ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.00
QA04818AA	ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.00
QA06770AA	ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.00
QA06771AA	ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.00
QA06772AA	ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.00
Battery QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger QA04822AA	ADD: USB CHARGER CE UK 100/240V	€0.00
QA04823AA	DEL: CHARGER	€-22.00
QA04835AA	ADD: USB CHARGER CE EU 100/240V	€0.00
QA04836AA	ADD: SUC SMPS CE UK 100/240V	€22.00
QA04837AA	ADD: SUC SMPS CE EU 100/240V	€22.00
User Guide QA04826AA	ADD: SL1600 QUICK REF GUIDE	€1.50
QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00

SL1600 VHF DISPLAY PTO302D (Continued)

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
PCR SERV QA07698AA	ADD: 5 YEAR ESSENTIAL SERVICES	€13.20
OPTION 1 QA07699AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€53.20
QA07701AA	ADD: 5 YEAR ADVANCED SERVICES	€114.00
QA07702AA	DEL: NO SERV WARRANTY APPLIES	€0.00
ditional Options: May be o	rdered as required	
CLS ACC QA04828AA	ADD: HOLSTER	€0.00
SL1600 _{QA04829AA}	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€4.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€2.00

SL1600 VHF DISPLAY PTO302D

MODEL N	D. DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH88JC	P9JA2ANB SL1600 VHF DISPLAY PTO302D CE: Yes RTTE: Yes	€340.00
ndatory Options: On	e option from each group must be chosen	
Antenna QA04816A	A ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.00
QA04817A	A ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.00
QA04818A	A ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.00
QA06770A	A ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.0
QA06771A	A ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.0
QA06772A	A ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.0
Battery QA04815A	A ADD: SL BATT LIION 2300T	€0.0
Charger QA04824A	A ADD: USB CHARGER CE UK 100/240V	€0.0
QA04825A	A DEL: CHARGER	€-22.0
QA04838A	A ADD: USB CHARGER CE EU 100/240V	€0.0
QA04839A	A ADD: SUC SMPS CE UK 100/240V	€22.0
QA04840A	A ADD: SUC SMPS CE EU 100/240V	€22.0
User Guide QA04826A	A ADD: SL1600 QUICK REF GUIDE	€1.5
QA04827A	A DEL: QUICK REFERENCE GUIDE	€0.0
PCR SERV QA07698A		€13.2
OPTION 1 QA07699A	A ADD: 5 YEAR ESSEN WITH HW REPAIR	€53.2
QA07701A	A ADD: 5 YEAR ADVANCED SERVICES	€114.0
QA07702A	A DEL: NO SERV WARRANTY APPLIES	€0.0
ditional Options: Mag	be ordered as required	
CLS ACC QA04828A		€0.0
SL1600 QA04829A	A ADD: WRIST STRAP	€0.0
QA04830A	A ADD: HAND STRAP	€4.0
QA04831A	A ADD: HEAVY DUTY BELT CLIP	€2.0

SL1600 UHF DISPLAY PTO502D

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH88QCP9JA2AN	SL1600 UHF DISPLAY PTO502D CE: Yes RTTE: Yes	€350.00
Mandatory Op	tions: One option	from each group must be chosen	
Antenna	QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
	QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
	QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
Battery	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger	QA04822AA	ADD: USB CHARGER CE UK 100/240V	€0.00
-	QA04823AA	DEL: CHARGER	€-22.00
	QA04835AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04836AA	ADD: SUC SMPS CE UK 100/240V	€22.00
	QA04837AA	ADD: SUC SMPS CE EU 100/240V	€22.00

SL1600 UHF DISPLAY PTO502D (Continued)

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
User Guide QA04826AA	ADD: SL1600 QUICK REF GUIDE	€1.50
QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV QA07698AA	ADD: 5 YEAR ESSENTIAL SERVICES	€13.20
OPTION 1 QA07699AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€53.20
QA07701AA	ADD: 5 YEAR ADVANCED SERVICES	€114.00
QA07702AA	DEL: NO SERV WARRANTY APPLIES	€0.00
itional Options: May be o	rdered as required	
CLS ACC QA04828AA	ADD: HOLSTER	€0.00
SL1600 _{QA04829AA}	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€4.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€2.0

SL1600 UHF DISPLAY PTO502D

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH88QCP9JA2	2ANB SL1600 UHF DISPLAY PTO502D CE: Yes RTTE: Yes	€340.00
Aandatory Options: One opt	tion from each group must be chosen	
Antenna QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
Battery QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger QA04824AA	ADD: USB CHARGER CE UK 100/240V	€0.00
QA04825AA	DEL: CHARGER	€-22.00
QA04838AA	ADD: USB CHARGER CE EU 100/240V	€0.00
QA04839AA	ADD: SUC SMPS CE UK 100/240V	€22.00
QA04840AA	ADD: SUC SMPS CE EU 100/240V	€22.00
User Guide QA04826AA	ADD: SL1600 QUICK REF GUIDE	€1.50
QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV QA07698AA	ADD: 5 YEAR ESSENTIAL SERVICES	€13.20
OPTION 1 QA07699AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€53.20
QA07701AA	ADD: 5 YEAR ADVANCED SERVICES	€114.00
QA07702AA	DEL: NO SERV WARRANTY APPLIES	€0.00
dditional Options: May be o	ordered as required	
CLS ACC QA04828AA	ADD: HOLSTER	€0.00
SL1600 _{QA04829AA}	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€4.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€2.00

MOTOROLA SOLUTIONS

2-Way Radios and Systems | MOTOTRBO SL1000 Series Portable

MOTOTRBO SL1000 Series Radio Accessories

(EUR)

List Price

€10.00

List Price

€12.00

Pricing Information Valid As Of: Thursday, September 03, 2020

VHF Stubby Antenna (144-156MHz)

• Type: Stubby

• GPS: No

• Frequency Band: VHF

Colour Code: Black

• Length (cm): 5

CE: No RTTE: No

• Type: Whip

GPS: No

• Frequency Band: VHF

Colour Code: Black

• Length (cm): 9

CE: No RTTE: No

• Type: Whip

• Frequency Band: VHF

• Frequency Range: 144-156 MHz

VHF Whip Antenna (136-144MHz)

VHF Whip Antenna (156-174MHz)

• Frequency Range: 136-144 MHz

Antennas



CE: Yes RTTE: No

	 Frequency Range: 156-174 GPS: No Colour Code: Black Length (cm): 9 	4 MHz
Part Number: PMAD41		List Price
VHF WHIP ANT (156-174 Unit of Measure: EA	MHZ) 9CM CE: No RTTE: No	€12.00
	UHF Stubby Antenna (4 • Type: Stubby • Frequency Band: UHF • Frequency Range: 420-448 • GPS: No • Colour Code: Black • Length (cm): 4.5	5 MHz
Part Number: PMAE409		List Price
UHF STUBBY ANT (420-4 Unit of Measure: EA	445MHZ) 4.5CM CE: No RTTE: No	€10.00

Unit of Measure: EA

Antennas (Continued) -

UHF Stubby Antenna (435-470MHz)

	•••••••••••••••••••••••••••••••••••••••	,
	 Type: Stubby Frequency Band: UHF Frequency Range: 435-470 M GPS: No Colour Code: Black 	
-	• Length (cm): 4.5	
Part Number: PMAE4095E		List Price
UHF STUBBY ANT (435-470 Unit of Measure: EA)MHZ) 4.5CM CE: Yes RTTE: No	€10.00

Batteries

	Li-Ion 2300mAH Battery	
MOTOROLA	 Dimensions HxWxD(mm): 53. 11.3 	8 x 35.8 x
BATERIA RECARREGÁVEL DE ION DE LÍTIO 3.7Vec	Weight(g): 48Chemistry: Lilon	
R @ (6 53 00)	 Operational Time(Hrs): 11.8(A Operational Time(Hrs): 14(Dig 	U .
	Capacity(mAH): 2300mAh(TypIntelligent: N))
	 No. of Charge cycle: 500 	
	 Energy Density (mAh/cm3): 94 	4.3
	 Operating Temp Range (°c): -2 	20 to +60
	 Memory Effect: No 	
	 IP Rating : IP 54 	
	 Requires Maintenance: No 	
	 Intrinsic Safety : No 	
Part Number: PMNN4468B		List Price
BATTERY PACK, BATT LIION Unit of Measure: EA	2300T CE: No RTTE: No	€37.00

Carrying Solutions






Carrying Solutions (Continued)

	Swivel Belt Clip (Heavy D Material: Plastic Belt Clip: Swivel Quick release: Yes	Outy)
Part Number: PMLN712	8A	List Price
CARRY ACCESSORY-BEL BELT CLIP	T CLIP, HEAVY-DUTY SWIVEL	€13.00
Unit of Measure: EA	CE: No RTTE: No	



Chargers and Conditioners

	Multi-Unit Desktop Charg Plug) • Dimensions HxWxD(mm): 66 • Weight(g): 900 • Chemistry: Lilon • No. of Pockets: 6 • Maintenance system: No • Operating voltage AC: 100-24 • Line Cord: EURO • Display: No • Charger Type: Non-IMPRES	x450x92
Part Number: PMLN7102A	A	List Price
CHR STD MUC INT EU Unit of Measure: EA	CE: Yes RTTE: No	€333.00
	Multi-Unit Desktop Charg Plug) • Dimensions HxWxD(mm): 66 • Weight(g):900 • Chemistry: Lilon • No. of Pockets: 6 • Maintenance system: No • Operating voltage AC: 100-24 • Line Cord: UK • Display: No • Charger Type: Non-IMPRES	x450x92
Part Number: PMLN7162A	A	List Price
CHR STD MUC INT UK Unit of Measure: EA	CE: Yes RTTE: No	€333.00
IMAGE COMING SOON Part Number: PS000042A7 POWER SUPPLY ADAPTOR		°C to +40°C °C to 70°C
CUBE,AC,DC,PWR SUPPLY CUBE,AC,DC,SWITCH MODE,5W,100V-240V,MIC Unit of Measure: EA	ADPT,WALL	€22.00





Chargers and Conditioners (Continued)

Switch Mode Power Supply (UK)

		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	 Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C):0° Storage Temperature(°C):-40° Operating Voltage (Vac): 100-2 Line cord: UK 	C to 70°C
Part Number: PS000042A1	-	List Price
POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK/HK Unit of Measure: EA CE: Yes RTTE: No		€22.00

Ear Microphone Solutions





Intrinsic Safety Standard: No

Part Number: PMLN7189A	List Price
SWIVEL EARPIECE, IN-LINE MIC & PTT	€30.00
Unit of Measure: EA CE: Yes RTTE: Yes	000.00



2-Wire Earpiece with clear acoustic tube (Black)

- Operation: Receive and transmit
- PTT: PTT on mic

CE: Yes RTTE: Yes

- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM

Part Number: PMLN7157A 2-WIRE W/ TRANS TUBE, BLACK

List Price €41.00

List Price

€44.00



Unit of Measure: EA

Adjustable D Style Earpiece with Inline Mic/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Programmable Button: No
- Ear Hanger size adjustable as per User's need

Part Number: PMLN7159A

ADJUST D-STYLE W/ IN-LINE	E PTT/M	IC
Unit of Measure: EA	CE: Yes	RTTE: Yes


Miscellaneous Accessories

	Antenna ID Band (Gre	ey)
55568 55566		
Part Number: 3201214	44001	List Price
ANTENNA ID BAND (G Jnit of Measure: EA	REY- PACK OF 10PCS) CE: No RTTE: No	€9.00
	Antenna ID Band (Gre	een)
00000	poly bag, each bag cont • Color : Green	
00000	• Color : Green	
Part Number: 3201214	• Color : Green	List Price
art Number: 3201214	• Color : Green	
Part Number: 3201214 ANTENNA ID BAND (G	Color : Green	List Price €9.00
Part Number: 3201214 ANTENNA ID BAND (G	• Color : Green 44003 iREEN- PACK OF 10PCS) CE: No RTTE: No Antenna ID Band (Pu • These Antenna ID band poly bag, each bag cont	List Price €9.00 rple) s are packed in a
Part Number: 3201214 ANTENNA ID BAND (G Jnit of Measure: EA	• Color : Green • Color : Green #4003 iREEN- PACK OF 10PCS) CE: No RTTE: No Antenna ID Band (Pur • These Antenna ID band poly bag, each bag cont • Color : Purple	List Price €9.00 rple) s are packed in a

• • • • • • • • • • • •	 Antenna ID Band (Yell These Antenna ID bands poly bag, each bag conta Color : Yellow 	are packed in a
Part Number: 3201214400 ANTENNA ID BAND (YELL	OW-PACK OF 10PCS)	List Price
Unit of Measure: EA	CE: No RTTE: No	
	Antenna ID Band (Blu These Antenna ID bands poly bag, each bag conta	s are packed in a
00000		
Part Number: 320121440	• ·	List Price
ANTENINIA ID DANID (DI LIE	- PACK OF 10PCS)	

Replacement Parts

	Noise Attenuating Plugs	
	 For High noise kit solution con RLN6242 or RLN5886 Low no Noise reduction is 24 dB Kit includes one pair of foam y Compatible with 1, 2- and 3-w PMLN7397, PMLN6123, PML PMLN6125, PMLN6126, PML PMLN6130, NNTN8459, PML PMLN6130, NNTN8459, PML PMLN6755 and RSM earpieco MDRLN4941 	bise kits plugs vire kits N6124, N6129, N6758, N6754,
Part Number: 5080384F72	=	List Price
Unit of Measure: EA	CE: No RTTE: No	€1.12
IMAGE COMING SOON	Base Dimensions HxWxD(mm): 44 Weight(g): 62 Chemistry: Lilon No. of Charger Pockets: 1 Maintenance system: N Operating Voltage : 5 Volts(D0 Line Cord: Not Included Display: No Charger Type: Non IMPRES Note: Charger Pocket allows b charged by lying flat in the po	C) attery to be
Part Number: PMLN7094/	A	List Price
CHR STD SUC EXT Unit of Measure: EA	CE: Yes RTTE: No	€41.00



Part Number: RLN6242A	List Price	;
QUICK DISCONNECT ACOUSTIC TUBE	€6.53	
Unit of Measure: EA CE: No RTTE: No	€0.53	

F

0

Service and Repair



CE: Yes RTTE: No

	MOTOTRBO Portable Cable with TTR	Programming
IMAGE COMING SOON	 This cable connects the port for radio programm 	
Part Number: PMKN412 PORTABLE PROGRAMM		List Price


Unit of Measure: EA


Software and Applications

TABO	MOTOTRBO CPS / RM So DVD	oftware	CTT THE STATE OF T	MOTOTRBO CPS 2.0 / RI Tools Software DVD	VI and	
100 · · · ·	 Software DVD containing: 			 Software DVD containing: 		
-75-	 Customer Programming Soft Version 16.0. 	ware		 Customer Programming Sof Version 2.24.200.0. 	• Customer Programming Software 2.0	
	Radio Management Version 2.11.45.0.		- Theo	Radio Management Version	Radio Management Version 2.24.200.0.	
	 Associated Tools. 			 Associated Tools. 		
	 Note 1: This version of CPS / supports up to MOTOTRBO release R2.9 (including minoi) Note 2: This version of CPS / an Italian help file format issu been fixed in the latest versi available to download from N Online (for details see R2.9.6 Notes). 	system r releases). RM contains le which has on which is Aotorola		 Note 1: This version of CPS compatible with MOTOTRB releases back to R2.8 (or R2 software updates). 	O system	
Part Number: GMVN5	5141AV	List Price	Part Number: GMVN6	5241C	List Price	
SOFTWARE, MOTOTRE	BO CPS-RM DVD	€155.00	SOFTWARE, MOTOTRE	BO RM-CPS 2.0 DVD	€155.00	
Unit of Measure: EA	CE: No RTTE: No	0100.00	Unit of Measure: EA	CE: No RTTE: No	0100.00	
<u> </u>	MOTOTRBO 5-Tone Signa Feature - Licence Key	alling		MOTOTRBO Radio IP Site Licence Key	e Connect	
				 This orders the licence key 		
SW	 This orders the Licence Key the analogue 5-Tone signallir an SL1600 radio. 		SW	capability to the DP1400, DN and SL1600 radio.	/1000 Serie	
Part Number: HKVN4	the analogue 5-Tone signallir an SL1600 radio. 058A		Part Number: HKVN4	and SL1600 radio.	/1000 Serie:	
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A	ng feature in	Part Number: HKVN42 MOTOTRBO RADIO IP Unit of Measure: EA	and SL1600 radio.		
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No MOTOTRBO Spanish Ban	List Price €28.00	MOTOTRBO RADIO IP	and SL1600 radio. 279A SC LIC KEY EA	List Price €38.00	
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No MOTOTRBO Spanish Ban Restriction Feature - Licen	list Price €28.00 d nce Key	MOTOTRBO RADIO IP	and SL1600 radio. 279A SC LIC KEY EA CE: No RTTE: No Received Audio Leveling Key	List Price €38.00	
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No MOTOTRBO Spanish Ban Restriction Feature - Licer • This orders the License Key activate the Spanish Band Re feature in the CPS/RM applid • The Spanish Band Restriction supported by CPS Version 13 679) onwards.	List Price €28.00 d nce Key needed to estriction sation. n feature is 3.5 (Build	MOTOTRBO RADIO IP	and SL1600 radio. 279A SC LIC KEY EA CE: No RTTE: No Received Audio Leveling	List Price €38.00 - Licence to activate g feature in e / DP3441 0x / DP4x0x a / SL1600 / DM1x00 /	
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No MOTOTRBO Spanish Ban Restriction Feature - Licer • This orders the License Key activate the Spanish Band Re feature in the CPS/RM applic • The Spanish Band Restriction supported by CPS Version 13	List Price €28.00 d nce Key needed to estriction sation. n feature is 3.5 (Build does not e configured and which	MOTOTRBO RADIO IP	and SL1600 radio. 279A SC LIC KEY EA CE: No RTTE: No Received Audio Leveling Key • This orders the Licence key the Received Audio Leveling DP1400 / DP2x00 / DP2x00 DP3441e / DP3661e / DP4xy / DP4x01 Ex / DP4x01 Ex M SL2600 / SL40x0 / SL40x0e	List Price €38.00 - Licence to activate g feature in e / DP3441 0x / DP4x0x a / SL1600 / DM1x00 / Dx radio. r to place th provides an by : audio level	
MOTOTRBO RADIO 5-	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No MOTOTRBO Spanish Ban Restriction Feature - Licer • This orders the License Key activate the Spanish Band Refeature in the CPS/RM applic • The Spanish Band Restriction supported by CPS Version 13 679) onwards. • Once activated, the CPS/RM allow applicable devices to be into parts of the VHF/UHF be have been disallowed by the	List Price €28.00 d nce Key needed to estriction sation. n feature is 3.5 (Build does not e configured and which	MOTOTRBO RADIO IP	and SL1600 radio. 279A CE: No RTTE: No Received Audio Leveling Key • This orders the Licence key the Received Audio Leveling DP1400 / DP2x00 / DP2x00 DP3441e / DP3661e / DP4x / DP4x01 Ex / DP4x01 Ex M SL2600 / SL40x0 / SL40x0e DM2600 / DM4x0x / DM4x0 • This feature permits the use radio in a mode whereby it 1 improved audio experience introducing more consistent that compensate for different	List Price €38.00 - Licence to activate g feature in e / DP3441)x / DP4x0x a / SL1600 / DM1x00 /)xe radio. r to place th provides an by audio level ces betwee t required by sed after 18t Premium	
Part Number: HKVN4 MOTOTRBO RADIO 5- Unit of Measure: EA	the analogue 5-Tone signallir an SL1600 radio. 058A TONE LIC KEY CE: No RTTE: No 0580 MOTOTRBO Spanish Ban Restriction Feature - Licer • This orders the License Key activate the Spanish Band Re feature in the CPS/RM applic (• The Spanish Band Restriction supported by CPS Version 13 679) onwards. • Once activated, the CPS/RM allow applicable devices to be into parts of the VHF/UHF ba have been disallowed by the regulatory authority.	List Price €28.00 d nce Key needed to estriction sation. n feature is 3.5 (Build does not e configured and which	Part Number: HKVN44	and SL1600 radio. 279A SC LIC KEY EA CE: No RTTE: No Received Audio Leveling Key • This orders the Licence key the Received Audio Leveling DP1400 / DP2x00 / DP2x00 DP3441e / DP3661e / DP4x / DP4x01 Ex / DP4x01 Ex M SL2600 / SL40x0 / SL40x0e DM2600 / DM4x0x / DM4x(• This feature permits the use radio in a mode whereby it improved audio experience introducing more consistent that compensate for different different transmit radios. • Note: This licence key is nor certain radio models purchas Nov 2019 for which this is a software feature activated a	List Price €38.00 - Licence to activate g feature in a e / DP3441 / Dx / DP4x0x6 a / SL1600 / / DM1x00 / DM1x00 / Dx radio. r to place the provides an by audio levels ces between t required by sed after 18tl Premium	


Software and Applications (Continued)

Mute Mode - Licence Key





Remote Speaker Microphone



RM250 Wired Remote Speaker Microphone, IP67

- Non IMPRES wired RSM with 2.5mm connector and integrated battery. Kit includes USB-A to Micro USB cable for charging
- Dimensions (W x L x D): 58mm x 84mm x 24mm (without clip)
- Weight includes RSM and cable: 154g • Battery life: 22 hours min (5/5/90 duty
- Charge time: 2 hours typical
- Operating voltage: 3.7V DC • Operating temperature: -20 to +60
- degrees Celsius
- · Acoustic: windporting omni-directional
- Emergency Button: no
- Volume Control: no toggle
- Programmable Button: no
- IP Rating: IP67
- Audio Jack 3.5mm: yes (compatible earpiece is PMLN7560A (Non UL))
- Radio compatibility: MOTOTRBO SL series and Wave TKL100i
- Replacement parts: 42009312001 standard swivel shoulder clip, 4205823V01 - alternate swivel shoulder clip, PMKN4224A - replacement RSM cable and HKNN4014B 1130mAH Lilon

Part Number: PMMN41			L	ist Price
AUDIO ACCESSORY-RE	MOTE SPEA	KER MICROPHONE	4	€150.00
Unit of Measure: EA	CE: Yes	RTTE: No	1	150.00

MOTOROLA SOLUTIONS

2-Way Radios and Systems | MOTOTRBO SL2000 Series Portable

SL2600 MOTOTRBO Portable Radio

(EUR) Pricing Information Valid As Of: Thursday, September 03, 2020

Instant Communication, Professional Style



- VHF (136-174MHz); UHF1 (403-480MHz)
- 256 Channels

Features

- 2 Line OLED display
- 4 Button virtual keypad
- Large, textured push-to-talk button for ease of use
- 1 Programmable button to access an action list with multiple programmable features
- Tri-colour LED for clear visual feedback on radio operating status
- Digital Emergency via programmable button to help ensure rapid response to critical incidents
- Sophisticated Emergency Calls help ensure employee safety
- Quick, easy-to-use Group and Individual call capability
- PTT ID helps improve communications efficiency and system discipline
- Elegant channel scanning schemes help ensure calls are received first time every time
- 5 Tone functionality
- Basic Privacy
- Enhanced Privacy via Software Purchase
- VOX Capability
- Transmit Interrupt via Software Purchase
- Digital Telephone Patch via Software Purchase
- Lone Worker
- Integrated Bluetooth 4.0 LE for wireless and data
- Integrated Wi-Fi for OTA updates via Software Purchase
- Indoor Location Tracking via Software Purchase
- Programmable Text Messaging Capability
- Voice announcement of channel change and feature activation
- IP Site Connect (Conventional Multiple Site Coverage)
- Capacity Plus (Single and Multi-Site) via Software Purchase
- IP54 environmental sealing helps ensure continued operation in tough working conditions

Standard Package

- Li-Ion 2300mAh (Typical) Battery
- Charger Options
- Antenna Options
- Carry Solution Options
- In-box Documentation (QRG option, Safety Booklet, RTTE Leaflet, and Accessory Leaflet)

NOTE 1: The 24 month hardware warranty applies only to the radio, it does not apply to batteries or accessories shipped within the model package.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 136.8MHz ±5kHz, 139.2MHz ±5kHz, 141.6MHz ±5kHz, 144MHz ±5kHz, 148.8MHz ±5kHz, 151.2MHz ±5kHz, 153.6MHz ±10kHz, 155.6MHz ±5kHz, 155.72MHz ±5kHz, 155.76MHz ±5kHz, 155.8 ±5kHz, 155.84MHz ±5kHz, 155.92MHz ±5kHz, 156.08MHz ±5kHz, 156.08MHz ±5kHz, 156.24MHz ±5kHz, 156.28MHz ±5kHz, 156.4MHz ±5kHz, 156.4MHz ±5kHz, 156.84MHz ±5kHz, 160.8MHz ±5kHz, 160.

UHF: 403.2MHz ±5kHz, 407.92MHz ±5kHz, 407.96MHz ±5kHz, 408MHz ±5kHz, 408.04MHz ±5kHz, 417.6MHz ±5kHz, 420MHz ±5kHz, 422.4MHz ±5kHz, 431.6MHz ±5kHz, 431.96MHz ±5kHz, 432MHz ±5kHz, 432.04MHz ±5kHz, 442.04MHz ±5kHz, 441.6MHz ±5kHz, 443.92MHz ±5kHz, 443.96MHz ±5kHz, 444.04MHz ±5kHz, 444.04MHz ±5kHz, 444.04MHz ±5kHz, 444.04MHz ±5kHz, 444.04MHz ±5kHz, 446.04MHz ±5kHz, 455.96MHz ±5kHz, 456.04MHz ±5kHz, 460.8MHz ±5kHz, 467.92MHz ±5kHz, 467.96MHz ±5kHz, 468MHz ±5kHz, 468.04MHz ±5kHz, 475.2MHz ±5kHz, 479.96MHz ±5kHz, 480MHz ±5kHz

SL2600 VHF LKP BT WIFI PTO302FE

MODE	EL NO.	DESCRIPTION	MANUF. SUGG LIST PRICE
MDH8	88JCD9SA2AN	SL2600 VHF LKP BT WIFI PTO302FE CE: Yes RTTE: Yes	€413.0
ndatory Options:	: One option	from each group must be chosen	
Antenna QA048	816AA	ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.0
QA048	817AA	ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.
QA048	818AA	ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.
QA06	770AA	ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.
QA06	771AA	ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.
QA06	772AA	ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.
Battery QA048	815AA	ADD: SL BATT LIION 2300T	€0.
Charger QA048	822AA	ADD: USB CHARGER CE UK 100/240V	€0.
QA048	823AA	DEL: CHARGER	€-22.
QA048	835AA	ADD: USB CHARGER CE EU 100/240V	€0.
QA048	836AA	ADD: SUC SMPS CE UK 100/240V	€22.
QA048	837AA	ADD: SUC SMPS CE EU 100/240V	€22.
User Guide QA048	827AA	DEL: QUICK REFERENCE GUIDE	€0.
QA06	769AA	ADD: SL2600 QUICK REF GUIDE	€1.
PCR SERV QA07		ADD: 5 YEAR ESSENTIAL SERVICES	€26.
OPTION 2 QA07	704AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€69.
QA07	705AA	ADD: 5 YEAR ADVANCED SERVICES	€150.
QA07	737AA	DEL: NO SERV WARRANTY APPLIES	€0.
ditional Options:	May be orde	red as required	
CLS ACC QA048		ADD: HOLSTER	€0.
SL1600 _{QA048}	829AA	ADD: WRIST STRAP	€0.
QA048	830AA	ADD: HAND STRAP	€4.
QA048	831AA	ADD: HEAVY DUTY BELT CLIP	€2.

SL2600 VHF LKP BT WIFI PTO302FE

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH88JCD9SA2	ANB SL2600 VHF LKP BT WIFI PTO302FE CE: Yes RTTE: Yes	€399.00
andatory Options: One opt	ion from each group must be chosen	
Antenna QA04816AA	ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.00
QA04817AA	ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.00
QA04818AA	ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.00
QA06770AA	ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.00
QA06771AA	ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.00
QA06772AA	ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.00
Battery QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger QA04824AA	ADD: USB CHARGER CE UK 100/240V	€0.00
QA04825AA	DEL: CHARGER	€-22.00
QA04838AA	ADD: USB CHARGER CE EU 100/240V	€0.00
QA04839AA	ADD: SUC SMPS CE UK 100/240V	€22.00
QA04840AA	ADD: SUC SMPS CE EU 100/240V	€22.00
User Guide QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
QA06769AA	ADD: SL2600 QUICK REF GUIDE	€1.50
PCR SERV QA07703AA	ADD: 5 YEAR ESSENTIAL SERVICES	€26.40
OPTION 2 QA07704AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€69.00
QA07705AA	ADD: 5 YEAR ADVANCED SERVICES	€150.00
QA07737AA	DEL: NO SERV WARRANTY APPLIES	€0.00
lditional Options: May be o	ordered as required	
CLS ACC QA04828AA	ADD: HOLSTER	€0.00
SL1600 _{QA04829AA}	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€4.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€2.00

SL2600 UHF LKP BT WIFI PTO502FE

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH88YCD9SA2AN	SL2600 UHF LKP BT WIFI PTO502FE CE: Yes RTTE: Yes	€413.00
landatory Op	tions: One option	from each group must be chosen	
Antenna	QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
	QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
	QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
	QA06773AA	ADD: UHF STUBBY ANT (445-480MHZ) 4.5CM	€0.00
Battery	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger	QA04822AA	ADD: USB CHARGER CE UK 100/240V	€0.00
	QA04823AA	DEL: CHARGER	€-22.00
	QA04835AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04836AA	ADD: SUC SMPS CE UK 100/240V	€22.00
	QA04837AA	ADD: SUC SMPS CE EU 100/240V	€22.00
User Guide	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
	QA06769AA	ADD: SL2600 QUICK REF GUIDE	€1.50
	QA07703AA	ADD: 5 YEAR ESSENTIAL SERVICES	€26.40
OPTION 2	QA07704AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€69.00
	QA07705AA	ADD: 5 YEAR ADVANCED SERVICES	€150.00
	QA07737AA	DEL: NO SERV WARRANTY APPLIES	€0.00
dditional Op	tions: May be orde	ered as required	
	QA04828AA	ADD: HOLSTER	€0.00
SL1600	QA04829AA	ADD: WRIST STRAP	€0.00
	QA04830AA	ADD: HAND STRAP	€4.00

SL2600 UHF LKP BT WIFI PTO502FE

ADD: HEAVY DUTY BELT CLIP

QA04831AA

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH88YCD9SA2	2ANB SL2600 UHF LKP BT WIFI PTO502FE CE: Yes RTTE: Yes	€399.00
andatory Options: One opt	ion from each group must be chosen	
Antenna QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
QA06773AA	ADD: UHF STUBBY ANT (445-480MHZ) 4.5CM	€0.00
Battery QA04815AA	ADD: SL BATT LIION 2300T	€0.00
Charger QA04824AA	ADD: USB CHARGER CE UK 100/240V	€0.00
QA04825AA	DEL: CHARGER	€-22.00
QA04838AA	ADD: USB CHARGER CE EU 100/240V	€0.00
QA04839AA	ADD: SUC SMPS CE UK 100/240V	€22.00
QA04840AA	ADD: SUC SMPS CE EU 100/240V	€22.00
User Guide QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
QA06769AA	ADD: SL2600 QUICK REF GUIDE	€1.50
PCR SERV QA07703AA	ADD: 5 YEAR ESSENTIAL SERVICES	€26.40
OPTION 2 QA07704AA	ADD: 5 YEAR ESSEN WITH HW REPAIR	€69.00
QA07705AA	ADD: 5 YEAR ADVANCED SERVICES	€150.00
QA07737AA	DEL: NO SERV WARRANTY APPLIES	€0.00
Iditional Options: May be o	ordered as required	
CLS ACC QA04828AA	ADD: HOLSTER	€0.00
SL1600 QA04829AA	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€4.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€2.00

€2.00

MOTOROLA SOLUTIONS

2-Way Radios and Systems | MOTOTRBO SL2000 Series Portable

MOTOTRBO SL2000 Series Radio Accessories

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

VHF Stubby Antenna (144-156MHz)

• Type: Stubby

• GPS: No


• Frequency Band: VHF

Colour Code: Black


• Length (cm): 5

• Frequency Range: 144-156 MHz

Antennas



CE: Yes RTTE: No



CE: No RTTE: No


Unit of Measure: EA

Unit of Measure: EA

€10.00

UHF Stubby Antenna (445-480MHz)

Antennas (Continued)



Part Number: PMAE409	95B		List Price
UHF STUBBY ANT (435-	470MHZ) 4.5	CM	
Unit of Measure: EA	CE: Yes	RTTE: No	€10.00

Frequency Band: UHF Frequency Range: 445-480 MHz GPS: No Colour Code: Black Length (cm): 4.5 Part Number: PMAE4099A ANTENNA, STUBBY, UHF STUBBY ANT (445-480MHZ) 4.5CM List Price €10.00

CE: No RTTE: No

Unit of Measure: EA

• Type: Stubby

Batteries

	Li-Ion 2300mAH Battery	
WINCHARTERIAL Strengthand Lines of the Construction of the Co	 Dimensions HxWxD(mm): 53 11.3 Weight(g): 48 Chemistry: Lilon Operational Time(Hrs): 11.8(A Operational Time(Hrs): 14(Dig Capacity(mAH): 2300mAh(Tyr Intelligent: N No. of Charge cycle: 500 Energy Density (mAh/cm3): 9 Operating Temp Range (°c): -1 Memory Effect: No IP Rating : IP 54 Requires Maintenance: No Intrinsic Safety : No 	inalogue) ital) 5) 4.3
Part Number: PMNN4468B		List Price
BATTERY PACK,BATT LIION Unit of Measure: EA	I 2300T CE: No RTTE: No	€37.00

Carrying Solutions



	 Flexible Quick Release Har Material: Elastic with Plastic a fittings Allows user to hold the radio Quick release: Yes 	nd metal
Part Number: PMLN7076A		List Price
CARRY ACCESSORY-STRAP	P,FLEXIBLE QUICK RELEASE	€16.00
Unit of Measure: EA	CE: No RTTE: No	010.00


Carrying Solutions (Continued)

	Swivel Belt Clip (Heavy D Material: Plastic Belt Clip: Swivel Quick release: Yes	Outy)
Part Number: PMLN712	8A	List Price
CARRY ACCESSORY-BEL BELT CLIP	T CLIP, HEAVY-DUTY SWIVEL	€13.00
Unit of Measure: EA	CE: No RTTE: No	



Chargers and Conditioners

Part Number: PMLN7102A List Price CHR STD MUC INT EU CE: Yes RTTE: No €333.00 Image: State Stat	
Unit of Measure: EA CE: Yes RTTE: No €333.00 Multi-Unit Desktop Charger (UK Plug) • Dimensions HxWxD(mm): 66x450x92 • Weight(g):900 • Dimensions HxWxD(mm): 66x450x92 • Weight(g):900 • Chemistry: Lilon • No. of Pockets: 6 • Maintenance system: No • Operating voltage AC: 100-240 • Line Cord: UK • Line Cord: UK • Ce: Yes	-
Multi-Unit Desktop Charger (UK Plug) • Dimensions HxWxD(mm): 66x450x92 • Weight(g):900 • Chemistry: Lilon • No. of Pockets: 6 • Maintenance system: No • Operating voltage AC: 100-240 • Line Cord: UK	
Plug) • Dimensions HxWxD(mm): 66x450x92 • Weight(g):900 • Chemistry: Lilon • No. of Pockets: 6 • Maintenance system: No • Operating voltage AC: 100-240 • Line Cord: UK	_
Charger Type: Non-IMPRES	
Part Number: PMLN7162A List Price	-
CHR STD MUC INT UK Unit of Measure: EA CE: Yes RTTE: No €333.00	
Switch Mode Power Supply (EU) • Type: Switch Mode • Dimensions HxWxD(mm): 78.6x33.4x70.4 • Operating Temperature(°C):·0°C to +40°C • Storage Temperature(°C):-40°C to 70°C • Operating Voltage (Vac): 100-240 • Line cord: EU Part Number: PS000042A12 POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, Cuse,AC,DC,SWITCH MODE, 5W, 100 V - 240 V,	-
MICRO-USB, EU Unit of Measure: EA CE: Yes RTTE: No	



Ear Microphone Solutions



Swivel earpiece with in-line mic

• Operation: Receive and transmit



List Price €41.00 CE: Yes RTTE: Yes



Adjustable D Style Earpiece with Inline Mic/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Programmable Button: No
- Ear Hanger size adjustable as per User's need

List Price

€44.00

Part Number: PMLN7159A ADJUST D-STYLE W/ IN-LINE PTT/MIC Unit of Measure: EA CE: Yes RTTE: Yes

Part Number: PMLN7189A List Price SWIVEL EARPIECE, IN-LINE MIC & PTT Unit of Measure: EA €30.00		 Programmable Button: No Intrinsic Safety Standard: No 	
	Part Number: PMLN7189A		List Price
			€30.00

€36.00

Miscellaneous Accessories

SURV. EARPIECE, IN-LINE MIC & PTT Unit of Measure: EA CE: Yes RTTE: Yes

and PTT

• PTT: In-line Vox canability: Vos

00000		ds are packed in a
Part Number: 3201214 ANTENNA ID BAND (G	14001 REY- PACK OF 10PCS)	List Price €9.00
Unit of Measure: EA	CE: No RTTE: No	
00000		ds are packed in a
Part Number: 3201214		List Price
ANTENNA ID BAND (G Unit of Measure: EA	REEN- PACK OF 10PCS) CE: No RTTE: No	€9.00

	Antenna ID Band (Yel	low)
• • • • • • • • • • • • • • • • • • •	 These Antenna ID band poly bag, each bag cont Color : Yellow 	
Part Number: 3201214		List Price
ANTENNA ID BAND (YE Unit of Measure: EA	LLOW-PACK OF 10PCS) CE: No RTTE: No	€9.00
	Antenna ID Band (Blu	ie)
00000		
Part Number: 3201214	4004	List Price
ANTENNA ID BAND (BL		LISTINCE

Miscellaneous Accessories (Continued)

00000	 Antenna ID Band (Pul These Antenna ID band poly bag, each bag cont Color : Purple 	s are packed in a
Part Number: 3201214		List Price

Replacement Parts

	Noise Attenuating Plugs	
	For High noise kit solution cor RLN6242 or RLN5886 Low no	
	 Noise reduction is 24 dB 	
	• Kit includes one pair of foam pair of the pair	olugs
	• Compatible with 1, 2- and 3-w	
	PMLN7397, PMLN6123, PML PMLN6125, PMLN6126, PML PMLN6130, NNTN8459, PML PMLN7269, PMLN7270, PML PMLN6755 and RSM earpiece MDRLN4941	N6129, N6758, N6754,
Part Number: 5080384F72		List Price
NOISE ATTENUATING PLUC		€1.12
Unit of Measure: EA	CE: No RTTE: No	C1.12
8		
Part Number: NNTN8385A		List Price
Part Number: NNTN8385A Y-ADAPTER FOR WRLS BLU Unit of Measure: EA		List Price €60.00
Y-ADAPTER FOR WRLS BL	JETOOTH PTT POD	€60.00 <i>cement</i> .7x70x70 C) attery to be
Y-ADAPTER FOR WRLS BLU Unit of Measure: EA	JETOOTH PTT POD CE: Yes RTTE: Yes Single Unit Charger Repla Base • Dimensions HxWxD(mm): 44. • Weight(g): 62 • Chemistry: Lilon • No. of Charger Pockets: 1 • Maintenance system: N • Operating Voltage : 5 Volts(D0 • Line Cord: Not Included • Display: No • Charger Type: Non IMPRES • Note: Charger Pocket allows b charged by lying flat in the po	€60.00 <i>cement</i> .7x70x70 C) attery to be
Y-ADAPTER FOR WRLS BLU Unit of Measure: EA	JETOOTH PTT POD CE: Yes RTTE: Yes Single Unit Charger Repla Base • Dimensions HxWxD(mm): 44. • Weight(g): 62 • Chemistry: Lilon • No. of Charger Pockets: 1 • Maintenance system: N • Operating Voltage : 5 Volts(D0 • Line Cord: Not Included • Display: No • Charger Type: Non IMPRES • Note: Charger Pocket allows b charged by lying flat in the po	€60.00 cement 7x70x70 C) attery to be cket



Service and Repair

	Programming Cable • Cable to allow radio pro	
Part Number: CB0002		List Price
CABLE, MICRO USB P Unit of Measure: EA	ROGRAMMING CABLE CE: Yes RTTE: No	€11.00
	Radio Test Box • Test Box used during ratiune.	idio setup/test and
Part Number: RLN44 TEST BOX,MOBILE/PO Unit of Measure: EA		List Price €461.00

TRACT TRACT	MOTOTRBO CPS / RM Software DVD					
TREO O	 Software DVD containing: 	Software DVD containing:				
	 Customer Programming Software Version 16.0. 					
	0	• Radio Management Version 2.11.45.0.				
	Associated Tools.	5.4				
	 Note 1: This version of CPS / supports up to MOTOTRBO release R2.9 (including minor 	system				
	an Italian help file format issu- been fixed in the latest versic available to download from M	 Note 2: This version of CPS / RM contains an Italian help file format issue which has been fixed in the latest version which is available to download from Motorola Online (for details see R2.9.8 Release 				
Part Number: GMVN5		List Price				
SOFTWARE, MOTOTRE Unit of Measure: EA	SO CPS-RM DVD CE: No RTTE: No	€155.00				
sw	 This orders the Licence key t the Enhanced Privacy feature / DP2x00e / SL2600 / DM260 Enhanced Privacy provides a encryption solution for voice 	in a DP2x00 10 radio.				
	 digital mode. Note: This licence key is not certain radio models purchase Nov 2019 for which this is a l software feature activated as 	and data in required by ed after 18th Premium				
Part Number: HKVN40	digital mode. • Note: This licence key is not certain radio models purchase Nov 2019 for which this is a l software feature activated as	and data in required by ed after 18th Premium				

	MOTOTRBO Portable Cable with TTR	e Programming
IMAGE COMING SOON	 This cable connects the port for radio program. 	
Part Number: PMKN4128A		List Price
PORTABLE PROGRAMMI	NG WITH TTR CE: Yes BTTE: No	€45.00

).	TRO	MOTOTRBO CPS 2.0 / RM Tools Software DVD • Software DVD containing: • Customer Programming Soft Version 2.24.200.0.	ware 2.0
s). iins nas is		 Radio Management Version 2 Associated Tools. Note 1: This version of CPS 2 compatible with MOTOTRBC releases back to R2.8 (or R2.) software updates). 	2.0 / RM is) system
ce	Part Number: GMVN624		List Price
00	SOFTWARE, MOTOTRBO Unit of Measure: EA	RM-CPS 2.0 DVD CE: No RTTE: No	€155.00
		Tronomit Interrupt Encode	Fastura
ice		Transmit Interrupt Encode Licence Kev	reature
e <00	sw	 This orders the Licence key t the Transmit Interrupt Encode DP2x00 / DP2x00e / SL2600 radio. 	e feature in
in		 Transmit Interrupt Encode is mode feature which enables 	a radio to
by 8th		interrupt a transmitting radio (when setting up an emergen	
by 8th d.	_	 interrupt a transmitting radio (when setting up an emergen A feature License Key is not i support Transmit Interrupt De the ability for a radio to be inter another radio. 	cy call). required to ecode (i.e.
8ťh		 when setting up an emergen A feature License Key is not support Transmit Interrupt De the ability for a radio to be interesting 	cy call). required to ecode (i.e. errupted) b required by ad after 18t Premium
8ťh	Part Number: HKVN4060 MOTOTRBO RADIO TX IN	 when setting up an emergen A feature License Key is not support Transmit Interrupt De the ability for a radio to be inter another radio. Note: This licence key is not certain radio models purchase Nov 2019 for which this is a f software feature activated as 	cy call). required to ecode (i.e. errupted) by required by ad after 18tl Premium

Software and Applications (Continued)

	Capacity Plus Single Key	Site - Licence
SW	 This orders the Licence key to activate the Capacity Plus Single Site feature in a DP2x00 / DP2x00e / SL2600 / DM2600 radio. 	
	Capacity Plus Single Sit single site trunking solu	
Part Number: HKVN4061A		List Price
MOTOTRBO RADIO C Unit of Measure: EA	CE: No RTTE: No	€40.00

Capacity Plus Multi Site - Full Licence Key

	LICENCE KEY	
SW	 This orders the Licence the Capacity Plus Multi S DP2x00 / DP2x00 / SL2 radio where the Capacity feature has not previous! Capacity Plus Multi Site multisite trunking solutio Note: This Full Capacity license does not suppor Single Site channels, so also to support Capacity channels then a Capacity / Incremental Capacity P license combination shot instead. 	Sité feature in a 2600 / DM2600 / Plus Single Site ly been activated. provides a on. Plus Multi Site t Capacity Plus if a radio needs Plus Single Site / Plus Single Site rus Multi Site
Part Number: HKVN41		List Price
MOTOTRBO RADIO FU Unit of Measure: EA	LL LCP LIC KEY CE: No RTTE: No	€60.00
SW	Permanent BT Discover Feature - Licence Key • This orders the Licence the Permanent Bluetoot Discoverable Mode in a DP3441e / DP3661e / DF / SL2600 / SL40x0 / SL4 • This feature enables a B On" mode to be configur capable portable radio. • This feature is required to	key to activate h (BT) DP3441 / P4x01 / DP4x01e 0x0e radio. luetooth "Always ed in a Bluetooth

- in 3rd party indoor location tracking applications
- Note 1: This feature is NOT required by the Motorola Indoor Location Tracking solution which employs iBeacons.
- Note 2: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

	List Price
MOTOTRBO PERMANENT BT DISCOVERY LICENSE KEY	€25.00
Unit of Measure: EA CE: No RTTE: No	020.00



Capacity Plus Multi Site -Incremental Licence Kev

This orders the Licence key to activate the Capacity Plus Multi Site feature in a DP2x00 / DP2x00e / SL2600 / DM2600 radio where the Capacity Plus Single Site feature has previously been activated.

List Price

€20.00

· Capacity Plus Multi Site provides a multisite trunking solution.


Part Number: HKVN4062A MOTOTRBO RADIO INCR LCP LIC KEY CE: No RTTE: No Unit of Measure: EA



Digital Telephone Patch Feature -License Key

- This orders the Licence Key to activate the digital telephone patch feature in a DP2x00 / DP2x00e / SL2600 / DM2600 radio.
- Digital Telephone Patch enables MOTOTRBO digital system (radio) users to place and receive telephone calls which are routed via a gateway between a landline telephone network and MOTOTRBO radio system.
- The gateway between the landline telephone network and the MOTOTRBO radio system comprises a Commercial Off The Shelf (COTS) Analog Phone Patch (APP) box connected to a MOTOTRBO repeater known as a phone gateway repeater.


Part Number: HKVN4203A List Price MOTOTRBO RADIO DTP LIC KEY €25.00 Unit of Measure: EA CE: No RTTE: No



List Price

€14.00

Software and Applications (Continued)



Wireless Solutions



Wireless Solutions (Continued)



Wireless RSM Dual Unit

M/Secola 0.1 . .

Dimensions WxHxL(mm): 90x46x87 Weight(g): 140g Chemistry: Lilon No. of Charger Pockets: 2 Maintenance system: N Operating Voltage (Vac): 90-264 Line Cord: EU Display: No Charger Type: Non IMPRES The STD DUC EXT EURO Int of Measure: EA CE: Yes RITE: Yes Veckloop and Phonito Nano Discreet Earpiece Kit Kit includes Phonak Phonito Nano wireles discrete earpiece and neckloop Sorter EAPPIECE KIT CE: Yes RITE: Yes Operations Critical Wireless EP900v BT Earpiece Complete kit with micro-USB charging cable STOP W BT Earpiece Complete kit with micro-USB charging cable Stard Voice prompt with LED indication Fast PTT Weight: 23 Dimensions: 107 mm (W) x 72 mm (H) 26 mm (D) Charge time: 2Hrs Microphone type: Omni-directional VOX: no Noise canceling: yes Controls: multi-function button, volume up/down and PTT Intrinsic Safety Standard: No Radio compatibility: Matortho BT radio models ST7000 ST7500 MTP6000 Safet TRAN	-	Wireless RSM Dual Unit charger(Euro)	
HR STD DUC EXT EURO nit of Measure: EA CE: Yes RTTE: Yes €79.00 IMAGE COMING SOON Neckloop and Phonito Nano Discreet Earpiece Kit 		 Weight(g): 140g Chemistry: Lilon No. of Charger Pockets: 2 Maintenance system: N Operating Voltage (Vac): 90-2 Line Cord: EU Display: No 	
nit of Measure: EA CE: Yes RTTE: Yes €79.00 Neckloop and Phonito Nano Discreet Earpiece Kit Kit includes Phonak Phonito Nano wireles discrete earpiece and neckloop IMAGE COMING SOON It is Price discrete earpiece and neckloop List Price discrete earpiece and neckloop Operations Critical Wireless EP900w BT Earpiece Operations Critical Wireless EP900wireles Close	Part Number: PMLN7121A	۱.	List Price
Discreet Earpiece Kit Kit includes Phonak Phonito Nano wireless discrete earpiece and neckloop Automatication of the second structure o	Init of Measure: EA	CE: Yes RTTE: Yes	€79.00
IMAGE COMING SOON discrete earpiece and neckloop Image: Source of the second secon			no
UDIO ACCESSORY-SURVEILLANCE,NECKLOOP AND DISCREET EARPIECE KIT nit of Measure: EA CE: Yes RTTE: Yes Operations Critical Wireless EP900w BT Earpiece • • Complete kit with micro-USB charging cable • • BT4.2LE and Voice prompt with LED indication • • Fast PTT • • Weight: 23g • • Dimensions: 107 mm (W) x 72 mm (H) 26 mm (D) • <			
DISCREET EARPIECE KIT €905.87 CE: Yes RTTE: Yes Operations Critical Wireless EP900w BT Earpiece • Complete kit with micro-USB charging cable • BT4.2LE and Voice prompt with LED indication • Fast PTT • Weight: 23g • Dimensions: 107 mm (W) x 72 mm (H) 26 mm (D) • • Charge time: 70 Hrs (LTE mode); 35 H (LMR mode) • • Charge time: 2Hrs • Microphone type: Omni-directional • VOX: no • Noise canceling: yes • Controls: multi-function button, volume up/down and PTT • Intrinsic Safety Standard: No • Radio compatibility: Motorbo BT radio models DP4000e series and TETRA BT radio models ST7000 ST7500 MTP6000 series MTP3000 series, Android and iC devices	Part Number: PMLN7696A		List Price
 EP900v BT Earpiece Complete kit with micro-USB charging cable BT4.2LE and Voice prompt with LED indication Fast PTT Weight: 23g Dimensions: 107 mm (W) x 72 mm (H) 26 mm (D) Power source: internal battery Talk time (Typical, 5/5/90): 8Hrs Standby Time: 70 Hrs (LTE mode); 35 H (LMR mode) Charge time: 2Hrs Microphone type: Omni-directional VOX: no Noise canceling: yes Controls: multi-function button, volume up/down and PTT Intrinsic Safety Standard: No Radio compatibility: Motorbo BT radio models DP4000e series and TETRA BT radio models ST7000 ST7500 MTP6000 series MTP3000 series, Android and iC devices 	AUDIO ACCESSORY-SURV DISCREET EARPIECE KIT Init of Measure: EA		€905.87
devices	R	EP900w BT Earpiece Complete kit with micro-USB cable BT4.2LE and Voice prompt windication Fast PTT Weight: 23g Dimensions: 107 mm (W) x 7 26 mm (D) Power source: internal battery Talk time (Typical, 5/5/90): 8F Standby Time: 70 Hrs (LTE million) Charge time: 2Hrs Microphone type: Omni-direct VOX: no Noise canceling: yes Controls: multi-function buttor up/down and PTT Intrinsic Safety Standard: No Radio compatibility: Motorbor models DP4000e series DP3 SL4000 SL2600 series and Ti radio models ST7000 ST7500	charging rith LED 2 mm (H) x 4rs bode); 35 Hrs rtional on, volume b BT radio 000e series ETRA BT 0 MTP6000
nit of Measure: EA CE: Yes RTTE: Yes €80.00			List Price

	Wireless RSM Dual Unit charger(UK)	
	 Dimensions WxHxL(mm): 90 Weight(g): 140g Chemistry: Lilon No. of Charger Pockets: 2 Maintenance system: N Operating Voltage (Vac): 90-2 Line Cord: UK Display: No Charger Type: Non IMPRES 	
Part Number: PMLN7122A	l .	List Price
CHR STD DUC EXT UK Unit of Measure: EA	CE: Yes RTTE: Yes	€79.00
	 Vehicular Power Adapter for connector In-Vehicle charging Adapter v connector Radio compatibility: TETRA S TPG2200; BT Wireless Pod N Input: 12/24V - 1.5A USB C output: 5V - 1.5A USB A output: 5V - 1A 	vith USB T7000 and
Part Number: PMLN7745A	-	List Price
CHGR VEHICULAR ADAPTE	CE: Yes RTTE: No	€45.00
	 Compatible with EP900w BT PMLN7851A One kit includes 5 replaceme 	

Wireless Solutions (Continued)

	 Large earbud replacement, pack of Size: large Compatible with EP900w BT Earpiece PMLN7851A One kit includes 5 replacement earbuds 			Switch Mode Power Su	pply (US)
M			IMAGE COMING SOON	 Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C):0°C to Storage Temperature(°C):-40°C to Operating Voltage (Vac): 100-240 Line cord: US/JP 	
	ARBUD FOR OCW BT PTT,	List Price	Part Number: PS000042A POWER SUPPLY ADAPTC	R,POWER-WALL	List Price
REPLACEMENT (PACK OF Unit of Measure: EA	5) CE: No RTTE: No	€13.00	CUBE,AC,DC,PWR SUPPL CUBE,AC,DC,SWITCH MODE,5W,100V-240V,MIC Unit of Measure: EA	SUPPLY ADPT, WALL	
	Switch Mode Power Su	pplv (EU)		Switch Mode Power Su	oplv (UK)
	 Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C):-2 Storage Temperature(°C):-2 Operating Voltage (Vac): 10 Line cord: EU 	40°C to 70°C		 Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C):-2 Storage Temperature(°C):-2 Operating Voltage (Vac): 10 Line cord: UK 	40°C to 70°C
Part Number: PS000042A	12	List Price	Part Number: PS000042A	\13	List Price
POWER SUPPLY ADAPTOF CUBE, AC, DC, SWITCH MOI MICRO-USB, EU Unit of Measure: EA		€22.00	POWER SUPPLY ADAPTC CUBE, AC, DC, SWITCH MC MICRO-USB, UK/HK Unit of Measure: EA		€22.00
				 Headband: Behind The Heat Hearing Protection: 23dB Volume Up/Down: Yes Power Up/Down Button: C Battery Type: Lithium Polyi Battery Life(Typical, 5/5/90) Battery Charge Time: 7Hrs Weight: 429(g) 	n EarCup ner): 22Hrs
Part Number: RLN4922A		List Price	Part Number: RLN6490B		List Price
NECKLOOP AND DISCREE Unit of Measure: EA	T EARPIECE KIT CE: Yes RTTE: No	€436.00	ACCESSORY KIT,XBT HEA HEADSET, BT Unit of Measure: EA	CE: Yes RTTE: Yes	€847.00
	Over The Head Heavy D Wireless Headset • PTT:Yes • Receive via: Both ears • Transmit via: Boom mic • Headband: Over The Head • Hearing Protection: 25dB		~~~@	 Swivel Earpiece Multipa Pack of 3 Earpieces which a replacement Earpiece for Wireless Solution PMLN64 	an be used a Business
	 Nearing Protection, 250B Volume Up/Down: Yes Power Up/Down Button: C Battery Type: Lithium Polyte Battery Life(Typical, 5/5/90 Battery Charge Time: 7Hrs Weight: 422(g) 	mer I): 22Hrs			
Part Number: RLN6491B ACCESSORY KIT,XBT HEAD	 Volume Up/Down: Yes Power Up/Down Button: C Battery Type: Lithium Poly Battery Life(Typical, 5/5/90 Battery Charge Time: 7Hrs Weight: 422(g) 	mer I): 22Hrs	Part Number: RLN6550A	PIECE,WRLS EARPIECE, BT	List Price

Remote Speaker Microphone

	 Receive only Earpiece with Translucent Tube and Eart FM non UL Replaces MDRLN4941A Voic non intrinsic safety standard requirements Operation: Attach to RSM -Re PTT: No VOX capability: No Programmable Button: No Intrinsic Safety Standard: No 	t ip - Non te Tube for	 RM250 Wired Remote Spectific Remote Spectific Remote Spectific Remote Remote	2.5mm ery. Kit cable for m x 84mm ble: 154g /90 duty 0 +60 irectional batible UL)) BO SL 2001 - el shoulder ent RSM
Part Number: PMLN7560, REC ONLY EARPIECE W/T	-	List Price	Part Number: PMMN4125B AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE	List Price
Unit of Measure: EA	CE: Yes RTTE: Yes	€36.00	Unit of Measure: EA CE: Yes RTTE: No	€150.00