MOTOTRBOT SL SERIES DIGITAL TWO-WAY PORTABLE RADIO



WHERE FUNCTION MEETS STYLE

EURO PRICE CATALOGUE







Contents

SL4010e MOTOTRBO Portable Radio SL4000 Series Portable Accessories

Price Catalogues are subject to change without notice.

We endeavor to periodically update the price catalogues; however

Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2010-2020 by Motorola Solutions, Inc. All rights reserved.

2-Way Radios and Systems | MOTOTRBO SL4000 Series Portable

SL4010e MOTOTRBO Portable Radio

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

YOU'RE SMARTER, CONNECTED



Features

- Slim, sleek design SL4010e dimensions 121x55x17.4mm (w/1400mAh battery fitted)
- UHF1 (403-470MHz); 3W; IP54 rated
- Up to 1000 channels
- Dual internal speakers deliver loud, clear audio quality
- Tri-colour LED indicator for clear, visible feedback of calling, scanning, roaming and monitoring features.
- Contoured push-to-talk button provides comfort and is easy to access
- 4-way navigation disc for easy scrolling through menus and channels
- 2 programmable option buttons for quick access to frequently used features; ability to program up to 9 of your favourite features into a single programmable button
- Roman and Hebrew keypad options
- Basic / Enhanced Privacy
- AES256 Encryption via Software Purchase
- Integrated Bluetooth 4.0 LE for wireless and data
- Integrated Wi-Fi (OTA Software Updates and ADK)
- Audio connector port supports discreet wired audio accessories (wireless Bluetooth audio also available)
- Built-in photo sensor intuitively adjusts backlighting on the screen to optimize viewing in all types of conditions, special "day/night mode" changes screen and illuminates icons to make them clear and readable in varying light conditions
- Large, high-definition, 5 line, colour display offers high clarity and resolution
- Intelligent Audio feature automatically adjusts the radio volume according to the environment's noise level
- Innovative antenna design optimizes range performance (3 variations depending on frequency required)
- Covert mode for discrete operation when it counts
- SL4010e models have an integrated option board
- Integrated man-down
- Indoor Location Tracking
- Direct Mode (including Dual Capacity Direct Mode)
- IP Site Connect (Single and Multi-Site)
- Capacity Plus (Single and Multi-Site)
- Capacity Max via Software Purchase
- Connect Plus via Software Purchase
- Memory enhancement (128MB RAM & 256MB Flash memory)

Standard Package

- Li-lon 2300mAh (Typical) Battery (PMNN4468_)
- Charger options (PS000042A12 (Micro-USB EU), PS000042A13 (Micro-USB UK), PMLN6705A (Tri-Unit EU), PMLN6704A (Tri-Unit UK))
- Antenna Options (PMAE4076_, 77_, 78_)
- Carry Holster (PMLN5956_)
- In-box Documentation (QRG Option, Safety, RTTE Leaflet)

NOTE 1: The 24 month hardware warranty applies only to the radio, it does not apply to batteries or accessories shipped within the model package.

NOTE 2: When ordering Bulk model (x20) please ensure order qty in multiples of 20. These will ship without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

UHF: 403.2 ± 5 kHz, 405.6 ± 5 kHz, 408 ± 5 kHz, 410.4 ± 5 kHz, 412.8 ± 5 kHz, 415.2 ± 5 kHz, 417.6 ± 5 kHz, 420.4 ± 5 kHz, 422.4 ± 5 kHz, 424.8 ± 5 kHz, 427.2 ± 5 kHz, 429.6 ± 5 kHz, 431.96 ± 4 0kHz, 432.04 ± 4 0kHz, 434.4 ± 5 kHz, 436.8 ± 5 kHz, 439.2 ± 5 kHz, 440 ± 5 kHz, 441.6 ± 5 kHz, 444 ± 5 kHz, 446.4 ± 5 kHz, 448.8 ± 5 kHz, 451.2 ± 5 kHz, 456.6 ± 5 kHz, 460.8 ± 5 kHz, 465.6 ± 5 kHz, 467.96 ± 4 0kHz, 468.04 ± 4 0kHz

SL4010E UHF FKP GOB WIFI PMTR532HEG

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH81QCN9TA2A	N SL4010E UHF FKP GOB WIFI PMTR532HEG CE: Yes RTTE: Yes	€605.00
Mandatory Options: One option	n from each group must be chosen	
Antenna QA02832AA	ADD: STUBBY ANTENNA (403-425MHZ)	€0.00
QA02833AA	ADD: STUBBY ANTENNA (420-445MHZ)	€0.00
ΟΔ02834ΔΔ	ADD: STUBRY ANTENNA (438-470MH7)	€ 0.00

SL4010e MOTOTRBO Portable Radio

SL4010E UHF FKP GOB WIFI PMTR532HEG (Continued)

M	IODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Battery O	A04378AB	ADD: SL BATT LIION 2300T	€0.00
Charger Q	A02835AA	ADD: TRI UNIT CHARGER SMPS-CE UK	€0.00
Q	A02836AA	ADD: TRI UNIT CHARGER SMPS-CE EU	€0.00
Q	A02838AA	DEL : CHARGER	€-11.00
Q	A06053AA	ADD: USB CHARGER EU	€0.00
Q.	A06054AA	ADD: USB CHARGER UK	€0.00
User Guide Q	A02839AA	ADD: SL4000/4010 QUICK REFERENCE GUIDE	€1.00
Q.	A02840AA	DEL: QUICK REFERENCE GUIDE	€0.00
Basic Configu- Q	A05980AA	ADD: ROMAN KEYPAD	€0.00
ration $_{ extstyle Q}$	A05981AA	ADD: HEBREW KEYPAD	€0.00
Q	A05982AA	ADD: ROMAN KEYPAD CONNECT PLUS	€45.00
PCR SERV Q		STD: 5YR ENHANCED WARRANTY	€0.00
OPTION $_{ m C}$	A07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
Q	A07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80

SL4010E UHF FKP GOB WIFI PMTR532HEG

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH81QCN9TA2	2ANB SL4010E UHF FKP GOB WIFI PMTR532HEG CE: Yes RTTE: Yes	€570.00
landatory Op	tions: One opt	ion from each group must be chosen	
Antenna	QA02832AA	ADD: STUBBY ANTENNA (403-425MHZ)	€0.00
	QA02833AA	ADD: STUBBY ANTENNA (420-445MHZ)	€0.00
	QA02834AA	ADD: STUBBY ANTENNA (438-470MHZ)	€0.00
Battery	QA04378AB	ADD: SL BATT LIION 2300T	€0.00
Charger	QA03071AA	ADD: TRI UNIT CHARGER SMPS-CE UK	€0.00
	QA03072AA	ADD: TRI UNIT CHARGER SMPS-CE EU	€0.00
	QA03074AA	DEL:CHARGER	€-11.00
	QA06056AA	ADD: USB CHARGER EU	€0.00
	QA06057AA	ADD: USB CHARGER UK	€0.00
User Guide	QA02839AA	ADD: SL4000/4010 QUICK REFERENCE GUIDE	€1.00
	QA02840AA	DEL: QUICK REFERENCE GUIDE	€0.00
Basic Configu-	QA05980AA	ADD: ROMAN KEYPAD	€0.00
ration	QA05981AA	ADD: HEBREW KEYPAD	€0.00
	QA05982AA	ADD: ROMAN KEYPAD CONNECT PLUS	€45.00
	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
OPTION	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€66.80
	QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€147.80



2-Way Radios and Systems | MOTOTRBO SL4000 Series Portable

MOTOTRBO SL4000 Series Radio Accessories

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020

Antennas



Antenna UHF 420-445 MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 420-445 MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18

•

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.

A T4 Micro TORX driver bit is required.

BB List Price

Part Number: PMAE407	6B		List Price
ANTENNA, STUBBY (420-	-445MHZ)		€14.00
Unit of Measure: EA	CE: No	RTTE: Yes	€14.00



Antenna UHF 403-425MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 403-433MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.

A T4 Micro TORX driver bit is required.

Part Number: PMAE4078B				List Price
ANTENNA, STUBBY (40	3-425MHZ)			614.00
Unit of Measure: EA	CE: No	RTTE: Yes		€14.00



Antenna UHF 438-470 MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 438-470 MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.

A T4 Micro TORX driver bit is required.

 Part Number: PMAE4077B
 List Price

 ANTENNA, STUBBY (438-470MHZ)
 €14.00

 Unit of Measure: EA
 CE: No RTTE: Yes

Batteries



SL Series Battery Cover

- Material: Plastic
- · Quick release: Yes
- Note: Replacement rear cover for use with Legacy PMNN4425A/B 1400mAh Batteries

List Price €10.00

Part Number: PMLN6000A						
BATTERY COVER ASSEMBL	Y FOR I	MID CAPACITY				
Unit of Measure: EA	CE: No	RTTE: Yes				



SL Series Battery Cover

- Material: Plastic
- · Quick release: Yes
- Note: Replacement rear cover for use with the legacy HKNN4013A 1800mAh Battery

Part Number: PMLN60	List Price			
BATTERY COVER ASSEMBLY FOR HIGH CAPACITY				
Unit of Measure: EA	CE: No RTTE: Yes	€10.00		



Ultra High Cap Battery Cover

- Material: Plastic
- Quick release: Yes
- Note: For use with PMNN4459_ or PMNN4468_ 2300mAh Batteries

Part Number: PMLN6745A List Price				
ULTRA HIGH CAP BATTERY DOOR KIT Unit of Measure: EA CE: No RTTE: Y	es €15.00			



Li-Ion 2300mAH Battery

- Dimensions HxWxD(mm): 53.8 x 35.8 x 11.3
- Weight(g): 48
- · Chemistry: Lilon
- Operational Time(Hrs): 11.8(Analogue)
- Operational Time(Hrs): 14(Digital)
- Capacity(mAH): 2300mAh(Typ)
- Intelligent: N
- No. of Charge cycle: 500
- Energy Density (mAh/cm3): 94.3
- Operating Temp Range (°c): -20 to +60
- Memory Effect: No
- IP Rating : IP 54
- Requires Maintenance: No
- Intrinsic Safety : No

Part Number: PMNN4468B List Price BATTERY PACK, BATT LIION 2300T €37.00 CE: No RTTE: No Unit of Measure: EA

Carrying Solutions



Unit of Measure: EA

Radio Carry Holder with Swivel **Belt Clip**

- Material: Plastic
- Belt Clip: Swivel
- Quick release: Yes
- NOTE: The radio should be inserted into the holster facing inwards.

Part Number: PMLN5956B			List Price
HOLSTER			610.00
Unit of Measure: EA	CE: No	RTTE: No	€10.00

CE: No RTTE: No



Wrist Strap Material: Nylon • Color : Black • Length(mm): 330 (End to End) Part Number: PMLN6074A List Price WRIST STRAP €7.00 Unit of Measure: EA CE: No RTTE: No



Published: 04/09/2020 Page 2

List Price

€26.00

Chargers & Conditioners



Multi-Unit Desktop Charger (UK Plug)

- Dimensions HxWxD(mm): 64.35x424x110
- Weight(g):900
- Chemistry: Lilon
- No. of Pockets: 6
- Maintenance system: No
- Operating voltage AC: 100-240
- Line Cord: UK
- Display: No
- Charger Type: Non-IMPRES

Part Number: PMLN6686	4	
ACCESSORY KIT, CHR STD	MUC INT	UK
Unit of Measure: EA	CE: Yes	RTTE: Yes





Tri-Unit Charger(UK)

- Dimensions HxWxD(mm): 52x93x113
- Weight(g): 249g
- Chemistry: Lilon
- No. of Charger Pockets: 2
- Micro USB Socket : 1
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- · Display: No
- Charger Type: Non IMPRES

Part Number: PMLN6704A			List Price
CHR STD TUC EXT UK Unit of Measure: FA	CE: Vac	RTTF: Yes	€72.00
Offit of Weasure, LA	CL. 165	MITE. 165	



Switch Mode Power Supply (EU)

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: EU

Part Number: PS000042A12		List Price
POWER SUPPLY ADAPTOR, F CUBE, AC, DC, SWITCH MODE MICRO-USB, EU Unit of Measure: EA	E, 5W, 1	€22.00



Multi-Unit Desktop Charger (Euro Plug)

- Dimensions HxWxD(mm): 64.35x424x110
- Weight(g): 900
- Chemistry: Lilon
- No. of Pockets: 6
- Maintenance system: No
- Operating voltage AC: 100-240
- Line Cord: EURO
- Display: No
- Charger Type: Non-IMPRES

Part Number: PMLN6688A				
ACCESSORY KIT, CHR STE	MUC INT	EU		€396.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		€396.00



Tri-Unit Charger(EU)

- Dimensions HxWxD(mm): 52x93x113
- Weight(g): 249g
- Chemistry: Lilon
- No. of Charger Pockets: 2
- Micro USB Socket: 1
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- Line Cord: EU
- Display: No
- Charger Type: Non IMPRES

Part Number: PMLN6705A			List Price
CHR STD TUC EXT EU			€72.00
Jnit of Measure: EA	CE: Yes	RTTE: Yes	€72.00



Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: UK

Part Number: PS000042A13				List Price	
POWER SUPPLY ADAPTOR CUBE,AC,DC,SWITCH MOD MICRO-USB, UK/HK	DE, 5W,	100 V - 240 V,		€22.00	
Unit of Measure: EA	CE: Yes	RTTE: No			

Ear Microphone Solutions



MagOne Earbud with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN7156A				
EARBUD W IN-LINE MIC/PTT, MAG ONE				
Unit of Measure: EA	CE: Yes RTTE: Yes	€19.00		



- Vox capability: Yes
- Programmable Button: No
- Intrinsic Safety Standard: No

Part Number: PMLN7158A				
SURV. EARPIECE, IN-LINE MIC & PTT				€36.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		€30.00



Swivel earpiece with in-line mic and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Programmable Button: No
- Intrinsic Safety Standard: No

Part Number: PMLN7189A				List Price
SWIVEL EARPIECE, IN-LINE MIC & PTT			€30.00	
	Unit of Measure: EA	CE: Yes	RTTE: Yes	€30.00



2-Wire Earpiece with clear acoustic tube (Black)

- Operation: Receive and transmit
- PTT: PTT on mic
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM

List Price Part Number: PMLN7157A 2-WIRE W/ TRANS TUBE, BLACK Unit of Measure: EA CE: Yo €41.00 CE: Yes RTTE: Yes



Adjustable D Style Earpiece with Inline Mic/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Programmable Button: No
- Ear Hanger size adjustable as per User's

Part Number: PMLN7159A List Price ADJUST D-STYLE W/ IN-LINE PTT/MIC
Unit of Measure: EA CE: Yes RTTE: Yes €44.00

Remote Speaker Microphones



Receive only Earpiece with Translucent Tube and Eartip - Non FM non UL

- Replaces MDRLN4941A Voice Tube for non intrinsic safety standard requirements
- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: No



RM250 Wired Remote Speaker Microphone, IP67

- Non IMPRES wired RSM with 2.5mm connector and integrated battery. Kit includes USB-A to Micro USB cable for charging
- Dimensions (W x L x D): 58mm x 84mm x 24mm (without clip)
- · Weight includes RSM and cable: 154g
- Battery life: 22 hours min (5/5/90 duty cycle)
- Charge time: 2 hours typical
- Operating voltage: 3.7V DC
- Operating temperature: -20 to +60 degrees Celsius
- Acoustic: windporting omni-directional
- Emergency Button: no
- Volume Control: no toggle
- Programmable Button: no
- IP Rating: IP67
- Audio Jack 3.5mm: yes (compatible earpiece is PMLN7560A (Non UL))
- Radio compatibility: MOTOTRBO SL series and Wave TKL100i
- Replacement parts: 42009312001 standard swivel shoulder clip, 4205823V01 - alternate swivel shoulder clip, PMKN4224A - replacement RSM cable and HKNN4014B 1130mAH Lilon Battery

Part Number: PMMN4125B

AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€150.00

Part Number: PMLN7560A				List Price
REC ONLY EARPIECE W/TF Unit of Measure: EA		RTTE: Yes		€36.00

Replacement Parts



Switch Mode Power Supply (Euro)

- Type: Switch Mode
- Dimensions (mm): 84.7(L),32(W),80.2(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: Euro

Part Number: 25012022002				
PWR SUPPLY EU				€22.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		€22.00



Replacement Ear Tip for Wirless Earbud

- Replacement Ear Tips for 1 Wire Earbud
- Bag contains one pair of S/M/L Ear Tips

Part Number: NNTN8299A				List Price
EARTIPS, REPLACEMENT				67.00
Unit of Measure: EA	CE: No	RTTE: No		€7.00



Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions (mm): 84.7(L),48.4(W),72.45(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: UK

 Part Number: 25012022003
 List Price

 PWR SUPPLY UK
 €22.00

 Unit of Measure: EA
 CE: Yes
 RTTE: Yes



Replacement Parts (Continued)




Part Number: NNTN8457A List Price NECKLOOP RETENTION HOOK, BULK REPLACEMENT €44.00 Unit of Measure: EA CE: No RTTE: Yes













Swivel Clip for Wireless PTT POD

- Material: Plastic
- Attachment Type: Swivel
- Note: Swivel Clip is a replacement part for Wireless PTT device NNTN8191. Assembly information can be found on Quick Reference Guide 68012006090-B

Part Number: PMLN6246A List Price WIRELESS POD SWIVEL CLIP €7.00 Unit of Measure: EA CE: No RTTE: No



Service & Repair



Unit of Measure: EA

Programming Cable (Micro USB)

• Cable to allow radio programming

Part Number: CB000262A01 CABLE,MICRO USB PROGRAMMING CABLE List Price €11.00

Software & Applications



MOTOTRBO CPS / RM Software DVD

- Software DVD containing:
- Customer Programming Software Version 16.0.
- Radio Management Version 2.11.45.0.
- Associated Tools.

CE: Yes RTTE: No

- Note 1: This version of CPS / RM supports up to MOTOTRBO system release R2.9 (including minor releases).
- Note 2: This version of CPS / RM contains an Italian help file format issue which has been fixed in the latest version which is available to download from Motorola Online (for details see R2.9.8 Release Notes).

Part Number: GMVN5141AV

SOFTWARE, MOTOTRBO CPS-RM DVD

Unit of Measure: EA

CE: No RTTE: No

List Price

€155.00



MOTOTRBO Connect Plus Radio EID Licence Key

- This orders the licence key to activate Connect Plus operation on the MOTOTRBO Portable/Mobile radios.
- A licence key per MOTOTRBO radio is required.

Part Number: HKVN4069	List Price			
CONNECT PLUS LICENSE	€20.00			
Unit of Measure: EA	CE: No	RTTE: No		€20.00



MOTOTRBO CPS 2.0 / RM and Tools Software DVD

- Software DVD containing:
- Customer Programming Software 2.0 Version 2.24.200.0.
- Radio Management Version 2.24.200.0.
- Associated Tools.
- Note 1: This version of CPS 2.0 / RM is compatible with MOTOTRBO system releases back to R2.8 (or R2.6 for software updates).



Part Number: GMVN6241C

Unit of Measure: EA

SOFTWARE, MOTOTRBO RM-CPS 2.0 DVD

MOTOTRBO Connect Plus Mandown Licence Key

CF: No RTTF: No

 This orders the licence key to enable Mandown feature in the Connect Plus Radios.

Part Number: HKVN4073A
EM SUB CONNECT PLUS MAN DOWN OPTION
Unit of Measure: EA CE: No RTTE: No

List Price €59.00

List Price

€155.00

Software & Applications (Continued)



Permanent BT Discoverable Mode Feature - Licence Key

- This orders the Licence key to activate the Permanent Bluetooth (BT)
 Discoverable Mode in a DP3441 / DP3441e / DP3661e / DP4x01 / DP4x01e / SL2600 / SL40x0 / SL40x0e radio.
- This feature enables a Bluetooth "Always On" mode to be configured in a Bluetooth capable portable radio.
- This feature is required to support certain 3rd party indoor location tracking applications
- Note 1: This feature is NOT required by the Motorola Indoor Location Tracking solution which employs iBeacons.
- Note 2: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4239A

MOTOTRBO PERMANENT BT DISCOVERY LICENSE KEY

Unit of Measure: EA

CE: No RTTE: No

List Price

€25.00



Text to Speech Feature - Licence Key

- This orders the Licence key to activate Text to Speech in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.

 This orders the Licence key to activate for a constant of the constant of
- Text to Speech generates the voice announcement using a speech algorithm in the MOTOTRBO Radio.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4285A

MOTOTRBO RADIO TEXT TO SPEECH LIC KEY

Unit of Measure: EA

CE: No RTTE: No

€10.00



Wi-Fi - Licence Key

- This orders the Licence key to activate the WiFi feature in a DP3441e / DP3661e / DP4x01e / SL2600 / SL40x0e / DM4x01e radio
- This feature provides connectivity to Wi-Fi networks for fast and secure exchange of large volumes of data.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4379A			List Price
TRBO RADIO WIFI LIC KEY			€45.00
Unit of Measure: EA	CE: No	RTTE: No	€45.00



AES Privacy Feature - Licence Key

- This orders the Licence key to activate the AES Privacy feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- AES Privacy provides a 256 bit encryption solution for voice and data in digital mode.
- NOTE: The AES implementation introduced as part of system release R2.4 does NOT interoperate with the pre-R2.4 MOTOTRBO AES implementation. As such, all radios in an existing fleet with the pre-R2.4 AES implementation enabled must be upgraded to at least system release R2.4 before deploying any radios into that fleet with the new R2.4 AES implementation enabled.

 Part Number: HKVN4241A
 List Price

 AES PRIVACY SUBSCRIBER LICENSE KEY
 €250.00

 Unit of Measure: EA
 CE: No RTTE: No



Single Input Noise Cancellation (SINC+) - Licence Key

- This orders the Licence key to activate the Single Input Noise Cancellation (SINC+) feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

 Part Number: HKVN4371A
 List Price

 TRBO RADIO ENH NOISE CAN LIC KEY
 €14.00

 Unit of Measure: EA
 CE: No RTTE: No



Authenticated Radio Disable - Licence Key

- This orders the Licence key to activate the Authenticated Radio Disable feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- This feature introduces an authentication procedure to ensure that target radios can only be disabled by authorised initiating radios/users.
- This feature needs to be activated in the target radios and is supported only by radios operating on Conventional Single Site / IPSC systems.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4382A				
TRBO RADIO AUTH DISABLE LIC KEY				€45.00
Unit of Measure: EA	CE: No	RTTE: No		₹45.00

Software & Applications (Continued)



Transmit Inhibit - Licence Key

- This orders the Licence key to activate the Transmit Inhibit feature in a DP34411/ DP3441e / DP3661e / DP4x0x / DP4x0x e / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it will not transmit any long range RF energy (note: this feature does NOT inhibit the radio's Bluetooth operations).
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4383A				List Price
TRBO RADIO TX INHIBIT LIC KEY			€18.00	
Unit of Measure: EA	CE: No	RTTE: No		€10.00



Software Value Pack 1 - Licence Key

- This Software Value Pack Licence orders both the Text to Speech and Single Input Noise Cancellation (SINC+) features for activation in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- The Text to Speech feature generates voice announcements using a speech algorithm in the MOTOTRBO Radio.
- The SINC+ feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.

1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0				List Price
TRBO SW VALUE PACK	1 LIC KEY			€18.00
Unit of Measure: EA	CE: No	RTTE: No		€18.00



MOTOTRBO Spanish Band Restriction Feature - Licence Key

- This orders the License Key needed to activate the Spanish Band Restriction feature in the CPS/RM application.
- The Spanish Band Restriction feature is supported by CPS Version 13.5 (Build 679) onwards.
- Once activated, the CPS/RM does not allow applicable devices to be configured into parts of the VHF/UHF band which have been disallowed by the Spanish regulatory authority.

Part Number: HKVN4487	List Price		
LICENSE, SPAIN BAND FF	REQUENCY F	RANGE	60.00
Unit of Measure: EA	CE: No R	TTE: No	€0.00



Integrated Mandown - Licence Key

- This orders the Licence key to activate the integrated Man Down feature in a DP3441e / DP3661e / DP4x01e / SL40x0e radio.
- This feature uses the radio's integrated accelerometer to support Man Down operation without the need for an option board.
- Note 1: This feature is NOT supported by non-Bluetooth radio models.
- Note 2: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

TRBO MAN DOWN LIC KEY Unit of Measure: EA CE: No RTTE: No €41.00	Part Number: HKVN4405A		List Price
	TRBO MAN DOWN LIC KEY Unit of Measure: EA	RTTE: No	€41.00



Indoor Location Tracking - Licence Key

- This orders the Licence key to activate the Indoor Location Tracking feature in a DP3441e / DP3661e / DP4x01e / SL2600 / SL40x0e / DM4x01e radio.
- This feature is available for MOTOTRBO radio models which support Bluetooth Low Energy (BLE) and relies on Bluetooth beacons (iBeacons) which are installed at known, fixed points around a building.
- The radio continually scans for iBeacons, and periodically sends a measurement report over the data channel to an application.
- The application uses the report to calculate the position of the radio and displays it on a map in a similar way to GPS.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

				List Price
EM INDOOR LOCATION				€45.00
Unit of Measure: EA	CE: No	RTTE: No		€45.00



Received Audio Leveling - Licence Key

- This orders the Licence key to activate the Received Audio Leveling feature in a DP1400 / DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0x / DP4x01 Ex / DP4x01 Ex / DP4x01 Ex / DP4x01 Ex / DP4x01 DP4x040 / SL2600 / SL40x0 / SL40x0 / DM4x0x / DM4x0x radio.
- This feature permits the user to place the radio in a mode whereby it provides an improved audio experience by introducing more consistent audio levels that compensate for differences between different transmit radios.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4497	A		List Price
LICENSE, MOTOTRBO RA	DIO RX AUDIO LI	EVELING - EA	€11.00
Unit of Measure: EA	CE: No RTTE: No	0	€11.00

Software & Applications (Continued)



Mute Mode - Licence Key

- This orders the Licence key to activate the Mute Mode feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature provides the user with a quick way to mute a radio upon entering into a quiet environment such as joining an important meeting.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN44	98A		List Price
LICENSE, MOTOTRBO RADIO MUTE MODE - EA			
Unit of Measure: EA	CE: No RTTE: No		€9.00



Premium Software Features -Licence Key

- This orders a License Key for activating Premium Software Features in DP3441e, DP3661e, SL4000e and SL4010e radios.
- This License Key is equivalent to the following individual License Keys: HKVN4239A, HKVN4285A, HKVN4371A, HKVN4383A, HKVN4405A, HKVN4431A, HKVN4497A, HKVN4498A, HKVN4379A, HKVN4382A and HKVN4499A.
- Note: This licence key is not required for radios purchased after 18th Nov 2019 which have Premium Software Features activated as standard.

Part Number: HKVN4800	6A	
LICENSE, DP3000E SERIE	S & SL400	00E SERIES PREMIUM
SOFTWARE FEATURES		
Unit of Measure: EA	CE: No	RTTE: No

List Price

€281.00

sw

Response Inhibit - Licence Key

- This orders the Licence key to activate the Response Inhibit feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it will not generate any outgoing transmissions in response to unsolicited incoming transmissions.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4499A	-		List Price	
LICENSE, MOTOTRBO RAD	€18.00			
Unit of Measure: EA	CE: No	RTTE: No	€10.00	

Wireless Solutions

WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (EU)

IMAGE COMING SOON

Kit contains wireless RSM PMMN4096, battery PMNN4461, belt clip and Euro plug desk charger PMLN7121.

Part Number: GMLN5503	_			List Price
WIRELESS RSM PORTABLE SOLUTION W/ DESK				
CHARGER (EU)				€345.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		



Operations Critical Wireless Portable RSM with Battery and D-Ring Swivel Clip

- Complete kit with battery and D-swivel ring
- Up to 10 metre range from the Radio
- Battery Life (Typical, 5/5/90): 28Hrs (13Hrs with 5/35/60 configuration)
- Slide Off removable battery with swivel clip
- Audio Jack: Y (compatible Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only MDRLN4885B)
- Emergency Button: Y
- Volume Control: Y
- Task Light: Y
- IP Rating: IP55
- Intrinsic Safety Standard: No
- Compatibility: Mototrbo DP4000 and DP4000e series, DP3441/DP3661 and DP3441e/DP3661e, SL4000/SL4010 and SL4000e/SL4010e (Accessory emergency function to be enabled on radio CPS); LTE LEX10 LEX11 Wave 5000 Kodiak

			List Price	
WIRELESS PORTABLE RSM			€318.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€310.00



Wireless Earbud,1 Wire,29cm length

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position

				List Price
1-WIRE EARBUD,29CM CORD,BLACK				
Unit of Measure: EA	CE: Yes	RTTE: Yes		€40.00



Wireless Earbud, 2-Wire (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Cable Length: 116cm
- Colour: Black

Part Number: NNTN82	298A		List Price
2-WIRE EARBUD,116CM CORD,BLACK			
Unit of Measure: EA	CE: Yes RTTE: Yes	5	€52.00

WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (UK)

IMAGE COMING SOON

Kit contains wireless RSM PMMN4096, battery PMNN4461, belt clip and UK plug desk charger PMLN7122.

Part Number: GMLN5504B			List Price
WIRELESS RSM PORTABLE CHARGER (UK)			€345.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	



Fast PTT module without Charger

- Large PTT and volume control
- 25ms Fast PTT
- Fits easily in the hand or pocket
- Audible and visual status indicators for Pairing, Bluetooth link, Battery status (low and critical) and Charging status
- Compatible charger: PS000042A12 (EU), PS000042A13 (UK) and PS000042A11 (US) (to be ordered separately)
- Note1: For use with the SL4000/DM4000 Series radios the module requires a SW upgrade (Resource Centre/MOTOTRBO/Programming SW)

Part Number: NNTN8191C			List Price
ASSY,ACCY,BT ACCY KIT, S	TD PAIR	, NCHGR	€220.24
Unit of Measure: EA	CE: Yes	RTTE: Yes	€220.24



Wireless Earbud, 1 Wire, 116cm length

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position

Part Number: NNTN8295A				List Price
-WIRE EARBUD,116CM CORD,BLACK			€55.50	
Init of Measure: EA	CE: Yes	RTTE: Yes		€55.50



Y-Adapter for Wireless Bluetooth PTT Pod

Part Number: NNTN838		List Price
Y-ADAPTER FOR WRLS E Unit of Measure: EA	BLUETOOTH PTT POD CE: Yes RTTE: Yes	€60.00

Wireless Solutions (Continued)



Discreet Operational Critical Wireless Surveillance Kit

- Kit includes Phonak Phonito Nano wireless earpiece and neckloop kit (PMLN7696), Y-adapter for BT PTT pod (NNTN8385) and BT pod (NNTN8191)
- Compatible charger: PS000042A12 (EU), PS000042A13 (UK) and PS000042A11 (US) (to be ordered separately)
- Covert Wireless solution, ideal choice for undercover professionals
- Earpiece has a tiny form factor and is comfortable to wear all day long, 100% discrete
- The communications loop can be worn under a shirt or jacket
- The Microphone can be positioned under a lapel or similar for covert communication

Part Number: NNTN8433A		List Price		
ACCESSORY KIT, OCW C SURVEILLANCE KIT				€1133.36
Unit of Measure: EA	CE: Yes	RTTE: Yes		



Wireless Overt Audio Kit for Fast PTT (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones

Part Number: NNTN87	47A			List Price
AUDIO ACCESSORY-EA	RPIECE, BLA	CK OVERT AUD	IO KIT	
FOR FAST PTT				€82.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		



Wireless Earpiece with 12 inch

 This is a replacement wireless earpiece with 12 inch cable for GMTN6356_ wireless kit.

Part Number: NTN2572A			List Price
EARPIECE W/12" CABLE			6200.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€200.00



Commercial Earbud Headset 3.5mm Adapter, Multipack

- Allows users to connect commercial earbud, earphones or headsets to the Fast PTT module (NNTN8191C).
- Comes in a Multipack of 10 units.

Part Number: NNTN8737A

COMMERCIAL 3.5 EARBUD HEADSET ADAPTER,
MULTIPACK (10)
Unit of Measure: EA

CE: Yes RTTE: Yes

List Price

€320.00



Wireless Overt Audio Kit for Fast PTT (White)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone
- Cable length allows user to Clip on PTT module at suitable position
- Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones

Part Number: NNTN8748A

AUDIO ACCESSORY-EARPIECE, WHITE OVERT AUDIO KIT
FOR FAST PTT

Unit of Measure: EA

CE: Yes RTTE: Yes

List Price
€82.00



Business Wireless Accessory Kit(with Swivel Earpiece)

- Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psu included)
- Power Supply Unit (PS000042A12 EURO plug or PS000042A13 UK plug) to be purchased separately
- Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip
- Swivel Earpiece provides secure communication, comfort and flexibility
- Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger

 Part Number: PMLN6463A
 List Price

 ACCESSORY KIT, BUSINESS WIRELESS ACCESSORY KIT
 List Price

 Unit of Measure: EA
 CE: Yes RTTE: Yes

Wireless Solutions (Continued)



Vehicular Charger for Wireless RSM

- Easy to install with Cigarette Lighter
- Securely mount with the Hang Up clip HLN9073
- · LED Indication for Charging, Standby or Ready status
- Note: Hang Up clip HLN9073 not included

Part Number: PMLN6716A		List Price	
WIRELESS RSM VEHIC Unit of Measure: EA		GER RTTE: No	€111.00



Wireless RSM Dual Unit charger(Euro)

- Dimensions WxHxL(mm): 90x46x87
- Weight(g): 140g
- · Chemistry: Lilon
- No. of Charger Pockets: 2
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- · Line Cord: EU
- Display: No
- Charger Type: Non IMPRES

Part Number: PMLN7121A			List Price
CHR STD DUC EXT EURO			€79.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€/9.00



Business Wireless Accessory Kit (with Boom Mic Earpiece)

- Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psu included)
- Power Supply Unit (PS000042A12 EURO plug or PS000042A13 UK plug) to be purchased separately
- Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip
- Earpiece with Boom Mic provides secure communication, comfort and flexibility
- Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger
- Not VOX capable

Part Number: PMLN718			List Price
FLEXIBLE-FIT SWIVEL E.			
Unit of Measure: EA	CE: Yes	RTTE: Yes	€85.00



Wireless BT PoD (Multipack)

Solution PMLN6463A

Part Number: PMLN7369A List Price				
WIRELESS BLUETOOTH POD, MULTI			6105.00	
Unit of Measure: EA	CE: Yes R	RTTE: Yes		€195.00



Wireless 1- Wire Surveillance Kit (Black)

- Lightweight and easy to Install with Fast PTT module (NNTN8191C)
- In-Line Microphone with a single-wire acoustic tube
- Ideal choice for discrete communication in noise environment
- Colour: Black

Part Number: PMLN7052A AUDIO ACCESSORY-SURVEILLANCE, 1-WIRE SURVEILLANCE KIT FOR OCW/MCW Unit of Measure: EA CE: Yes RTTE: Yes

List Price €71.00



Wireless RSM Dual Unit charger(UK)

- Dimensions WxHxL(mm): 90x46x87
- Weight(g): 140g
- · Chemistry: Lilon
- No. of Charger Pockets: 2
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- · Line Cord: UK
- Display: No
- · Charger Type: Non IMPRES

CHR STD DUC EXT UK Unit of Measure: EA CE: Yes RTTE: Yes €79.00	Part Number: PMLN7122A			List Price
		CE: Yes	RTTE: Yes	€79.00



Earpiece with Boom Mic (Multipack)

 Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN7181A

Part Number: PMLN7203A List Price FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, **MULTIPACK** €73.00

CE: Yes RTTE: Yes





Vehicular Power Adapter with USB connector

- In-Vehicle charging Adapter with USB connector
- Radio compatibility: TETRA ST7000 and TPG2200; BT Wireless Pod NNTN8191C
- Input: 12/24V 1.5A
- USB C output: 5V 1.5A
- USB A output: 5V 1A

				List Price	
	CHGR VEHICULAR ADAPTER VPA		€45.00		
Unit of Mea	sure: EA	CE: Yes	RTTE: No		C45.00

Wireless Solutions (Continued)



Operations Critical Wireless EP900w BT Earpiece

- Complete kit with micro-USB charging cable
- BT4.2LE and Voice prompt with LED indication
- Fast PTT
- Weight: 23g
- Dimensions: 107 mm (W) x 72 mm (H) x 26 mm (D)

Power source: internal battery

- Talk time (Typical, 5/5/90): 8Hrs
- Standby Time: 70 Hrs (LTE mode); 35 Hrs (LMR mode)
- Charge time: 2Hrs
- Microphone type: Omni-directional
- VOX: no
- Noise canceling: yes
- Controls: multi-function button, volume up/down and PTT
- Intrinsic Safety Standard: No
- Radio compatibility: Mototrbo BT radio models DP4000e series DP3000e series SL4000 SL2600 series and TETRA BT radio models ST7000 ST7500 MTP6000 series MTP3000 series, Android and iOS devices

List Price

OPERATIONAL CRITICAL WIRELESS EARPIECE PTT Unit of Measure: EA

CE: Yes RTTE: Yes

€80.00



Large earbud replacement, pack of

- Size: large
- Compatible with EP900w BT Earpiece PMLN7851A
- One kit includes 5 replacement earbuds

Part Number: PMLN7941A		List Price
ACCESSORY KIT, LARGE EARBU	FOR OCW BT PTT,	
REPLACEMENT (PACK OF 5)	€13.00	
Unit of Measure: EA CE: N	o RTTE: No	€13.00



Small earbud replacement, pack of

- Size: small
- Compatible with EP900w BT Earpiece PMLN7851A
- One kit includes 5 replacement earbuds

Part Number: PMLN7940A		List Price
ACCESSORY KIT, SMALL EAR	RBUD FOR OCW BT PTT,	
REPLACEMENT (PACK OF 5)		€12.00
Unit of Measure: EA	CE: No RTTE: No	



Wireless RSM for Portable Radios (without battery)

- Up to 10 metre range from the radio
- Replacement RSM unit excluding battery and clip
- Microphone Type : Omnidirectional
- Operating voltage: 3.6V DC
- IP rating: IP55 (with dust cover closed)
- Additional Functions: Emergency, Vol Ctrl, 3.5mm Audio Jack and Task light
- Compatible with Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only earpiece MDRLN4885B
- Compatibility: Mototrbo BT models on DP4000e series, DP3441/DP3661e series and SL4000e series; LTE LEX10 LEX11 Wave5000 Kodiak
- Intrinsic Safety Standard: No

Part Number: PMMN4096B	List Price
WIRELESS BLUETOOTH ACCESSORY-WIRELESS F	REMOTE
SPEAKER MICROPHONE, WIRELESS REMOTE SPE	EAKER €295.00
MIC	€295.00
Unit of Measure: EA CE: Yes RTTE: Yes	

Wireless Solutions (Continued)



Li-lon 1800mAh Battery for Wireless RSM PMMN4095 and PMMN4096

- Dimensions HxWxD(mm): 83 x 60 x 18
- Weight(g): 59g
- · Chemistry: Lilon
- Operational Time(Hrs): 28hrs (conf :5/5/90)or 13 Hrs (Conf :5/35/60)
- Capacity[mAh]: 1800mAh (Typical)
- Type: Non IMPRES
- No. of Charge cycle:
- Energy Density (mAH/cm3):
- Operating Tem Range (°c): -10 to +60
- Memory Effect: None
- Requires Maintenance: N
- Intrinsic Safety: N

Part Number: PMNN4461A				List Price
BATT STD LIION 1800T				
Unit of Measure: EA	CE: Yes	RTTE: Yes		€75.00

Switch Mode Power Supply (EU)



- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: EU

Part Number: PS000042A12			List Price	
POWER SUPPLY ADAPTOR, POWER- WALL				
CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V,			600.00	
MICRO-USB, EU			€22.00	
Unit of Measure: EA	CE: Yes	RTTE: No		

Neckloop and Phonito Intra Discreet Earpiece Kit

IMAGE COMING SOON

- Kit includes Phonak Phonito Intra wireless discrete earpiece and neckloop.
- Requires BT pod NNTN8191 for complete discrete communication kit.

Part Number: RLN4922A	List Price
NECKLOOP AND DISCREET EARPIECE KIT Unit of Measure: EA CE: Yes RTTE: No	€436.00
	C+00.00

Switch Mode Power Supply (US)

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: US/JP

Part Number: PS000042A11	List Price
POWER SUPPLY ADAPTOR, POWER- WALL	
CUBE,AC,DC,PWR SUPPLY ADPT,WALL	
CUBE,AC,DC,SWITCH	€22.00
MODE,5W,100V-240V,MICRO-USB,US/JP	
Unit of Measure: EA CE: No RTTE: No	



IMAGE

COMING SOON

Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions HxWxD(mm): 78.6x33.4x70.4
- Operating Temperature(°C):0°C to +40°C
- Storage Temperature(°C):-40°C to 70°C
- Operating Voltage (Vac): 100-240
- Line cord: UK

Part Number: PS000042A13			List Price
POWER SUPPLY ADAPTOR, POWER- WALL			
CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V,			€22.00
MICRO-USB, UK/HK			€22.00
Unit of Measure: EA	CE: Yes	RTTE: No	



Behind The Head Heavy Duty OCW Wireless Headset

- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Behind The Head
- Hearing Protection: 23dB
- Volume Up/Down: Yes
- Power Up/Down Button: On EarCup
- Battery Type: Lithium Polymer
- Battery Life(Typical, 5/5/90): 22Hrs
- Battery Charge Time: 7Hrs
- Weight: 429(g)

Part Number: RLN6490	-			List Price
ACCESSORY KIT,XBT H	IEADSET BTN	I, HEAVY DUTY	′	
HEADSET, BT				€847.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		

Wireless Solutions (Continued)



Over The Head Heavy Duty OCW Wireless Headset

- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over The Head
- Hearing Protection: 25dB
- Volume Up/Down: Yes
- Power Up/Down Button: On EarCup
- Battery Type: Lithium Polymer
- Battery Life(Typical, 5/5/90): 22Hrs
- Battery Charge Time: 7Hrs
- Weight: 422(g)

Part Number: RLN6491B			List Price	
ACCESSORY KIT,XBT HEAD	CESSORY KIT,XBT HEADSET HB, HEAVY DUTY			
HEADSET, BT			€847.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		
			_	



Swivel Earpiece Multipack

 Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN6463A

Part Number: RLN6550A			List Price
AUDIO ACCESSORY-EARPIECE, WRLS EARPIECE, BT			
ACCY KIT MULTI			€49.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	