

GP Professional Radio and Accessories Price Catalogue (EUR)

Western and Central Europe



GP Series
GP Series
GP Series
GP Series
GP Series



Contents

GP100 Series Portable Radio Models
GP300 Series Portable Radio Models
GP600 Series Portable Radio Models
GP200 Series Portable Radio Models
GP500 Series Portable Radio Models

GP Professional Series Portable Radio Accessories

Price Catalogues are subject to change without notice.

We endeavor to periodically update the price catalogues; however

Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2010-2014 by Motorola Solutions, Inc. All rights reserved.



2-Way Radios and Systems | Professional Series Portable

Professional Series Portable Accessories

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

Antennas

Antenna LB 29.7-50MHz

- Type: Heliflex
- Frequency Band: Lowband

IMAGE COMING SOON

- Frequency Range: 29.5-50MHz • GPS: No
- Colour Code: No code
- Length (cm): 30

Part Number: NAB6064B			List Price
LB HLFLX ANT 30-50MH			614.00
Unit of Measure: EA	CE: No	RTTE: Yes	€14.83

Antenna 336-368MHz

- Type: Helical
- Frequency Band: 300

IMAGE COMING SOON

- Frequency Range: 336-368MHz
- GPS: N
- Colour Code: Yellow
- Length (cm): 9

Part Number: PMAD4	009A	List Price
ANTENNA 9CM (336-3	68)MHZ HELICAL	CF 07
Unit of Measure: EA	CE: No RTTE: No	€5.87

Antenna VHF 155-174MHz

- Type: Stubby
- Frequency Band: VHF
- Frequency Range: 155-174MHz
- GPS: N
- Colour Code: Black
- Length (cm): 9
- Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4013A			List Price	
VHF 9CM ANT (155-174 Unit of Measure: EA	,	RTTE: No		€10.23

Antenna VHF 155-174MHz Whip

- Type: Whip
- Frequency Band: VHF
- Frequency Range: 155-174MHz
- GPS: N
- Colour Code: Black
- Length (cm): 14
- Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4015A			
VHF 14CM ANT (155-174 Unit of Measure: EA	,	RTTE: No	€10.00

Antenna VHF 150-161MHz

- Type: Whip
- Frequency Band: VHF
- Frequency Range: 150-4161MHz
- GPS: N
 - · Colour Code: Silver
 - Length (cm): 14
 - Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4023A			List Price	
VHF 14CM ANTENNA 15				€10.23
Unit of Measure: EA	CE: No	RTTE: No		



Antenna VHF 146-174MHz

- Type: Helical
- Frequency Band: VHF
- Frequency Range: 146-174MHz
- GPS: N
- Colour Code: Black
- Length (cm): 15
- Note: Not for use with GP-R IP67 Models.

WIDEBAND VHF ANTENNA	Part Number: NAD6502AR		List Price
Unit of Measure: EA CE: No RTTE: No €10.23	WIDEBAND VHF ANTENNA Unit of Measure: EA	RTTE: No	€10.23



Antenna VHF 136-155MHz

- Type: Stubby
- Frequency Band: VHF
- Frequency Range: 136-155MHz
- GPS: N
- Colour Code: Red
- Length (cm): 9
- Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4012A		
VHF STUBBY ANT (136-155MHZ) 9CM		
Unit of Measure: EA	CE: No RTTE: No	€10.23



Antenna VHF 136-155MHz

- Type: Helical
- Frequency Band: VHF
- Frequency Range: 136-155MHz
- GPS: N
- Colour Code: Red
- Length (cm): 14
- Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4014	List Price		
VHF ANT (136-155MHZ) 14CM			
Unit of Measure: EA	CE: No	RTTE: No	€10.00

IMAGE COMING SOON

Antenna 300-344MHz

- Type: Helical
- Frequency Band: 300
- Frequency Range: 300-344MHz
- GPS: N
- Colour Code: Purple
- Length (cm): 9

Part Number: PMAD4	022A	List Price
ANTENNA 9CM (300-34 Unit of Measure: EA	44)MHZ HELICAL CE: No RTTE: No	€12.88



Antenna VHF 150-161MHz

- Type: Stubby
- Frequency Band: VHF
- Frequency Range: 150-161MHz
- GPS: N
- · Colour Code: Silver
- Lenath (cm): 9
- Note: Not for use with GP-R IP67 Models.

Part Number: PMAD4025A	List Price		
VHF 9CM ANTENNA 150-16	€10.23		
Unit of Measure: EA	CE: No	RTTE: No	€10.23

Antennas (Continued)


Antenna 300-350MHz

- Type: Helical
- Frequency Band: 300

IMAGE COMING SOON

- Frequency Range: 300-350MHz
- GPS: N
- Colour Code: Purple
- Length (cm): 14

	Part Number: PMAD4033A			List Price
	ANTENNA 14CM (300-350)MHZ HELICAL			€17.20
L	Init of Measure: EA	CE: No	RTTE: No	C17.20



• Frequency Range: 430-470MHz • GPS: N · Colour Code: Beige


• Note: Not for use with GP-R IP67 Models.

Part Number: PMAE4003A				List Price
UHF STUBBY ANT (430-470MHZ) 9CM			€10.23	
Unit of Measure: EA	CE: No	RTTE: No		€10.23

• Length (cm): 9



Part Number: PMAE4007A			List Price	
UHF 9CM ANTENNA (490-527MHZ)			610.00	
Unit of Measure: EA	CE: No	RTTE: No		€10.23





CE: No RTTE: No





Batteries



IMPRES Battery NiMH 1900mAH Ultra High Capacity

- Dimensions HxWxD (mm):120 x 52 x 20
- Weight (g): 280
- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 1900mAH (max)
- Intelligent: Yes
- Number of Charge Cycles: 400
- Energy Density (mAH/cm3): 15.3
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No

Part Number: HNN4001A			List Price	
IMPRES SMART NIMH BATTERY				
Unit of Measure: EA	CE: No	RTTE: No		_



IMPRES Li-Ion 2500mAH (Typical) Non-CE Battery

- Dimensions HxWxD (mm):120 x 52 x 20
- Weight (g): 160
- · Chemistry: Li-Ion
- Operational Time (Hrs): 15.5 (max)
- Capacity (mAH): 2500mAH (Typical)
- Intelligent: Yes
- Number of Charge Cycles: 400
- Energy Density (mAH/cm3): 16.1
- Operating Tem Range: (-10 +60 deg C)
- Memory Effect: No
- Requires Maintenace: No
- Intrinsic Safety Std: No

Part Number: HNN4003BR		List Price		
	BATT IMP STD IP54 LIION2350M2500T			
	Unit of Measure: EA	CE: No	RTTE: No	_



---- NI----- I ININIOOOO AI

Battery NiMH 1900mAH High Capacity

- Dimensions HxWxD (mm):120 x 52 x 22
- Weight (g): 215
- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 1900mAH (max)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 13.9
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No

Part Number: HINNS			LIST Price
PREMIUM, NIMH, 1	,		_
Unit of Measure: EA	CE: No	RTTE: No	_



IMPRES Battery NiMH 1800mAH Ultra High Capacity(FM)

- Dimensions HxWxD (mm):120 x 52 x 20
- Weight (g): 280
- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 1800mAH (Max)
- Intelligent: Yes
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 14.5
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: FM

			List Price
IMPRES SMART NIMH FM BATTERY			
Unit of Measure: EA	CE: No	RTTE: No	_



Battery NiMH 1400mAH High Capacity

- Dimensions HxWxD (mm):120 x 52 x 12
- Weight (g): 204
- Chemistry: NiMH
- Operational Time (Hrs): 10 (max)
- Capacity (mAH): 1400mAH (max)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 18.7
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No
- Note: Not for use with Lowband models.

 Part Number: HNN9008AR
 List Price

 PREMIUM, NIMH, 1500 MAH, 7.2V
 —

 Unit of Measure: EA
 CE: No RTTE: No



Battery NiCD 1550mAH High Capacity

- Dimensions HxWxD (mm):120 x 52 x 22
- Weight (g): 228
- Chemistry: NiCd
- Operational Time (Hrs): 11 (max)
- Capacity (mAH): 1550mAH (max)
- Intelligent: No
- Number of Charge Cycles: 650
- Energy Density (mAH/cm³): 10.2
- Operating Tem Range: (-30 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No

Part Number: HNN9012B			List Price
PREMIUM, NICD, 1300 M. Unit of Measure: EA	,	RTTE: No	-

Batteries (Continued)



Battery Li-ION 1600mAH Ultra High Capacity

- Dimensions HxWxD (mm):120 x 52 x12
- Weight (g): 125
- Chemistry: Li-ION
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 1600mAH (max)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm3): 24.1
- Operating Tem Range: (-10 +60 deg C)
- Memory Effect: No
- Requires Maintenace: No
- Intrinsic Safety Std: No
- Note: Not for use with Lowband models.

Part Number: HNN9013DR		List Price			
	PREM BATT LI-ION 1500 N		RTTF: No		-
	Offit of Measure, EA	CL. NO	IIIIL. NO		



NiMH 2200mAH (Typical) CE Battery

- Dimensions HxWxD (mm):120 x 52 x 22
- Weight (g): 215
- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 2200mAH (Typical)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 13.9
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No
- Note: New CE battery replacement for HNN9009AR/AR-EU

List Price

€61.87

l e

	e de la constante	WIII	William.
	纏		
	13		
	3	A	0.00
	膜		No.
	1000		HOUSE

BATT NIMH 2200T

Part Number: PMNN4154AR- WYCOFANE

IMPRES NIMH 2000mAH (Typical) CE Battery (FM)

- Dimensions HxWxD (mm):121 x 55.7 x 22.35
- Weight (g): 285

CE: Yes RTTE: Yes

- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 2000mAH (Typical)
- Intelligent: Yes
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 12.3
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Low
- Requires Maintenace: Yes
- Intrinsic Safety Std: FM
- Note: New CE battery replacement for HNN4002A/A-EU, HNN9010AR/AR-EU and HNN9011BR/BR-EU

Part Number: PMNN4157AR			List Price	
BATT IMP FM NIMH1850M2010T			€99.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€33.00



NiMH 1300mAH (Typical) CE Battery

- Dimensions HxWxD (mm):120 x 52 x 12
- Weight (g): 204
- Chemistry: NiMH
- Operational Time (Hrs): 10 (max)
- Capacity (mAH): 1300mAH (Typical)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm3): 18.7
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Yes
- Requires Maintenace: Yes
- Intrinsic Safety Std: No
- Note: Not for use with Lowband models
- Note: New CE battery replacement for HNN9008AR/AR-EU

			List Price
BATT NIMH 1300T			€53.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€55.00



IMPRES NiMH 2075mAH (Typical) CE Battery

- Dimensions HxWxD (mm):121 x 55.7 x 22.35
- Weight (g): 280
- Chemistry: NiMH
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 2075mAH (Typical)
- Intelligent: Yes
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 13.3
- Operating Tem Range: (-20 +60 deg C)
- Memory Effect: Low
- Requires Maintenace: Yes
- Intrinsic Safety Std: No
- Note: New CE battery replacement for HNN4001A/A-EU

Part Number: PMNN4156AR - WYCOFANE		List Price		
BATT IMPRES NIMH 2075T				€69.90
Unit of Measure: EA	CE: Yes	RTTE: Yes		€69.90



Li-lon 1500mAH (Typical) CE Batterv

- Dimensions HxWxD (mm):120 x 52 x12
- Weight (g): 125
- Chemistry: Li-ION
- Operational Time (Hrs): 14 (max)
- Capacity (mAH): 1500mAH (Typical)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAH/cm³): 24.1
- Operating Tem Range: (-10 +60 deg C)
- Memory Effect: No
- Requires Maintenace: No
- Intrinsic Safety Std: No
- Note: Not for use with Lowband models.
- Note: New CE battery replacement for HNN9013DR/DR-EU

Part Number: PMNN4158AR			List Price		
BATT LIION 1500T				€84.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€04.00	

Batteries (Continued)



IMPRES Li-Ion 2600mAH (Typical) CE Battery

- Dimensions HxWxD (mm): 123.30 x 56.86 x 22.35
- Weight (g): 161
- Chemistry: Li-lon
- Operational Time (Hrs): 18 (max)
- Capacity (mAH): 2600mAH (Typical)
- Intelligent: Yes
- Number of Charge Cycles: 300
- Energy Density (mAH/cm³): 15
- Operating Tem Range: (-10 +60 deg C)
- Memory Effect: None
- Requires Maintenace: No
- Intrinsic Safety Std: No
- Note: New CE battery replacement for HNN4003BR/BR-EU

List Price €89.90

	Li-lon	2075mAh CE Batt
Unit of Measure: EA	CE: Yes	RTTE: Yes
BATT IMPRES LIION 2600T		



Part Number: PMNN4159AR

Li-Ion 2075mAh CE Battery (Mag One)

- Dimensions HxWxD (mm):123.40 x 57.4 x 25.52
- Weight(g): 140
- Chemistry: Lilon
- Operational Time(Hrs): 14
- Capacity (mAH): 2075mAh (Typ)
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAH/cm³): 11.34
- Operating Temp Range: -10C to +60C
- Memory Effect: None
- Requires Maintenance: No
- Intrinsic Safety Std: No

Part Number: PMNN4457AR				List Price
BATTERY MAGONE LIION Unit of Measure: EA		075T RTTE: No		€43.00



Li-lon 2900mAh CE Battery

- Dimensions HxWxD (mm):123.40 x 57.4 x 25.52
- Weight (g): 160
- Chemistry: Li-Ion
- Operational Time (Hrs): 19 (max)
- Capacity (mAH): 2900mAH (Typical) / 2800mAH (Minimum)
- IP Rating: IP54
- Intelligent: No
- Number of charge Cycles: 300
- Energy Density (mAH/cm³): 15.49
- Operating Tem Range: -10C to +60C
- Memory Effect: N
- Requires Maintenance: N

Part Number: PMNN4455Al	List Price		
BATT STD IP54 LIION2800M	€75.00		
Unit of Measure: EA	CE: Yes	RTTE: No	€/5.00

Carrying Solutions




Shoulder Strap

• Material: Nylon

Attachment Type: NA

Belt Swivel: NA

• Quick Release of the Radio: NA



List Price

CE: No RTTE: No €11.76



Leather Carry Case with Belt Loop for Non Keypad Models(for radios with slim Lithium Ion battery)

Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: Yes

Part Number: HLN9652A	List Price
LTHR SHORT BELTLOOP THIN BAT	€36.81



Leather Carry Case with Swivel Belt Loop for Non Keypad Models(for radios with slim Li-lon battery)

• Material: Hard leather

Attachment Type: Belt loop

• Belt Swivel: Yes

• Quick Release of the Radio: Yes

Part Number: HLN9670)A		List Price
STD LEATHER SHORT :	SWIVEL THIN	∖ BAT	641.00
Unit of Measure: EA	CE: No	RTTE: No	€41.93



Leather Carry Case with Belt Loop for Keypad Models(for radios with slim Li-lon battery)

• Material: Hard leather

Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: Yes

Part Number: HLN9677	7A			List Price
LTHR SHORT DTMF LOOP THIN BAT			€36.81	
Unit of Measure: EA	CE: No	RTTE: No		€30.01



Leather Carry Case with Swivel Belt Loop for Keypad Models(for radios with slim Li-lon battery)

• Material: Hard leather

Attachment Type: Belt loop

• Belt Swivel: Yes

• Quick Release of the Radio: Yes

Part Number: HLN9690A	List Price	Э
LTHR SHRT DTMF SWIVEL THIN BAT	€41.93	_
Unit of Measure: EA CE: No RTTE:	No €41.93	



Universal Nylon Chest Pack

• Material: Nylon

• Attachment Type: Chest

Belt Swivel: N

• Display/Non-Display: Both

Part Number: HLN6602A			List Price
UNIVERSAL CHESTPACK			€26.08
Unit of Measure: EA	CE: No	RTTE: No	€20.00



Leather Carry Case with Belt Loop for Non Keypad Models(for radios with NiMh, NiCd and FM battery)

Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: No

Part Number: HLN9665A			List Price
STD LTHR SHRT BELTLOOF	STD B	AT	€30.00
Unit of Measure: EA	CE: No	RTTE: No	€30.00



Leather Carry Case with Swivel Belt Loop for Non Keypad Models(for radios with NiMH and NiCD battery)

Material: Hard leather

Attachment Type: Belt loop

Belt Swivel: Yes

• Quick Release of the Radio: Yes

Part Number: HLN9676A	List Price
STD LTHR SHORT SWIVEL STD BAT	641.00
Unit of Measure: EA CE: No RTT	-E: No €41.93



Leather Carry Case with Belt Loop for Keypad Models(for radios with NiMH, NiCD and FM battery)

• Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: No

				List Price
LTHR SHORT DTMF LOOP STD BAT				€38.00
Unit of Measure: EA	CE: No	RTTE: No		₹30.00



Leather Carry Case with Swivel Belt Loop for Keypad Models(for radios with NiMH and NiCD battery)

• Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: Yes

• Quick Release of the Radio: Yes

			List Price
LTHR SHORT DTMF SWIVE	L STD B	AT	€41.93
Unit of Measure: EA	CE: No	RTTE: No	€41.93

Carrying Solutions (Continued)



Leather Carry Case with Belt Loop

Material: Hard leatherAttachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: No

Part Number: HLN9695A List Price				
LTHR TALL DTMF LOOP THIN BAT			€36.81	
Unit of Measure: EA	CE: No	RTTE: No	₹30.81	



Leather Carry Case with Swivel Belt Loop(for Radios with slim Li-lon battery)

• Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: Yes

• Quick Release of the Radio: Yes

Part Number: HLN9699A			List Price
LTHR TALL DTMF SWIVEL	. THIN BA	TΑ	€43.97
Unit of Measure: EA	CE: No	RTTE: No	£43.97



Nylon Carry Case

Material: Nylon

• Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of Radio: Yes

Part Number: HLN97018	3			List Price
NYLON CARRYCASE SHORT DTMF				C10 04
Unit of Measure: EA	CE: No	RTTE: No		€19.94



Belt Clip Carry Holder

- Material: Plastic
- Attachment Type: Clip
- Belt Swivel: No
- Quick Release of the Radio: Yes
- Note: Belt Clip not included. For use with Belt Clip HLN9714A included in the radio model box.

Part Number: HLN9952A			List Price
CARRY HOLDER			€11.76
Unit of Measure: EA	CE: No	RTTE: No	€11.70



Universal Radiopak & Utility Case

- Material: Nylon
- Attachment Type: Chest
- Belt Swivel: N
- Display/Non-Display: Both

Part Number: RLN4815	iΑ		List Price
FANNY PACK CARRY ACCESSORY			€50.00
Unit of Measure: EA	CE: No	RTTE: No	€50.00



Leather Carry Case with Belt Loop

Material: Hard leather

• Attachment Type: Belt loop

• Belt Swivel: No

• Quick Release of the Radio: No

			List Price
LTHR TALL DTMF LOOP STD BAT			€36.81
Unit of Measure: EA	CE: No	RTTE: No	€30.01



Leather Carry Case with Swivel Belt Loop

- Material: Hard leather
- Attachment Type: Belt loop
- Belt Swivel: Yes
- Quick Release of the Radio: Yes

Part Number: HLN9700A				List Price
LTHR TALL DTMF SWIVE	EL STD BA	Τ		€43.97
Unit of Measure: EA	CE: No	RTTE: No		£43.97



Spring Belt Clip

- Material: Plastic
- Attachment Type: Clip
- Belt Swivel: No
- Quick Release of the Radio: Yes

Part Number: HLN9714A			List Price
SPRING BELT CLIP 2 1/2			60.00
Unit of Measure: EA	CE: No	RTTE: No	€3.30



Break-A-Way Chest Pack

- Material: Nylon
- Attachment Type: Chest
- Belt Swivel: N
- Display/Non-Display: Both


•			
Part Number: RLN4570A			List Price
BREAKAWAY CHEST PACK			€52.00
Unit of Measure: EA	CE: Yes	RTTE: No	€52.00

Chargers & Conditioners

Multi-Unit Charger Wall Mount Kit

• Allows the Multi-Unit Chargers to be wall







Charger Interface Unit for IMPRES

- Interfaces with IMPRES Multi Unit Chargers via DB-15 connector.
- Detects and reads Battery information from charger pockets.
- Powered through a Universal Serial Bus(USB)interface.
- Note: MUC is not included.

		List Price
		€139.00
CE: Yes	RTTE: Yes	€133.00
	CE: Yes	CE: Yes RTTE: Yes



IMPRES Single Unit Charger (EU Switch mode power supply)

- Dimensions HxWxD (mm): TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 90-264 V
- · Line Cord: Euro
- Display: No
- Charger Type: IMPRES

Part Number: PMLN518			List P
Impres SUC level v SMP	S EU cord		
Unit of Measure: FA	CF: Yes	RTTF: No	€66,

Price

List Price

€24.42



Core Single Unit Charger (UK Switch mode power supply)

- Dimensions HxWxD (mm):TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: No
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- Display: No
- Charger Type: Rapid

Part Number: PMLN5195	_			List Price
Core SUC level v SMPS UK cord Unit of Measure: FA CF: Yes RTTF: No			€55.00	
Unit of ivieasure: EA	CE: Tes	NITE: NO		



IMPRES Battery Data Reader

- This IMPRES Battery Reader enables IMPRES battery users to evaluate and maintain their IMPRES battery quality by collecting valuable information on battery performance.
- Note: Laptop and Radio are not included.

Part Number: NNTN7392A List Price ASSY, KIT, IMPRES BATTERY DATA READER €290.00 Unit of Measure: EA CE: Yes RTTE: Yes



Charger Interface Unit for IMPRES SUC

- Intefaces with IMPRES Single Unit Chargers via DB-15 Connector
- Detects and reads battery information from charger pockets
- Powered through a Universal Serial Bus (USB) interface
- Note: SUC is not included

Part Number: NNTN8045A List Price CHARGR INTRFCE UNT GEN1 IMPRES SUC €80.00 Unit of Measure: EA CE: Yes RTTE: No



IMPRES Single Unit Charger (UK Switch mode power supply)

- Dimensions HxWxD (mm): TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- · Display: No
- Charger Type: IMPRES

Part Number: PMLN5194B List Price IMPRES SUC LEVEL V SMPS UK CORD €62.90 CE: Yes RTTE: No Unit of Measure: EA



Core Single Unit Charger (EU Switch mode power supply)

- Dimensions HxWxD (mm):TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: No
- Operating Voltage (Vac): 90-264
- Line Cord: Euro
- Display: No
- · Charger Type: Rapid

Part Number: PMLN5196B				List Price
Core SUC level v SMPS EU cord			€55.00	
Unit of Measure: EA	CE: Yes	RTTE: No		€33.00

Chargers & Conditioners (Continued)



Core Single Unit Charger (US Switch mode power supply)

- Dimensions HxWxD (mm):TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 1
- Maintenance System: No
- Operating Voltage (Vac): 90-264
- Line Cord: US
- Display: No
- Charger Type: Rapid

		List Price		
Core SUC level v SMPS	NA/LA cord			€55.00
Unit of Measure: EA	CE: Yes	RTTE: No		€55.00

BOS II Professional Series Adapter

 This BOS II Adapter plate allows battery analyzing capabilities for the GP Professional Series Radios/Batteries.

 Part Number: RL-76340
 List Price

 BOS II ADAPTER PROF.SERIE
 €74.81



IMAGE

COMING SOON

Universal IMPRES Mult-unit Charger Insert

- Allows Universal Multi-unit Charger to charge GP Professional Series radios/batteries.
- Kit contains 6 adapters

Part Number: RLN5648A			List Price
IMPRES MUC ADAPTER Unit of Measure: P06	CE: No	RTTE: No	€12.80



IMPRES Single Unit Charger (230V UK)

- Dimensions HxWxD (mm):55 x 95 x 150
- Weight (Kg): 0.2
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage AC: 230 V
- Line Cord: UK
- Display: No
- Charger Type: Impres

Part Number: WPLN4183A-EU IMPRES SUC W/UK PLUG		
	€62.90	



IMPRES Single Unit Charger (US Switch mode power supply)

- Dimensions HxWxD (mm):TBA
- Weight (Kg): TBA
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: Yes
- Operating Voltage (Vac): 90-264
- Line Cord: US
- Display: No
- Charger Type: Impres

				List Price
Impres SUC level v SMP	S NA/LA cor	d		€62.90
Unit of Measure: EA	CE: Yes	RTTE: No		€02.90



Universal IMPRES Single Unit Charger Insert

 Allows Universal IMPRES Single Unit Chargers to charge GP Professional Series radios/batteries.

 Part Number: RLN5647A
 List Price

 IMPRES SUC ADAPTER
 Else Price

 Unit of Measure: EA
 CE: No RTTE: No



Battery Optimizing System II (BOS

- Regular use of the BOS II can optimise battery performance and help extend battery life, helping reduce battery replacement costs.
- Support of NiCd, NiMH and Li-Ion.
- Interchangeable adapters accommodate most radio/battery families.
- Includes a variety of programs and allows custom programming.

Part Number: WPLN4125BR				List Price
CADEX BOS II EMEA				
Unit of Measure: EA	CE: Yes	RTTE: Yes		_



IMPRES Multi Unit Charger (230V UK)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.6
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: UK
- Display: Option
- Charger Type: Impres
- Note: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R

ACCESSORY KIT, ASSEMBLY, ACCESSORY, PROF IMPRE	S
TC DT MUC UK EPP ND	€499.00
Unit of Measure: EA CE: Yes RTTE: No	

Chargers & Conditioners (Continued)



IMPRES Multi Unit Charger(230V Euro)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.6
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: Euro
- Display: Option
- Charger Type: Impres
- Note: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R

List Price €499.00

List Price

Part Number: WPLN4189	ÐΑ		
ACCESSORY KIT, IMPRES	MUC, NO	DSPL- EURO	PLUG
Unit of Measure: EA	CE: Yes	RTTE: No	





- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.7
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: Euro
- Display: Yes
- Charger Type: Impres

Marie .		S Multi Unit Charg t CE compliant)	er (120V
Unit of Measure: EA	CE: Yes	RTTE: No	6000.00
POWER SUPPLY ADAPTO	R,IMPRES	S MUC W/DSPL - EURO	€999.00
Tare realison. Wit Election	-		Liot i iioo



Part Number: WPLN4194A

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.6
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- Maintenance System: Yes
- Operating Voltage AC: 120V
- Line Cord: US
- Display: Option
- Charger Type: Impres
- Note: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R

Part Number: WPLN420		List Price
MULTI UNIT CHARGER Unit of Measure: EA	(MUC) INTL 110V CE: Yes RTTE: No	€499.00



IMPRES Display Multi Unit Charger(230V UK)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.7
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 6
- Maintenance System: Yes
- Operating Voltage AC: 230V
- Line Cord: UK
- Display: Yes
- Charger Type: Impres

Part Number: WPLN4193A	-		List Price
IMPRES MUC W/DSPL - UK			€999.00
Unit of Measure: EA	CE: Yes	RTTE: No	0000.00



IMPRES Display Multi Unit Charger (120V US not CE compliant)

- Dimensions HxWxD (mm):152 x 450 x 300
- Weight (Kg): 3.7
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 6
- Maintenance System: Yes
- Operating Voltage AC: 120V
- Line Cord: US
- Display: Yes
- Charger Type: Impres

Part Number: WPLN4204	Α		List Price
MUC WITH DISPLAY INTL Unit of Measure: EA		RTTE: No	€999.00



IMPRES Single Unit Charger (120V US) Not CE compliant

- Dimensions HxWxD (mm):55 x 95 x 150
- Weight (Kg): 0.2
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 1
- Maintenance System: Yes
- Operating Voltage AC: 120 V
- Line Cord: US
- Display: No
- Charger Type: Impres

Part Number: WPLN4206A	List Price	
SINGLE UNIT CHARGER (SU Unit of Measure: EA	 110V RTTE: No	€62.90

Discrete Audio Accessories



Bone Inductive Ear Microphone (Grey)

- PTT: No
- Receive via: Single ear
- Transmit via: Ear mic
- Headband: None
- Vox capability: VOX via voiceducer

List Price

€201.96

- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: BDN6641A		
EAR MIC FOR HIGH NOISE	LEVEL E	BLACK
Unit of Measure: EA	CE: Yes	RTTE: No



Bone Inductive Ear Microphone (Beige)

- PTT: No
- Receive via: Single ear
- Transmit via: Ear mic
- Headband: None
- Vox capability: VOX via voiceducer
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: BDN6678A				List Price
STD EAR MICROPHONE, BEIGE			€162.59	
Unit of Measure: EA	CE: Yes	RTTE: No		€102.55



Helmet Comm PTT Module

- PTT:Yes
- Receive via: NA
- Transmit via: NA
- · Headband: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

Part Number: ENLIN4135A				List Price
HELMET COMM PTT MODULE			€297.57	
Unit of Measure: EA	CE: Yes	RTTE: No		€297.57



Helmet-Com Unit

 The Bone Inductive Headset, when connected via the Com-control ENLN4135A, is designed to meet the needs of professional users working in extreme conditions with helmets or breathing apparatus.

Part Number: ENMN4011A			List Price
HELMET COMM			€236.22
Unit of Measure: EA	CE: Yes	RTTE: No	C230.22



Noise Com Direct Connection

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- · Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

			List Price
NOISE COMM			€152.88
Unit of Measure: EA	CE: Yes	RTTE: No	€152.00



Helmet Comm with PTT

- PTT:Yes
- Receive via: Single ear
- Transmit via: Bone Induction
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Note: Contains ENMN4011A and ENLN4135A

Part Number: ENMN4018A
HELMET COMM WITH PTT
Unit of Measure: EA

CE: Yes RTTE: No

List Price
€519.98

Ear Microphone Solutions



Remote Ring PTT Switch

• Ring PTT Switch for use with the Ear Mic Systems/Voiceducers.

Part Number: 0180358B38			List Price
REMOTE RING SW PTT			€75.00
Unit of Measure: FA	CF: Yes	RTTF: No	₹/5.00



1 Wire Flexible Ear Receiver (Black)

- Operation:Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

				List Price
1 WIRE FLEXIBLE EAR RECEIVER			€46.02	
Unit of Measure: EA	CE: Yes	RTTE: No		€40.02



3 Wire Earpiece with Microphone and PTT separated (Beige)

- Operation: Receive and transmit
- PTT: Separate wire PTT
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

			List Price	
3-WIRE MINI LAPEL KIT, BEIGE			€109.00	
Unit of Measure: EA	CE: Yes	RTTE: No		€ 109.00



MAGONE Earpiece with In-Line Microphone and PTT

- Operation:Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: Warranty 6 months

Part Number: MDPMLN4556A			List Price	
MAGONE EARPIECE W PTT FOR GP PROF Unit of Measure: EA CE: Yes RTTE: No			€23.00	
Offic of Wicasard. EA	OL. 103	11112.110		€23.00



2 Wire Earpiece with Clear Acoustic Tube

- Operation:Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Note: kit consists of PMLN4605 & MDPMLN4418

Part Number: MDPMLN4607A		
2 WIRE EARBUD W	/ITH CLEAR VOICE TUBE	625.00
Unit of Measure: EA	CE: Yes RTTE: No	€35.00



EMS Ear Microphone 95dB, Black

- Bone inductive ear microphone, black
- PTT: No
- Receive via: Ear Mic

Headband: No

- VOX Capability: VOX via Voiceducer
- Extra vox switch on PTT: No
- Intrinsic safety standard: No
- Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact and RMN5117 for use with GP Professional

			List Price
EAR MIC, STD NOISE BLACK			€154.00
Unit of Measure: EA	CE: Yes	RTTE: No	C134.00



3 Wire Earpiece with Microphone and PTT separated (Black)

- Operation:Receive and transmit
- PTT: Separate wire PTT
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

			List Price	
3-WIRE MINI LAPEL KIT, BLACK			€109.00	
Unit of Measure: EA	CE: Yes	RTTE: No		€ 109.00



2 Wire Earbud with Microphone and PTT Combined

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDPMLI	N4418B		Lis	st Price
EARBUD WITH MICROI	PHONE / PTT			25 21
Unit of Measure: FA	CF. Yes F	RTTE: No	€	25.31



MAGONE Earpiece with In-Line Microphone and PTT

- Operation:Receive and transmit
- PTT: In-line
- · Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: Warranty 6 months

Part Number: MDPMLN4557A

AUDIO ACCESSORY-EARPIECE, MAGONE EARPIECE W PTT FOR GP PROF

List Price €23.00

Unit of Measure: EA CE: Yes RTTE: No

1 Wire Discreet Earpiece (Beige)

- · Operation:Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

			List Price
DISCREET EARPIECE, BEIGE			652.00
Unit of Measure: EA	CE: Yes	RTTE: No	€52.00

Ear Microphone Solutions (Continued)



2 Wire Earpiece with Microphone and PTT combined (Beige)

- Operation:Receive and transmit
- PTT: PTT on mic
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDRMN	I4022A		List Price
DISCREET EARPIECE &			
Unit of Measure: FA	CF: Yes F	RTTF: No	€79.00



2 Wire Earpiece with Microphone and PTT Combined (Black)

- Operation:Receive and transmit
- PTT: PTT on mic
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDRMN4	1029A		List Price
DISCREET EARPIECE &	-,		€79.00
Unit of Measure: EA	CE: Yes	RTTE: No	670.00



D-Shell Earpiece with PTT and Mic

- Operation:Receive and transmit
- PTT: PTT on mic
- Vox capability: -
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: PMLN50	000A			List Price
D SHELL EARPIECE WITH PTT/MIC			600.00	
Unit of Measure: EA	CE: Yes	RTTE: No		€28.00



Interface Module with PTT and VOX

- Operation: Receive and Transmit
- PTT: Ring PTT Only
- Receive Via: Single Ear
- Transmit Via :Discreet Mic
- Voice Activation :Yes
- · Covert Use :Yes



1 Wire Discreet Earpiece (Black)

- Operation:Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

Part Number: MDRMN4028A List Price DISCREET EARPIECE, BLACK €52.00 CE: Yes RTTE: No Unit of Measure: EA



Unit of Measure: FA

Clear Coiled Voicetube kit for MDPMLN4418 and MDPMLN4519

- Operation:NA
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

Part Number: PMLN4605A List Price CLEAR COILED AUDIO KIT €15.00

CE: Yes RTTE: No

SWIVEL EARPIECE W MIC/PTT **MAGONE**

IMAGE COMING SOON

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN5805A List Price SWIVEL EARPIECE W MIC/PTT MAGONE €26.00 Unit of Measure: EA CE: Yes RTTE: Yes

• Intrinsic Safety Standard :FM Part Number: RMN5117A List Price INTERFACE MODULE WITH PTT AND VOX €339.00 CE: Yes RTTE: No Unit of Measure: EA

Headsets



Ultra Light Weight Headset with In-Line PTT

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Behind
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: ENMN4012A	
BREEZE HEADSET WITH PT	Τ
Unit of Measure: EA	CI

CE: Yes RTTE: No



Light Weight Headset

- PTT:No
- Receive via: Both ears
- Transmit via: Boom mic
- · Headband: Over
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: ENMN4015A	
LIGHTWEIGHT HEADSET	
Unit of Managers, EA	,

CE: Yes RTTE: No

List Price €67.49



Medium Weight Headset with PTT

List Price €62.38

- PTT:In-line
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Behind
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: FM

Part Number: ENMN4016	4		List Price
BEHIND THE HEAD HEADS Unit of Measure: EA		RTTF: No	0050.00
Offit of Measure. EA	CE: res	NITE: NO	€353.30



D-Shell Ultra Light Weight Headset with PTT and VOX

- PTT:In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No

			List Price	
D-SHELL HEADSET FOR GF	PROFE	SSIONAL		€32.00
Unit of Measure: EA	CE: Yes	RTTE: No		€32.00



Medium Weight Headset with PTT

- PTT·In-line
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: FM

Part Number: MDRMN4019				List Price
MEDIUM WEIGHT HEADSET Unit of Measure: EA		PTT RTTE: No		€259.00



MAGONE Light Weight Headset with PTT

- PTT:In-line
- · Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: Warranty 6 months

Part Number: MDPMLN4	List Price		
AUDIO ACCESSORY-HEA	DSET,MAG	ONE HEADSET W PTT	
FOR GP PROF			€29.00
Unit of Measure: EA	CE: Yes	RTTE: No	



Light Weight Headset with PTT

- PTT:In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDRMN4018B List Price			
LIGHTWEIGHT HEADSET WITH PTT			666.00
Unit of Measure: EA	CE: Yes	RTTE: No	€66.00



Light Weight Headset

- PTT·No
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDRMN4031B			List Price	
LIGHTWEIGHT HEADSET				€57.78
Unit of Measure: EA	CE: Yes	RTTE: No		€57.78

Headsets (Continued)

Medium Weight Headset

- PTT:No
- · Receive via: Both ears
- **IMAGE COMING SOON**
- Transmit via: Boom mic
- · Headband: Over
- · Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDRMN4032A			List Price	
MEDIUM WEIGHT HEADSET				
Unit of Measure: EA	CE: Yes	RTTE: No		€211.67

BREEZE HS W BOOM MIC & PTT **MAGONE**

- **IMAGE COMING SOON**
- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN	5806A	List Price
BREEZE HS W BOO	M MIC & PTT MAGONE	€30.00
Unit of Measure: FA	CF: Yes RTTF: Yes	€30.00

GP Heavy Duty Headset

- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: FM

Part Number: PMLN5276B			List Price	се
AUDIO ACCESSORY-HEADSET,HEAVY DUTY HEADSET PMLN5276B			ET €469.00	0
Unit of Measure: EA	CE: Yes	RTTE: Yes		

Remote Speaker Microphones



MAGONE Remote Speaker Microphone with Omnidirectional mic

- Audio Jack:No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: No
- Intrinsic Safety Standard: No
- Note: Warranty 6 months

			List Price
MAGONE RSM FOR GP PO	F		606.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	€26.00



Remote Speaker Microphone (IP57) with Windporting Enhanced Noise Reduction

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature (lessons wind/weather noise)
- Intrinsic Safety Standard: FM

Part Number: MDPMMN4027A			List Price	
RSM IP57 W/O JACK GP	PROFESSIO	JNAL		€47.00
Unit of Measure: EA	CE: Yes	RTTE: No		€47.00



Remote Speaker Microphone with Audio Jack and Windporting **Enhanced Noise Reduction**

- Audio Jack: Yes (3.5mm)
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature (lessons wind/weather noise
- Intrinsic Safety Standard: FM

Part Number: MDPMMN4021A List Price RSM IP54 W/JACK GP PROFESSIONAL €50.00 CE: Yes RTTE: No



Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

			List Price	
EARBUD WITH 3.5MM PLUG			€28.50	
Unit of Measure: EA	CE: Yes	RTTE: Yes		€20.50

Remote Speaker Microphones (Continued)



Receive only Earpiece with Translucent Tube and Eartip

- Operation: Attach to RSM -Receive Only
- PTT: N
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: MDRLN49	941A		List Price
RECEIVE-ONLY EARP. W	V. TRANSC.	TUBE	€49.08
Unit of Measure: EA	CE: Yes	RTTE: Yes	€49.00



Remote Speaker Microphone

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Yes
- Intrinsic Safety Standard: Yes

Part Number: PMMN4	039A		List Price
REMOTE SPEAKER MIC, NC (PROF)			€58.00
Unit of Measure: EA	CE: Yes F	RTTE: No	€36.00



Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series only)

Part Number: WADN4190B			List Price
EAR RCVR W/COIL CBL&3.5MM PLUG		COE 00	
Unit of Measure: EA	CE: No RTTE:	No	€35.20



D-Shell Earpiece, 3.5mm for RSM

- Operation: Attach to RSM Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

			List Price
D-SHELL RX-ONLY EARPIE	CE(3.5MI	M)	€13.90
Unit of Measure: EA	CE: Yes	RTTE: Yes	C13.30



Remote Speaker Microphone w/Volume Control (IP57)

- Audio Jack: No
- Emergency Button: No
- Volume Control: Yes
- Noise Cancelling: No
- IP Rating: IP57
- Intrinsic Safety Standard: Yes

Part Number: PMMN4044A	List Price
REMOTE SPEAKER MIC W/VOL,IP57(PROF)	€75.00
Unit of Measure: EA CE: Yes RTTE: No	€/5.00

Vehicular Accessories



Vehicle Adaptor (VHF)

- VHF Vehicle adapter (136 MHz 174 MHz)
- Dimensions(HxWxD)(mm): 250 x 100 x 85
- Weight(kg): 0,8
- Chemistry: Li-ION/NiCd/NiMH
- No pockets: 1
- Maintenance System: No
- Operating Voltage: 12 32 VDC
- Line Cord: Other
- Display: No
- Charger Type: Rapid
- Note:: For use with Non-IMPRES batteries only

Part Number: EN1006A
VEHICLE ADAPTOR VHF
Unit of Measure: EA

		LIST Price
CE: Yes	RTTE: Yes	€628.00



Vehicle Adaptor (UHF2)

- UHF Vehicle adapter (450 MHz 527 MHz)
- Dimensions(HxWxD)(mm): 250 x 100 x 85
- Weight(kg): 0,8
- Chemistry: Li-ION/NiCd/NiMH
- No pockets: 1
- Maintenance System: No
- Operating Voltage: 12 32 VDC
- · Line Cord: Other
- Display: No
- Charger Type: Rapid
- Note:: For use with Non-IMPRES batteries only

Part Number: EN1008A				
VEHICLE ADAPTOR UHF 450-527				€628.00
Unit of Measure: EA	CE: Yes	RTTE: No		€020.00



Travel Charger with VPA adapter

- Dimensions HxWxD (mm):55 x 35 x 60
- Weight (Kg): 0.16
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 1
- Maintenance System: No
- Operating Voltage AC: 10.8 16 VDC
- Line Cord: Other
- Display: No
- Charger Type: Rapid

Part Number: MDRLN488	3B		List Price
TRAVEL CHARGER Unit of Measure: EA	CE: Yes	RTTE: No	€79.25



Vehicle Adaptor (UHF)

- UHF Vehicle adapter (403 MHz 470 MHz)
- Dimensions(HxWxD)(mm): 250 x 100 x 85
- Weight(kg): 0,8
- Chemistry: Li-ION/NiCd/NiMH
- No pockets: 1
- Maintenance System: No
- Operating Voltage: 12 32 VDC
- Line Cord: Other
- Display: No
- Charger Type: Rapid
- Note:: For use with Non-IMPRES batteries only

 Part Number: EN1007A
 List Price

 VEHICLE ADAPTOR UHF 403-470
 €628.00

 Unit of Measure: EA
 CE: Yes
 RTTE: Yes



Vehicle Adaptor (300MHz)

- Vehicle adapter (300 MHz)
- Dimensions(HxWxD)(mm): 250 x 100 x 85
- Weight(kg): 0,8
- Chemistry: Li-ION/NiCd/NiMH
- No pockets: 1
- Maintenance System: No
- Operating Voltage: 12 32 VDC
- Line Cord: Other
- Display: No
- Charger Type: Rapid
- Note:: For use with Non-IMPRES batteries only

 Part Number: EN1009A
 List Price

 VEHICLE ADAPTOR 300MHZ
 €628.00

 Unit of Measure: EA
 CE: Yes RTTE: Yes

Replacement Parts



Switch Mode Power Supply (Euro)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- · Line cord: Euro

Part Number: EPNN9286B				List Price
BATTERY PACK, SMPS	LEVEL V EU (CORD		€20.00
Unit of Measure: EA	CE: Yes	RTTE: No		C20.00



Switch Mode Power Supply (US)

- Type: Switch Mode
- Dimensions (mm):100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature (°C):-40°C to 85°C
- 64

• Weight (Kg): 0.4

Rapid Single Unit Charger Pocket

• Dimensions HxWxD (mm):50 x 110 x 100

List Price

€20.00

- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets : 1
- Maintenance System: No
- Display: No
- Charger Type: Rapid

Part Number: MDHTN9000C				
SINGLE UNIT CHARGER PO Unit of Measure: EA	CKET	RTTE: No		List Price €40.90



Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: UK

Part Number: EPNN9287B List Price BATTERY PACK, SMPS LEVEL V UK CORD €20.00 CE: Yes RTTE: No Unit of Measure: EA



GP Dust Cover

• Dust Cover to protect the accessory connector when no accessory is connected.

Part Number: HLN9820A List Price DUST COVER Unit of Measure: EA €5.26 CE: No RTTE: No

ASSEMBLY, ACCESSORY, BLACK, CH G TRICHEM EPP SUC DT PROF **IMPRES**

IMAGE COMING SOON

Part Number: WPLN4199				List Price
ASSEMBLY, ACCESSORY,	,BLACK,CH	IG TRICHEM EPI	P SUC	
DT PROF IMPRES				€54.00
Unit of Measure: EA	CE: Yes	RTTE: No		

Service and Repair



Computer Interface Cable 25pin

- Used to connect the computers serial port to the Radio Interface Box RLN4008.
- RIB to 25 pin D.

Part Number: 3080369B7	1EPP		List Price
RIB TO PC CABLE, DB15	TO DB25		€77.84
Unit of Measure: EA	CE: No	RTTE: No	€77.84



Dismantling Tool

• Tool to assist with the dismantling of the portable radio for servicing.

Part Number: 6680702Z01			List Price
OPENER CHASSIS			€10.50
Unit of Measure: EA	CE: No	RTTE: No	€10.50



Computer Interface Cable, 9pin

- Used to connect the computer's serial port to the Radio Interface Box RLN4008.
- RIB to 9 pin D

Part Number: 3080369B72 List Price CABLE, ASSY. IBM AT TO RIB €69.02 Unit of Measure: EA CE: No RTTE: No



Power Supply for Radio Interface Box

• 230V Power Supply for RLN4008 RIB

Part Number: FPN4042A List Price RADIO INTERFACE BOX POWER SUPPLY, RIB PSU 230V €12.00 Unit of Measure: EA CE: Yes RTTE: No

Service and Repair (Continued)



Professional Series Flash Upgrade Adapter

- HLN9742 is a DB25 male/female connector with a three-position toggle switch that permits radio firmware flashing of the portable and mobile Professional Radios.
- For Portable Radios the adapter is compatible with RKN4074 and RKN4075.
- For Mobile Radios the adapter is compatible with RKN4083 and RKN4081

Part Number: HLN9742D FLASH UPGRADE ADAPTER (EPP) Unit of Measure: EA

	LIST I IICE
RTTE: No	€90.50



Professional Series Portable Radio Programming/Test Cable

- The RKN4074 Programming Cable provides the interface between a computer and a portable radio for programming with CPS.
- Note: The Programming Cable does require a Radio Interface Box (RIB), e.g., RLN4008.

Part Number: RKN4074	₽B			List Price
WARIS PROGRAMMING/TEST CABLE				64755
Unit of Measure: EA	CE: Yes R	TTE: No		€47.55



Radio Interface Box (PC to Radio)

• Used in radio setup, test and tune.

Part Number: RLN4008E			List Price
RADIO INTERFACE BOX PC	TO RAI	OIO	€239.28
Unit of Measure: EA	CE: No	RTTE: No	€239.28



BNC Adapter

• Adapts the radio's antenna port to BNC cabling of test equipment.

Part Number: HLN9756B			List Price
BNC ADAPTER			€12 27
Unit of Measure: EA	CE: No	RTTE: No	£12.27



Professional Series Portable Radio Programming/Test Cable

- The RKN4075 Programming Cable provides the interface between a computer and a portable radio for programming with CPS.
- An adapter is supplied which converts the DB25 to a DB9 connector for interfacing to a computer with DB9 ports.
- Note: This Programming Cable does not require a Radio Interface Box (RIB), e.g., RLN4008.

Part Number: RKN4075C			List Price
RIBLESS, CABLE PRO			€369.08
Jnit of Measure: EA	CE: Yes	RTTE: No	€309.00



Radio Test Box

• Test Box used during radio setup/test and

			List Price
TEST BOX,MOBILE/PORTABLE			€461.00
Unit of Measure: EA	CE: Yes	RTTE: No	€461.00

Software and Applications



GP300/GM300 Professional Series CPS CD

- Customer Programming Software for Professional Portable/Mobiles and Compact Professional Portable Radios
- Contains 5 Tone CPS version R03.11.16

Part Number: ENLN4115U			List Price	
PRO SERIES GM/GP300 5TONE CPS			€20.00	
Unit of Measure: EA	CE: No	RTTE: No		€20.00



GP/GM100 Professional Series CPS

- Customer Programming Software for Professional Portable/Mobile Radios
- Contains MDC CPS version R06.12.05 EN, R06.11.10 RU

Part Number: ENLN4148				List Price
PRO SERIES MDC CPS CD ROM			€20.00	
Unit of Measure: EA	CE: No	RTTE: No		€20.00



Professional Series Tuner CD

- Tuner Software for Professional Portables/Mobiles and Compact Professional Portable Radios.
- Contains Tuner versions R02.16.00

Part Number: GMVN5	579B		List Price
PRO SERIES TUNER CO	ROM WAR	IIS PORTABLE	620.00
Unit of Measure: EA	CE: No	RTTE: No	€20.00



GP/GM600-1200 Professional Series CPS

- Customer Programming Software for Professional Portable/Mobiles and Compact Professional Portable Radios
- Contains MPT CPS version R00.08.08

 Part Number: ENLN4116P
 List Price

 PRO SERIES GP/GM600-1200 MPT CPS
 €20.00

 Unit of Measure: EA
 CE: No RTTE: No



GP200/500 Professional Series CPS CD

- Customer Programming Software for Professional GP200/GP500 Series Portable Radios.
- Contains Smartzone CPS version R02.03.00

Part Number: GMVN4001D			List Price
CPS&TUNER CD GP240/280/	/540/58	80 ENGL	€20.00
Unit of Measure: EA	CE: No	RTTE: No	€20.00



IMPRES FLEET MANAGEMENT Software Licence Key

• This orders the licence key of Fleet Management Software application.

Part Number: HKVN4037A

EMEA FLEET MANAGEMENT LICENSE KEY
Unit of Measure: EA

CE: No RTTE: No

List Price

€379.00

Appendix A

GP Series - OPTION REFERENCE SHEET

Option	Option Description	Accessory Kit No.
GP100/GP300/GP	P600 Battery Options	
STDBAT0705AA MDH224AA MDH229AA MDQ391AA MDQA00070AA MDQA00071AA MDQA00073AA QA02074AA QA02075AA QA02076AA QA02077AA QA02078AA QA02079AA	STD NIMH HIGH CAPACITY BATTERY NICD HIGH CAP BATT GP3/6/12 LITHIUM ION BATTERY GP3/6/12 NIMH ULTRA HI CAP BAT GP3/6/12 ALT BATTERY OPTION NIMH ALT IMPRES BATTERY OPTION NIMH FM ALT IMPRES BATTERY OPTION LI ION ADD: GP BATT STD NIMH 1300T ADD: GP BATT STD NIMH 2200T ADD: GP BATT STD LIION 1500T ADD: GP BATT IMP STD NIMH 2100T ADD: GP BATT IMP STD NIMH 2000T ADD: GP BATT IMP FM NIMH 2000T ADD: GP BATT IMP STD LIION 2600T	HNN9008_R Non-EU HNN9012_R Non-EU HNN9013_R Non-EU HNN9009_R Non-EU HNN4001_ Non-EU HNN4002_ Non-EU HNN4003_R Non-EU PMNN4151_R EU PMNN4154_R EU PMNN4156_R EU PMNN4156_R EU PMNN4157_R EU PMNN4157_R EU PMNN4159_R EU
GP100/GP300/GI	P600 Antenna Options	
MDH128AC MDH128AD MDH129AC MDH150AD MDH65AB MDH65AC STDANT0705AA	ANTENNA 136-155MHZ 9CM ANTENNA 136-155MHZ 14CM ANTENNA 150-161MHZ 9CM WIDEBAND ANTENNA VHF 136-174MHZ ANTENNA 155-174 MHZ ANTENNA 155-174MHZ 14CM Std VHF Antenna 14cm 150-161	PMAD4012_ PMAD4014_ PMAD4025_ NAD6502_R PMAD4013_ PMAD4015_ PMAD4023_
UHF MDH125AB MDH125AC MDH126AB STDANT0705AC	STUB ANTENNA 438-470MHZ 9CM ANTENNA 403-433MHZ 9CM ANTENNA 438-470MHZ UHF1 ANT WHIP 403-470MHZ	NAE6522_RA PMAE4002_ PMAE4003_ PMAE4016_
UHF2 MDH127AB MDH127AC STDANT0705AD	9cm 465-510MHz Antenna 9cm 490-527MHz Antenna Std UHF2 Ant 14cm 465-527MHz	PMAE4006_ PMAE4007_ PMAE4008_
Lowband no option	Antenna LB 29.7-50MHz	NAB6064_
300MHz QA01826AA QA01828AA QA01829AA	ADD: PMAD4009 ANTENNA 336-368 MHZ ADD: PMAD4022 ANTENNA 300-344 MHZ ADD: PMAD4033 ANTENNA 300-350 MHZ	PMAD4009_ PMAD4022_ PMAD4033_

GP200/GP500 Battery Options

STDBAT0921AA	STD NIMH HIGH CAP BATTERY	HNN9008_R	Non-EU
Q01AA	ADD: NICD HIGH CAP BATTERY	HNN9012_R	Non-EU
Q02AA	ADD: LITHIUM ION BATTERY	HNN9013_R	Non-EU
Q43AA	ADD: NIMH ULTRA HIGH CAP BATTERY	HNN9009_R	Non-EU
MDQA00070AA	ALT BATTERY OPTION NIMH	HNN4001_	Non-EU
MDQA00071AA	ALT IMPRES BATTERY OPTION NIMH FM	HNN4002_	Non-EU
MDQA00073AA	ALT IMPRES BATTERY OPTION LI ION	HNN4003_R	Non-EU
QA02095AA	ADD: GP BATT STD NIMH 1300T	PMNN4151_R	EU
QA02096AA	ADD: GP BATT STD NIMH 2200T	PMNN4154_R	EU
QA02097AA	ADD: GP BATT STD LIION 1500T	PMNN4158_R	EU
QA02098AA	ADD: GP BATT IMP STD NIMH 2100T	PMNN4156_R	EU
QA02099AA	ADD: GP BATT IMP FM NIMH 2000T	PMNN4157_R	EU
QA02100AA	ADD: GP BATT IMP STD LIION 2600T	PMNN4159_R	EU

GP200/GP500 Antenna Options

V	r	11	•
	_	_	

800MHz		
Q684AA	ADD: UHF STUBBY ANTENNA (433-470)	PMAE4003_
Q683AA	ADD: UHF STUBBY ANTENNA (403-433)	PMAE4002_
STDANT0921AB	STD UHF WHIP ANTENNA (403-520)	PMAE4016_
UHF		
Q396AA	ADD: VHF STUBBY ANTENNA (155-174)	PMAD4013_
Q394AA	ADD: VHF STUBBY ANTENNA (150-161)	PMAD4025_
Q395AA	ADD: VHF STUBBY ANTENNA (136-155)	PMAD4012_
Q681AA	ADD: VHF WHIP ANTENNA (155-174)	PMAD4015_
Q682AA	ADD: VHF WHIP ANTENNA (150-161)	PMAD4023_
Q680AA	ADD: VHF WHIP ANTENNA (136-155)	PMAD4014_
STDANT0921AA	STD VHF HELIFLEX ANTENNA (146-174)	NAD6502_R
*		

STDANT0921AC	STD 800M. ½ WAVE WHIP ANTENNA	NAF5037_
Q676AA	ADD: 800M. ¼ WAVE WHIP ANTENNA	NAF5042_

GP Single Unit Charger Options

GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	PMLN5196_
GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	PMLN5195_
GA00192AA	ADD: SINGLE UNIT CHARGER US	PMLN5197_

GP Series - HISTORY SHEET

Date Revision	Comment
8 th May 2012	Last Release
22 nd Jan 2013	Changes since last release: • SUC CIU for IMPRES Fleet Management added – NNTN8045A • BDN6641A and BDN6678A Audio Accessories Cancelled
28 nd May 2014	 Changes since last release: NAE6483AR Antenna cancelled - PMAE4016A alternative also replaced as in box option. Added PMAE4016A in Antenna section. HNN9011BR Battery cancelled WALN4064A Audio accessory cancelled NNTN7980A IMPRES FLEET Management SW CD cancelled – Software available for free from MOL Resource Centre. NNTN8045A Price change
23 rd Dec 2014	Changes since last release: • Some cancelled radio models removed/some indicated as cancelled.

• HLN9820A Dust Cover spare addition

• PMNN4455AR CE Battery Li-Ion 2900mAh (Typical) addition

• PMNN4457AR CE Battery MAGONE Li-lon 2075mAh (Typical) addition