



GP ATEX PORTABLE RADIO ACCESSORIES





Contents

GP Professional ATEX Accessories

Price Catalogues are subject to change without notice. We endeavor to periodically update the price catalogues; however Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2010-2020 by Motorola Solutions, Inc. All rights reserved.

MOTOROLA SOLUTIONS

2-Way Radios and Systems | ATEX Professional Series Portable

ATEX Professional Portable Radio Accessories

(EUR)

Pricing Information Valid As Of: Thursday, September 03, 2020


Antennas

NTENNA, STUBBY, ANTENNA, UHF STUBBY it of Measure: EA CE: No RTTE: No Antenna VHF 155-174MHz Type: Stubby Frequency Band: VHF Frequency Band: VHF Frequency Band: VHF Frequency Band: VHF Colour Code: Black Length (cm): 9 Note: Not for use with GP-R IP67 Model Antenna VHF 155-174MHz Whip Type: Whip Frequency Band: VHF Frequency Band: UHF Frequency Ba		Antenna UHF 438-470MH • Type: Stubby • Frequency Band: UHF • Frequency Range: 438-470M • GPS: N • Colour Code: - • Length (cm): -	
iit of Measure: EA CE: No RTTE: No E9.00 Antenna VHF 155-174MHz Type: Stubby Frequency Band: VHF Frequency Band: VHF Frequency Band: VHF Frequency Band: VHF GPS: N Colour Code: Black Length (cm): 9 Note: Not for use with GP-R IP67 Model art Number: PMAD4013A HF 9CM ANT (155-174MHz) CE: No RTTE: No RTTE: No Clour Code: Black List Price Frequency Band: VHF Frequency Band: UHF Frequency Band: UH	Part Number: NAE6522AF		List Price
• Type: Stubby • Frequency Band: VHF • Frequency Range: 155-174MHz • GPS: N • Colour Code: Black • Length (cm): 9 • Note: Not for use with GP-R IP67 Model art Number: PMAD4013A HF 9CM ANT (155-174MHZ) • Erequency Band: VHF • Frequency Band: VHF • GPS: N • Colour Code: Black • Length (cm): 14 • Note: Not for use with GP-R IP67 Model art Number: PMAD4015A • Frequency Band: VHF • Frequency Band: VHF • Frequency Band: VHF • Frequency Band: VHF • Frequency Band: UHF • Frequency Band: UHF • Frequency Band: UHF	NTENNA, STUBBY,ANTE		€9.00
• Note: Not for use with GP-R IP67 Model art Number: PMAD4013A HF 9CM ANT (155-174MHZ) iit of Measure: EA List Price (€10.23) Antenna VHF 155-174MHZ Whip • Type: Whip • Frequency Band: VHF • Frequency Range: 155-174MHz • GPS: N • Colour Code: Black • Length (cm): 14 • Note: Not for use with GP-R IP67 Model art Number: PMAD4015A HF 14CM ANT (155-174MHZ) iit of Measure: EA List Price • CE: No Antenna VHF 150-161MHZ • Type: Stubby • Frequency Range: 150-161MHZ • Type: Stubby • Frequency Range: 150-161MHZ • GPS: N • Colour Code: Silver • Length (cm): 9 • Note: Not for use with GP-R IP67 Model art Number: PMAD4025A HF 9CM ANTENNA 150-161MHZ • Type: Heliflex • Type: Heliflex • Type: Heliflex • Type: Heliflex • Frequency Range: 146-174MHz • GPS: No • Colour Code: - • Length (cm): 15 • ATEX Dust Rating: 2D art Number: PMAD40249A NTENNA HELICAL 146-174 MHZ E List Price • Explore		 Type: Stubby Frequency Band: VHF Frequency Range: 155-174N GPS: N 	
art Number: PMAD4013A HF 9CM ANT (155-174MHZ) iit of Measure: EA List Price (€10.23 Antenna VHF 155-174MHZ Whip • Type: Whip • Trequency Band: VHF • Frequency Range: 155-174MHz • GPS: N • Colour Code: Black • Length (cm): 14 • Note: Not for use with GP-R IP67 Model • Note: Not for use with GP-R IP67 Model • Ist Price • Ist Price • Ist Price • Ist Price • Ist Price • Ist Price • Colour Code: Slack • Length (cm): 14 • Note: Not for use with GP-R IP67 Model • Ist Price • Ist Price • Ist Price • Ist Price • Ist Price • Ist Price • Colour Code: Slaver • Length (cm): 9 • Note: Not for use with GP-R IP67 Model • Ist Price • Colour Code: Silver • Length (cm): 9 • Note: Not for use with GP-R IP67 Model • Ist Price • Colour Code: Silver • Length (cm): 9 • Note: Not for use with GP-R IP67 Model • Ist Price • Ist Price • Ist Price • Ist Price • Ist Price • Colour Code: Silver • Ist Price • Ist Price • Colour Code: - • Length (cm): 15 • ATEX Dust Rating: 2D art Number: PMAD4049A NTENNA HELICAL 146-174 MHZ E List Price • Ist Price		•	IP67 Models
Antenna VHF 155-174MHz Whip • Type: Whip • Frequency Band: VHF • Frequency Range: 155-174MHz • GPS: N • Colour Code: Black • Length (cm): 14 • Note: Not for use with GP-R IP67 Model art Number: PMAD4015A HF 14CM ANT (155-174MHZ) int of Measure: EA CE: No RTTE: NO Antenna VHF 150-161MHz • Type: Stubby • Frequency Band: VHF • Frequency Range: 150-161MHz • GPS: N • Colour Code: Silver • Length (cm): 9 • Note: Not for use with GP-R IP67 Model art Number: PMAD4025A HF 9CM ANTENNA 150-161MHZ CE: No RTTE: No CE: No RTTE: No Antenna VHF 146-174MHz • Type: Heliflex • Frequency Band: UHF	/HF 9CM ANT (155-174MH	A HZ)	List Price
HF 14CM ANT (155-174MHZ) €10.00 int of Measure: EA CE: No RTTE: No Antenna VHF 150-161MHz Type: Stubby Frequency Band: VHF • Frequency Band: VHF • • Frequency Band: VHF • • Frequency Range: 150-161MHz • • GPS: N • • Colour Code: Silver • • Length (cm): 9 • • Note: Not for use with GP-R IP67 Model art Number: PMAD4025A List Price HF 9CM ANTENNA 150-161MHZ CE: No • Type: Heliflex • Frequency Band: UHF • Frequency Range: 146-174MHz • GPS: No • Colour Code: - • Length (cm): 15 • ATEX Dust Rating: 2D art Number: PMAD4049A List Price NTENNA HELICAL 146-174 MHZ E E	Part Number: PMAD4015	Colour Code: BlackLength (cm): 14Note: Not for use with GP-R	
Type: Stubby Frequency Band: VHF Frequency Range: 150-161MHz GPS: N Colour Code: Silver Length (cm): 9 Note: Not for use with GP-R IP67 Model CE: No RTTE: No Clour Code: Colour Code: Colou		1HZ)	
HF 9CM ANTENNA 150-161MHZ CE: No RTTE: No €10.23 Antenna VHF 146-174MHZ • Type: Heliflex • Frequency Band: UHF • Frequency Range: 146-174MHz • GPS: No • Colour Code: - • Length (cm): 15 • ATEX Dust Rating: 2D ATEX DUST Rating: 2D ATEX DUST RATES CENTRAL LIST Prior. • Frequency Rates CENTRAL CENTR		 Type: Stubby Frequency Band: VHF Frequency Range: 150-161N GPS: N Colour Code: Silver Length (cm): 9 	МНz
Type: Heliflex Frequency Band: UHF Frequency Range: 146-174MHz GPS: No Colour Code: - Length (cm): 15 ATEX Dust Rating: 2D ATEX Dust Rating: 2D List Price FROD		61MHZ	List Price €10.23
NTENNA HELICAL 146-174 MHZ E		 Type: Heliflex Frequency Band: UHF Frequency Range: 146-174N GPS: No Colour Code: - Length (cm): 15 	
IL OF MEASURE: EA CE: NO INTE: NO	Part Number: PMAD4049 ANTENNA HELICAL 146-17 Jnit of Measure: EA		List Price €8.00



Antennas (Continued)

	Antenna UHF 430-470MHz	2
	 Type: Stubby 	
	 Frequency Band: UHF 	
1	• Frequency Range: 430-470M	Hz
The case Incomence	• GPS: N	
	Colour Code: Beige	
	 Length (cm): 9 	
	 Note: Not for use with GP-R IF 	P67 Models.
Part Number: PMAE4003		List Price
UHF STUBBY ANT (430-47		
Unit of Measure: EA	CE: No RTTE: No	€10.23



Batteries

FTA	GP ATEX Li-lon 1420mAH Battery	(Тур)СЕ
	 NOTE: this battery is for use v Black and Blue GP ATEX radio 	
	• Dimensions HxWxD(mm): 124	4x60x24.6
Ŧ	Weight(g): 230gChemistry: Lilon	
2 00 1	Operational Time(Hrs): 12 (ma	ax)
	 Capacity[mAH]: 1420mAh (Ty 	pical)
	 Intelligent: N 	
	 No. of Charge cycle: 400 	
	Energy Density (mAH/cm3): 7	.76
	• Operating Tem Range (°c): -10) to +50
	 Memory Effect: Low 	
	 Requires Maintenance: N 	
	 IP Rating: IP64 	
	 Intrinsic Safety Standard: ATE 	X
Part Number: NNTN5510	DR	List Price
BATT LIION ATEX 1420T Unit of Measure: EA	CE: Yes RTTE: No	€189.00

Carrying Solutions

	Sew on Dock	
		s hody
	 Allows mounting on uniform armour and other garments 	s, bouy
	All This Klick Fast solution re	auires stud
1990	PMLN5004B for use with TE	TRA radios
	and stud 5566501A01 for us ATEX Remote Speaker Micro	
	GMMN1111A	Sphone
art Number: GMDN0386	ά Δ	List Price
	CLAMSHELL,PLAS,SEW-ON	LIST FILCE
OCK		€5.60
nit of Measure: EA	CE: No RTTE: No	
	Heavy duty leather case	for GP380
- (0) - (EX, GP580 EX and GP680	EX (for
- 12	keypad models)	-
	Material: Hard leather	
	Attachment Type: Belt loop	
	Belt Swivel: Yes	
	Quick Release of the Radio:	Yes
art Number: GMLN1110	В	List Price
ARD LEATHER CARRY C	ASE KP	€47.00
nit of Measure: EA	CE: No RTTE: No	047.00
	Coff looth or coop for CD2	00 EV
	Soft leather case for GP3 GP580 EX and GP680 EX	-
	keypad models)	(101
12 2 1		
	Material: Soft leather	
	Attachment Type: Belt loop	
	Belt Swivel: No	
	Quick Release of the Radio:	res
	_	
		List Price
OFT LEATHER CARRY CA		List Price €29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N	€29.50
art Number: GMLN1112 OFT LEATHER CARRY CA nit of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both	€29.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both	€29.50 Ck
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both	€29.50
OFT LEATHER CARRY CA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 2A EX CE: No RTTE: No	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 224 EX CE: No RTTE: No Carry Case Shoulder Strat	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Stra • Adjustable Black Nylon Strap	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Strat • Adjustable Black Nylon Strat with D-rings	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Strat • Adjustable Black Nylon Strat with D-rings • Material: Nylon	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Stra • Adjustable Black Nylon Strap with D-rings • Material: Nylon • Attachment Type: NA	€29.50 ck List Price €36.50
DET LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Strat • Adjustable Black Nylon Strat with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA	€29.50 ck List Price €36.50 p o for cases
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Stra • Adjustable Black Nylon Strap with D-rings • Material: Nylon • Attachment Type: NA	€29.50 ck List Price €36.50 p o for cases
ATT Number: MDHLN660 HEST PACK GP PROF AT it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Strat • Adjustable Black Nylon Strat with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA	€29.50 ck List Price €36.50
DFT LEATHER CARRY CA it of Measure: EA	ASE KP CE: No RTTE: No ATEX Universal Chest Pa • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 22A EX CE: No RTTE: No Carry Case Shoulder Strat • Adjustable Black Nylon Strat with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA	€29.50 ck List Price €36.50 p o for cases



Dock for Uniform Tag

- Allows fitment to existing remote speaker mic tags on uniforms to give instant Klick Fast Mounting option
- This Klick Fast solution requires stud PMLN5004B for use with TETRA radios and stud 5566501A01 for use with GP ATEX Remote Speaker Microphone GMMN1111A

rt Number: GMDN0547A List Price UBLE TONGUE TAG DOCK t of Measure: EA C CE: No RTTE: No



List Price

List Price



Heavy duty leather case for GP340 EΧ

- Material: Hard leather
- Attachment Type: Belt loop
- · Belt Swivel: Yes
- Quick Release of the Radio: Yes

rt Number: GMLN1111B

HARD LEATHER CARRY CASE NKP	€44.50
Jnit of Measure: EA CE: No RTTE: No	€44.50

Soft leather case for GP340 EX

- Material: Soft leather
- Attachment Type: Belt loop
- · Belt Swivel: No
- Quick Release of the Radio: Yes

rt Number: GMLN1113B

SOFT LEATHER CARRY CASE	NKP	600 50
Unit of Measure: EA CE	E: No RTTE: No	€28.50

ATEX GP Radio Pack

- Material: Nylon
- Attachment Type: Waist
- Belt Swivel: N
- Display/Non-Display: Both

• Attachment Type: With Belt

Part Number: MDRLN4	815A		List Price
RADIO PACK GP PROF ATEX		€42.00	
Unit of Measure: EA CE: No RTTE: No		£42.00	

ATEX Belt Clip • Material: Plastic


• Belt Swivel: NA • Display/Non-Display: Both




Number: PMLN5134A			List Price
X BELT CLIP 2.5 INCH			€5.00
of Measure: EA	CE: No	RTTE: No	£5.00


Chargers & Conditioners

	IMPRES Single Unit Charg type plug - Switch mode supply) Dimensions HxWxD (mm): Tl Weight (Kg): TBA Chemistry: Li-ION/NiCd/NiMH Number of Pockets : 1 Maintenance System: Yes Operating Voltage (Vac): 220- Line Cord: Euro Display: No Charger Type: IMPRES	BA 1
Part Number: PMLN51		List Price
Unit of Measure: EA	T, IMPRES, 1.25A, 230VAC, EU/EA CE: Yes RTTE: No	€66.07
	 Operating Voltage (Vac): 220- Line Cord: UK Display: No Charger Type: Rapid 	
		List Price
CHARGER, SINGLE-UN	95B T, 1.25A, 230VAC, UK/EA CE: Yes RTTE: No	List Price €55.00
Part Number: PMLN51 CHARGER, SINGLE-UNI Unit of Measure: EA	T, 1.25A, 230VAC, UK/EA	€55.00 (US type r supply) A
CHARGER, SINGLE-UNI Jnit of Measure: EA	IT, 1.25A, 230VAC, UK/EA CE: Yes RTTE: No Core Single Unit Charger plug - Switch mode powe • Dimensions HxWxD (mm):TE • Weight (Kg): TBA • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets : 1 • Maintenance System: No • Operating Voltage (Vac): 120V • Line Cord: US • Display: No • Charger Type: Rapid	€55.00 (US type r supply) A 1
CHARGER, SINGLE-UNI Unit of Measure: EA	IT, 1.25A, 230VAC, UK/EA CE: Yes RTTE: No Core Single Unit Charger plug - Switch mode powe • Dimensions HxWxD (mm):TE • Weight (Kg): TBA • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets : 1 • Maintenance System: No • Operating Voltage (Vac): 120V • Line Cord: US • Display: No • Charger Type: Rapid	€55.00 (US type r supply) A



Chargers & Conditioners (Continued)






Chargers & Conditioners (Continued)



Chargers & Conditioners (Continued)

Margare	IMPRES Multi Unit Charge US not CE compliant)	er (120V
	Dimensions HxWxD (mm):15: 300	2 x 450 x
and the second sec	• Weight (Kg): 3.6	
	Chemistry: Li-ION/NiCd/NiMH	ł
	 Number of Pockets : 6 	
	 Maintenance System: Yes 	
	 Operating Voltage AC: 120V 	
	Line Cord: US	
	 Display: Option 	
	 Charger Type: Impres 	
	 Note: Requires charger adapt PMLN5010 for use with Com Professional Radios GP344R/3 	pact
Part Number: WPLN4205A	l literature de la constante de	List Price
MULTI UNIT CHARGER (MI Unit of Measure: EA	UC) INTL 110V CE: Yes RTTE: No	€499.00

Headsets



- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: ATEX
- Intrinsic Safety Standard: ATEX
 Note: ATEX Certified for ATEX Blue
- Note: ATEX Certified for ATEX Blu Radios Only

List Price

€177.00

Part Number: PMLN5153C

ATEX OVER THE HEAD LIGHTWT H/SET Unit of Measure: EA CE: No RTTE: No



ATEX Behind-the-head Heavyduty Headset

- PTT: Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Behind-the-head
- Headband: Benind-tr
- VOX capability: Y
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: ATEXNote: ATEX Certified for ATEX Blue
- Radios Only

List Price

€517.00

art Number:	PMLN5152C
TEX BEHIND	THE HEAD H/DUTY H/SET


ATEX BEHIND THE HEAD H/DUTY H/SET Unit of Measure: EA CE: No RTTE: No

Remote Speaker Microphones

ATEX Remote	Sneaker	Microphone

	Audio Jack: No Audio Jack: No Emergency Button: Yes Volume Control: Yes Noice Cancelling: No Housing: Small Decline 1004				
	 IP Rating: IP64 Intrinsic Safety Standard: ATE rating 2D) 	EX (Dust			
Part Number: PMMN4058		List Price			
AUDIO ACCESSORY-HEAI MIC W/VOL CTRL Unit of Measure: EA	DSET,ATEX REMOTE SPEAKER CE: No RTTE: Yes	€215.00			

Miscellaneous Accessories



•			
Part Number: PMLN5679A			List Price
AUDIO ADAPTER Unit of Measure: EA	CE: Yes	RTTE: No	€145.00



Replacement Parts

IMAGE COMING SOON	 ATEX Belt Clip for RSM Belt Clip for use with ATEX RSMs PMMN4058_ and PMMN4067 		
Part Number: 4205823V0 CLIP, BELT - ATEX Unit of Measure: EA	7 CE: No RTTE: No	List Price €29.55	
IMAGE	Replacement (tri-unit) poor six-way charger base • Compatible with the following models: PMPN4297. PMPN4	g charger	
COMING SOON	PMPN4285 • Charges radio or battery (TETRA MTP850Ex series, PCR Legacy GP Pro / Atex series and MOTOTRBO DP3441/DP3661e series		
Part Number: HW001385A01		List Price	
ADAPTER, CHARGING POO Unit of Measure: EA	CKET TRI UNIT CE: No RTTE: No	€35.00	

	Belt Loop for GMLN1110 and GMLN1111		
IMAGE COMING SOON	 Material: Hard leather Attachment Type: Belt Belt Swivel: No Quick Release of the Radio: Y Display/Non-Display: Both 	es	
Part Number: 4280483B07		List Price	
BELT LOOP FOR GMLN1110/1111 ATEX Unit of Measure: EA CE: No		€12.50	

Service and Repair

	Computer Interface Cable,	, 9pin		Dismantling Tool	
R	 Used to connect the compute serial port to the Radio Interfa RLN4008. RIB to 9 pin D. 		2.	 Tool to assist with the dism- portable radio for servicing. 	antling of the
Part Number: 3080369B72	2	List Price	Part Number: 6680702Z01		List Price
CABLE, ASSY. IBM AT TO		€69.02	OPENER CHASSIS		€10.50
Unit of Measure: EA	CE: No RTTE: No		Unit of Measure: EA	CE: No RTTE: No	
	Power Supply for Radio In	nterface		Professional Series Flash	Uparade
	Box			Adapter	opgrade
• 230V Power Supply for RLN400		008 RIB		 HLN9742 is a DB25 male/female connector with a three-position toggle switch that permits radio firmware flashing of the portable and mobile Professional Radios. 	
			St a	 For Portable Radios the ada compatible with RKN4074 a For Mobile Radios the adaption 	nd RKN4075.
				compatible with RKN4083 a	
Part Number: EPN4042A		List Price	Part Number: HLN9742D		List Price
RADIO INTERFACE BOX PO Unit of Measure: EA	OWER SUPPLY, RIB PSU 230V CE: Yes RTTE: No	€12.00	FLASH UPGRADE ADAPTER Unit of Measure: EA	R (EPP) CE: No RTTE: No	€90.50
No co	 Adapter Adapts the radio's antenna por cabling of test equipment. 	ort to BNC		 Programming/Test Cable The RKN4074 Programming provides the interface betweet computer and a portable radio programming with CPS. Note: The Programming Cal require a Radio Interface Bo RLN4008. 	Cable n a for ble does
Part Number: HLN9756B		List Price	Part Number: RKN4074B		List Price
BNC ADAPTER			WARIS PROGRAMMING/TE	EST CABLE	
Unit of Measure: EA	CE: No RTTE: No	€12.27	Unit of Measure: EA	CE: Yes RTTE: No	€47.55
	Professional Series Portab	le Radio		Radio Interface Box (PC)	to Radio)
	Programming/Test Cable			Used in radio setup, test an	
Vananta	The RKN4075 Programming (Cable	ille	• Oseu in raulo setup, test an	u turie.
	provides the interface between		2//		
computer and a portable ra programming with CPS.					
		-	Allow and		
	 An adapter is supplied which c DB25 to a DB9 connector for to a computer with DB9 ports 	interfacing			
	 Note: This Programming Cable require a Radio Interface Box RLN4008. 				
Part Number: RKN4075C		List Price	Part Number: RLN4008E		List Price
RIBLESS, CABLE PRO Unit of Measure: EA	CE: Yes RTTE: No	€369.08	RADIO INTERFACE BOX PC Unit of Measure: EA	CE: No RTTE: No	€239.28

Service and Repair (Continued)

	 Radio Test Box Test Box used during raditure. 	io setup/test and
Part Number: RLN4460C		List Price
TEST BOX, MOBILE/PORTA Unit of Measure: EA	ABLE CE: Yes RTTE: No	€461.00

Software and Applications



Part Number: ENLN41	List Price	
PRO SERIES GM/GP300) 5TONE CPS CF: No BTTE: No	€20.00
Unit of Measure: EA	CE: NO HITE: NO	



GP/GM600-1200 Professional Series CPS

- Customer Programming Software for Professional Portable/Mobiles and Compact Professional Portable Radios •
- Contains MPT CPS version R00.08.08

Part Number: ENLN4116P PRO SERIES GP/GM600-1200 MPT CPS Unit of Measure: EA CE: No RTTE: No

