

Compact Professional Series

Portable Radio and Accessories



Price Catalogue
Western/Central - EUR

Contents

GP344/GP388 Portable Radio Models

GP644/GP688 Portable Radio Models

GP344R/GP366R/GP388R Portable Radio Models

GP644R/GP666R/GP688R Portable Radio Models

GP Compact Professional Series Accessories

Price Catalogues are subject to change without notice.

We endeavor to periodically update the price catalogues; however
Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are
trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are
used under license. All other trademarks are the property of their respective owners.

© 2010-2014 by Motorola Solutions, Inc. All rights reserved.

GP344 Compact Portable Radio

Durable, versatile, compact portable communications tool for users who need to stay in contact.



Features

- 16 position Rotary Switch
- 2 Side buttons and Emergency top button
- 5 Tone (Select 5) Signalling
- Programmable Channel Spacing (12.5/25kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- X-Pand Voice Compression and Low Level Expansion
- Whisper
- Time-Out-Timer
- Lone Worker
- Call Forward
- Emergency Signalling

Standard Package

- Portable Radio without keypad
- Antenna
- Lilon Battery (PMNN4201_R)
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

VHF: 151.200, 151.205, 167.995, 168.000 and 168.005 MHz

UHF B1: 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

UHF B2: 453.600, 453.605, 470.395, 470.405, 487.195, 487.200, 487.205, 504.000, 520.800 and 520.850 MHz

GP344 136-174MHZ 5W NK/P PMW302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38KDC9AN3AE	GP344 136-174MHZ 5W NK/P PMW302C CE: Yes RTTE: Yes	Product now Cancelled

GP344 403-470 MHZ 4W NK/P PMW502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDC9AN3AE	GP344 403-470 MHZ 4W NK/P PMW502C CE: Yes RTTE: Yes	€520.00

Mandatory Options: One option from each group must be chosen

CLASS OPT.	Q27AA	ADD: ANT. STUBBY 438-470 MHZ	€0.00
GP344/388	Q28AA	ADD: ANTENNA 9CM 403-433 MHZ	€0.00
UHF1	Q29AA	ADD: ANTENNA 9CM 438-470 MHZ	€0.00
ANTENNA	STDANT0004AC	ADD: UHF B1 ANTENNA PMAE4016A	€0.00
CLASS OPT.	AZQ393AA	ADD: FM BATTERY GP COMPACT SERIES	€29.00
GP34/388 BATTERY	MDH228AC	ADD: GP COM BAT STD IP54 LIION 1600T	€8.00
	STDBAT0004AB	STANDARD BATTERY NA	€0.00
CLS: SINGLE	GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
UNIT CHG	GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
(GPX44/X88)	GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
	GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00

Additional Options: May be ordered as required

Trade In	QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
	QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00

GP344 Compact Portable Radio

GP344 403-470 MHZ 4W NK/P PMW502C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Warranty	GA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
	QA00112AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
	QA00113AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€48.00
	QA00114AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€72.00
	QA00115AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€96.00

GP344 450-527MHZ 4W NK/P PMW602C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH38SDC9AN3AE	GP344 450-527MHZ 4W NK/P PMW602C CE: Yes RTTE: Yes	Product now Cancelled

GP388 Compact Portable Radio

The small popular GP388 is a two way radio solution for professionals who need to stay in contact.



Features

- 1 x 14 char. Backlit Display
- 6-key Menu Keypad
- Numeric Keypad
- Rotary Switch Continuous
- 2 Side buttons and Emergency top button
- 5 Tone (Select 5) Signalling
- Programmable Channel Spacing (12.5/25kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- X-Pand Voice Compression and Low Level Expansion
- Whisper
- Time-Out-Timer
- Lone Worker
- Call Forward
- Emergency Signalling

Standard Package

- Portable Radio with keypad
- Antenna
- Lilon Battery (PMNN4201_R)
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 151.205, 167.995, 168.000 and 168.005 MHz

UHF B1: 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

UHF B2: 453.600, 453.605, 470.395, 470.405, 487.195, 487.200, 487.205, 504.000, 520.800 and 520.850 MHz

GP388 136-174MHZ 5W K/P PMW302H

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38KDH9AN6AE	GP388 136-174MHZ 5W K/P PMW302H CE: Yes RTTE: Yes	Product now Cancelled

GP388 403-470 MHZ 4W K/P PMW502H

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDH9AN6AE	GP388 403-470 MHZ 4W K/P PMW502H CE: Yes RTTE: Yes	€675.00

Mandatory Options: One option from each group must be chosen

CLASS OPT.	Q27AA	ADD: ANT. STUBBY 438-470 MHZ	€0.00
GP344/388	Q28AA	ADD: ANTENNA 9CM 403-433 MHZ	€0.00
UHF1	Q29AA	ADD: ANTENNA 9CM 438-470 MHZ	€0.00
ANTENNA	STDANT0004AC	ADD: UHF B1 ANTENNA PMAE4016A	€0.00
CLASS OPT.	AZQ393AA	ADD: FM BATTERY GP COMPACT SERIES	€29.00
GP34/388 BAT-	MDH228AC	ADD: GP COM BAT STD IP54 LIION 1600T	€8.00
T-TERY	STDBAT0004AB	STANDARD BATTERY NA	€0.00
CLS: SINGLE	GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
UNIT CHG	GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
(GPX44/X88)	GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
	GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00

Additional Options: May be ordered as required

Trade In	QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
	QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00

GP388 Compact Portable Radio

GP388 403-470 MHZ 4W K/P PMW502H (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Warranty	GA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
	QA00112AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
	QA00113AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€48.00
	QA00114AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€72.00
	QA00115AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€96.00

The small popular GP644 is a two way radio solution for professionals who need to stay in contact.


Features

- 16 Position Rotary with stop
- 2 Side Buttons
- Emergency Top Button
- MPT1327 Signalling
- Wideband and Programmable Channel Spacing
- X-Pand Voice Compression and Low Level Expansion
- Two Programmable Personalities (MPT and/or Conventional)
- Dynamic Regrouping
- Missed Call Alerts
- Talkgroup Select
- All popular dialling plans

Standard Package

- Portable Radio without keypad
- Antenna
- Battery
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

UHF B1 (403-470MHz): 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

GP644 403-470MHZ 4W NK/P PMW502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDC9CK3AE	GP644 403-470MHZ 4W NK/P PMW502C CE: Yes RTTE: Yes	€520.00

Mandatory Options: One option from each group must be chosen

CLASS OPT. GP344/388 UHF1 ANTENNA	Q27AA	ADD: ANT. STUBBY 438-470 MHZ	€0.00
	Q28AA	ADD: ANTENNA 9CM 403-433 MHZ	€0.00
	Q29AA	ADD: ANTENNA 9CM 438-470 MHZ	€0.00
	STDANT0004AC	ADD: UHF B1 ANTENNA PMAE4016A	€0.00
CLASS OPT. GP34/388 BATTERY	AZQ393AA	ADD: FM BATTERY GP COMPACT SERIES	€29.00
	MDH228AC	ADD: GP COM BAT STD IP54 LIION 1600T	€8.00
	STDBAT0004AB	STANDARD BATTERY NA	€0.00
CLS: SINGLE UNIT CHG (GPX44/X88)	GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
	GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
	GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
	GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00

Additional Options: May be ordered as required

Trade In	QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
	QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00
Warranty	QA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
	QA00112AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
	QA00113AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€48.00
	QA00114AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€72.00
	QA00115AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€96.00

GP688 Compact Portable Radio

The small popular GP688 is a two way radio solution for professionals who need to stay in contact.



Features

- 1 x 14 char. Backlit display
- 6 - key Menu keypad
- Full Numeric Keypad
- Rotary Switch continuous
- 2 Side Buttons and Top Emergency Button
- MPT1327 Signalling
- Wideband and Programmable Channel Spacing
- X-Pand Voice Compression and Low Level Expansion
- Four Programmable Personalities (MPT and/or Conventional)
- Missed Call Alerts
- Ease of Use - Menus
- User Information - Caller Identification
- Talkgroup Select etc.
- Dynamic Regrouping

Standard Package

- Portable Radio with keypad
- Antenna
- Battery
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

UHF B1 (403-470MHz): 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

GP688 403-470MHZ 4W K/P PMW502H

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDH9CK6AE	GP688 403-470MHZ 4W K/P PMW502H CE: Yes RTTE: Yes	€675.00

Mandatory Options: One option from each group must be chosen

CLASS OPT.	Q27AA	ADD: ANT. STUBBY 438-470 MHZ	€0.00
GP344/388	Q28AA	ADD: ANTENNA 9CM 403-433 MHZ	€0.00
UHF1	Q29AA	ADD: ANTENNA 9CM 438-470 MHZ	€0.00
ANTENNA	STDANT0004AC	ADD: UHF B1 ANTENNA PMAE4016A	€0.00
CLASS OPT.	AZQ393AA	ADD: FM BATTERY GP COMPACT SERIES	€29.00
GP34/388 BATTERY	MDH228AC	ADD: GP COM BAT STD IP54 LIION 1600T	€8.00
	STDBAT0004AB	STANDARD BATTERY NA	€0.00
CLS: SINGLE	GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
UNIT CHG	GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
(GPX44/X88)	GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
	GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00

Additional Options: May be ordered as required

Trade In	QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
	QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00
Warranty	GA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
	QA00112AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
	QA00113AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€48.00
	QA00114AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€72.00
	QA00115AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€96.00

Durable, versatile, compact portable communications tool for users who need to stay in contact.


Features

- UHF (403-470MHz) and VHF (136-174MHz)
- IP67 sealing
- Rotary Switch 16 position w/stop
- 2 side buttons and Emergency top button
- MPT1327 Signalling
- Wideband and Programmable Channel Spacing
- X-Pand Voice Compression and Low Level Expansion
- Two Programmable Personalities (MPT and/or Conventional)
- Dynamic Regrouping
- Missed Call Alerts
- Talkgroup Select
- All popular dialling plans

Standard Package

- Portable Radio without keypad
- Antenna
- Battery
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

UHF B1: 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

GP644R 403-470MHZ 4W NK/P PMR502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDC9CK3AER	GP644R 403-470MHZ 4W NK/P PMR502C CE: Yes RTE: Yes	€545.00
Mandatory Options: One option from each group must be chosen		
CLS QA00527AA	ADD: ANTENNA (IP67) WHIP UHF1	€0.00
GP644/688/666 QA00528AA	ADD: ANTENNA (IP67) UHF1 BAND 1	€0.00
/344/388/366 QA00529AA	ADD: ANTENNA (IP67) UHF1 BAND 2	€0.00
UHF		
CLS GP3/6 BATTERY IP67 QA00522AA	ADD: LI-ION NON-FM IP67 STD BATTERY	€0.00
QA00523AA	ADD: LI-ION FM IP67 STD BATTERY	€25.00
QA01575AA	ADD: LI-ION IP67 HI CAP BATTERY	€39.00
CLS: SINGLE UNIT CHG (GPX44/X88) GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00
Additional Options: May be ordered as required		
Trade In QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00
Warranty QA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
QA00112AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
QA00113AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€48.00
QA00114AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€72.00
QA00115AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€96.00

2-Way Radios and Systems | Compact Professional Series Portable

GP688R Submersible Portable Radio

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

Durable, versatile, compact portable communications tool for users who need to stay in contact.


Features

- UHF (403-470MHz) and VHF (136-174MHz)
- IP67 sealing
- 1 x 14 char. Backlit display
- 6 - key Menu keypad plus Full Numeric Keypad
- Rotary Switch continuous
- 2 side buttons and Emergency top button
- MPT1327 Signalling
- Wideband and Programmable Channel Spacing
- X-Pand Voice Compression and Low Level Expansion
- Four Programmable Personalities
- Missed Call Alerts
- Ease of Use - Menus
- User Information - Caller Identification
- Talkgroup Select etc.
- Dynamic Regrouping

Standard Package

- Portable Radio with full keypad
- Antenna
- Battery
- Holster with Belt Clip
- User Guide
- Dust Cover

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

UHF B1: 403.200, 403.205, 407.075, 412.250, 414.835, 420.000, 422.580, 432.925, 436.795, 436.800, 436.805, 453.600 and 453.605 MHz

GP688R 403-470MHZ 4W K/P PMR502H

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH38RDH9CK6AER	GP688R 403-470MHZ 4W K/P PMR502H CE: Yes RTE: Yes	€695.00


Mandatory Options: One option from each group must be chosen


CLS	QA00527AA	ADD: ANTENNA (IP67) WHIP UHF1	€0.00
GP644/688/666	QA00528AA	ADD: ANTENNA (IP67) UHF1 BAND 1	€0.00
/344/388/366	QA00529AA	ADD: ANTENNA (IP67) UHF1 BAND 2	€0.00
UHF			
CLS GP3/6 BATTERY IP67	QA00522AA	ADD: LI-ION NON-FM IP67 STD BATTERY	€0.00
	QA00523AA	ADD: LI-ION FM IP67 STD BATTERY	€25.00
	QA01575AA	ADD: LI-ION IP67 HI CAP BATTERY	€39.00
CLS: SINGLE UNIT CHG (GPX44/X88)	GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	€0.00
	GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	€0.00
	GA00192AB	ADD: GP PRO/GP COM SUC SMPS NA/LA	€0.00
	GA00193AA	DEL: SINGLE UNIT CHARGER	€-55.00


Additional Options: May be ordered as required


Trade In	QA00495AA	ADD: TRADE IN A (GP344/388/644/688)	€-50.00
	QA00496AA	ADD: TRADE IN B (GP344/388/644/688)	€-55.00
Warranty	QA00189AA	ADD: 12 MONTHS WARRANTY EMEA	€0.00
	QA00116AA	ADD: ECO 24 MONTHS WARRANTY EMEA	€0.00
	QA00117AA	ADD: ECO 36 MONTHS WARRANTY EMEA	€55.00
	QA00118AA	ADD: ECO 48 MONTHS WARRANTY EMEA	€82.50
	QA00119AA	ADD: ECO 60 MONTHS WARRANTY EMEA	€110.00


Antennas

	
Antenna VHF 146-174MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 146-174MHz GPS: N Colour Code: Black Length (cm): 15 Note: Not for use with GP-R IP67 Models. 	
Part Number: NAD6502AR WIDEBAND VHF ANTENNA Unit of Measure: EA	List Price €10.23


	
Antenna VHF 136-150.8MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 136-150.8MHz GPS: N Colour Code: Yellow Length (cm): 20 Note: Not for use with GP344/388/644/688. 	
Part Number: NAD6566A ANTENNA VHF HELICAL Unit of Measure: EA	List Price €13.30


	
Antenna VHF 150.8MHz-162MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 150.8-162MHz GPS: N Colour Code: Black Length (cm): 20 Note: Not for use with GP344/388/644/688. 	
Part Number: NAD6567A ANTENNA VHF HELICAL Unit of Measure: EA	List Price €13.30

	
Antenna VHF 162-174MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 162-174MHz GPS: N Colour Code: Blue Length (cm): 20 Note: Not for use with GP344/388/644/688. 	
Part Number: NAD6568A ANTENNA VHF HELICAL Unit of Measure: EA	List Price €13.30

	
Antenna VHF 136-155MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 9 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4012A VHF STUBBY ANT (136-155MHZ) 9CM Unit of Measure: EA	List Price €10.23

	
Antenna VHF 155-174MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 155-174MHz GPS: N Colour Code: Black Length (cm): 9 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4013A VHF 9CM ANT (155-174MHZ) Unit of Measure: EA	List Price €10.23

	
Antenna VHF 136-155MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 14 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4014A VHF ANT (136-155MHZ) 14CM Unit of Measure: EA	List Price €10.00


	
Antenna VHF 155-174MHz Whip <ul style="list-style-type: none"> Type: Whip Frequency Band: VHF Frequency Range: 155-174MHz GPS: N Colour Code: Black Length (cm): 14 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4015A VHF 14CM ANT (155-174MHZ) Unit of Measure: EA	List Price €10.00

	
Antenna VHF 150-161MHz <ul style="list-style-type: none"> Type: Whip Frequency Band: VHF Frequency Range: 150-161MHz GPS: N Colour Code: Silver Length (cm): 14 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4023A VHF 14CM ANTENNA 150-161MHZ Unit of Measure: EA	List Price €10.23

	
Antenna VHF 150-161MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 150-161MHz GPS: N Colour Code: Silver Length (cm): 9 Note: Not for use with GP-R IP67 Models. 	
Part Number: PMAD4025A VHF 9CM ANTENNA 150-161MHZ Unit of Measure: EA	List Price €10.23

Antennas (Continued)

<div>IMAGE COMING SOON</div>		<div>ANTENNA 16CM (330-368)MHZ HELICAL</div> <ul style="list-style-type: none">Type: HelicalFrequency Band: 300Frequency Range: 330-368MHzGPS: NoColour Code: RedLength (cm): 16	
<div>Part Number: PMAD4056A</div> <div>ANTENNA 16CM (330-368)MHZ HELICAL</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>—</div>	

<div></div>		<div>VHF/GPS Helical Antenna (136-147MHz) 17cm</div> <ul style="list-style-type: none">Type: HelicalFrequency Band: VHFFrequency Range: 136-147MHzGPS: YColour Code: YellowLength: 17cmNote: Not for use with GP344/388/644/688.	
<div>Part Number: PMAD4067C</div> <div>VHF+GPS HELICAL ANTENNA(136-147MHZ)17CM</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€8.00</div>	


<div></div>		<div>VHF/GPS Helical Antenna (160-174MHz) 17cm</div> <ul style="list-style-type: none">Type: HelicalFrequency Band: VHFFrequency Range: 160-174MHzGPS: YColour Code: BlueLength: 17cmNote: Not for use with GP344/388/644/688.	
<div>Part Number: PMAD4069C</div> <div>VHF+GPS HELICAL ANTENNA(160-174MHZ)17CM</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€8.00</div>	


<div></div>		<div>Antenna UHF 430-470MHz</div> <ul style="list-style-type: none">Type: StubbyFrequency Band: UHFFrequency Range: 430-470MHzGPS: NColour Code: BeigeLength (cm): 9Note: Not for use with GP-R IP67 Models.	
<div>Part Number: PMAE4003A</div> <div>UHF STUBBY ANT (430-470MHZ) 9CM</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€10.23</div>	

<div></div>		<div>Antenna UHF 490-527MHz</div> <ul style="list-style-type: none">Type: StubbyFrequency Band: UHFFrequency Range: 490-527MHzGPS: NColour Code: WhiteLength (cm): 9Note: Not for use with GP-R IP67 Models.	
<div>Part Number: PMAE4007A</div> <div>UHF 9CM ANTENNA (490-527MHZ)</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€10.23</div>	

<div>IMAGE COMING SOON</div>		<div>ANTENNA 16CM(370-400)MHZ HELICAL</div> <ul style="list-style-type: none">Type: HelicalFrequency Band: 300Frequency Range: 370-400MHzGPS: NoColour Code: GreenLength (cm): 16	
<div>Part Number: PMAD4057A</div> <div>ANTENNA 16CM(370-400)MHZ HELICAL</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>—</div>	


<div></div>		<div>VHF/GPS Helical Antenna (147-160MHz) 17cm</div> <ul style="list-style-type: none">Type: HelicalFrequency Band: VHFFrequency Range: 147-160MHzGPS: YColour Code: BlackLength: 17cmNote: Not for use with GP344/388/644/688.	
<div>Part Number: PMAD4068C</div> <div>VHF+GPS HELICAL ANTENNA(147-160MHZ)17CM</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€8.00</div>	


<div></div>		<div>Antenna UHF 403-433MHz</div> <ul style="list-style-type: none">Type: StubbyFrequency Band: UHFFrequency Range: 403-433MHzGPS: NColour Code: GreenLength (cm): 9Note: Not for use with GP-R IP67 Models.	
<div>Part Number: PMAE4002A</div> <div>UHF STUBBY ANT (403-433MHZ) 9CM</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€10.23</div>	


<div></div>		<div>Antenna UHF 465-495MHz</div> <ul style="list-style-type: none">Type: StubbyFrequency Band: UHFFrequency Range: 465-495MHzGPS: NColour Code: OrangeLength (cm): 9Note: Not for use with GP-R IP67 Models.	
<div>Part Number: PMAE4006A</div> <div>UHF 9CM ANTENNA (465-495MHZ)</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€10.23</div>	

<div></div>		<div>Antenna UHF 470-530MHz</div> <ul style="list-style-type: none">Type: StubbyFrequency Band: UHFFrequency Range: 470-530MHzGPS: NColour Code: SilverLength (cm): 9Note: Not for use with GP-R IP67 Models.	
<div>Part Number: PMAE4008A</div> <div>UHF WHIP ANTENNA, 470-530MHZ</div> <div>Unit of Measure: EA CE: No RTTE: No</div>		<div>List Price</div> <div>€10.23</div>	

Antennas (Continued)

	UHF/GPS Stubby Antenna (403-433MHz) <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 403-433MHz GPS: Y Colour Code: Red Length (cm): 9 Note: Not for use with GP344/388/644/688. 	
	Part Number: PMAE4021B DMR UHF STUBBY ANTENNA(403-433MHZ) Unit of Measure: EA CE: No RTTE: No	List Price €9.50

	UHF Whip Antenna (403-470MHz) <ul style="list-style-type: none"> Type: Whip Frequency Band: UHF Frequency Range: 403-470MHz GPS: N Colour Code: Black Length (cm): 16 Note: Not Compatible with GPS Radio Models Note: Not for use with GP344/388/644/688. 	
	Part Number: PMAE4022B DMR UHF WHIP ANTENNA(403-470MHZ) Unit of Measure: EA CE: No RTTE: No	List Price €8.00

	DMR UHF STUBBY ANTENNA(430-470MHZ) <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 430-470MHz GPS: Y Colour Code: Green Length (cm): 9 Note: Not for use with GP344/388/644/688. 	
	Part Number: PMAE4023B DMR UHF STUBBY ANTENNA(430-470MHZ) Unit of Measure: EA CE: No RTTE: No	List Price €9.50

Batteries

	<p>Battery Li-Ion 1350 mAh FM</p> <ul style="list-style-type: none">• IP Rating: IP67• Dimensions HxWxD(mm): 90 x 55 x 20• Weight(g): 135g• Chemistry: Li-Ion• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.• Capacity[mAH]: 1350mAh(min)• Intelligent: No• No. of Charge cycle: 400• Energy Density (mAh/cm3): 13.83• Operating Tem Range (°c): -10 to +60• Memory Effect: Low• Requires Maintenance: No• Intrinsic Safety Standard: FM		
<p>Part Number: PMNN4073AR LI-ION FM IP67 STD BATTERY (W BOX) Unit of Measure: EA CE: Yes RTTE: No</p>	<table><tr><th>List Price</th></tr><tr><td>€115.00</td></tr></table>	List Price	€115.00
List Price			
€115.00			

	<p>Battery Li-Ion 1400 mAh</p> <ul style="list-style-type: none">• IP Rating: IP67• Dimensions HxWxD(mm): 90 x 55 x 20• Weight(g): 135g• Chemistry: Li-Ion• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.• Capacity[mAH]: 1400mAh(min)• Intelligent: No• No. of Charge cycle: 400• Energy Density (mAh/cm3): 14.34• Operating Tem Range (°c): -10 to +60• Memory Effect: Low• Requires Maintenance: No• Intrinsic Safety Standard: No		
<p>Part Number: PMNN4074AR LI-ION IP67 STD BATTERY (W BOX) Unit of Measure: EA CE: Yes RTTE: No</p>	<table><tr><th>List Price</th></tr><tr><td>€90.00</td></tr></table>	List Price	€90.00
List Price			
€90.00			

	<p>Li-Ion 2200mAh Battery</p> <ul style="list-style-type: none">• IP Rating: IP67• Dimensions HxWxD(mm): 90 x 55 x 20• Weight(g): 130g• Chemistry: Li-Ion• Operational Time(Hrs): Analogue (5-5-90) - 15 hours min.• Capacity[mAH]: 2200mAh(Typical)• Intelligent: No• No. of Charge cycle: 400• Energy Density (mAh/cm3): 14.34• Operating Tem Range (°c): -10 to +60• Memory Effect: Low• Requires Maintenance: No• Intrinsic Safety Standard: No		
<p>Part Number: PMNN4094BR BATT STD IP67 LIION2100M2200T Unit of Measure: EA CE: Yes RTTE: No</p>	<table><tr><th>List Price</th></tr><tr><td>€129.00</td></tr></table>	List Price	€129.00
List Price			
€129.00			











	<p>Li-Ion 1050mAh Battery</p> <ul style="list-style-type: none">• IP Rating: IP54• Dimensions HxWxD (mm): 90.70 x 55.20 x 13.85• Weight (g): 90• Chemistry: Li-ION• Operational Time (Hrs): 7• Capacity (mAh): 1050mAh (Typical)• Intelligent: No• Number of Charge Cycles: 350• Energy Density (mAh/cm³): 13.70• Operating Tem Range: (-10 - +60 deg C)• Memory Effect: None• Requires Maintenance: No• Intrinsic Safety Std: No• Note: replacement for JMNN4023_ Battery		
<p>Part Number: PMNN4201BR BATT STD IP54 LIION950M1050T Unit of Measure: EA CE: Yes RTTE: Yes</p>	<table><tr><th>List Price</th></tr><tr><td>€72.08</td></tr></table>	List Price	€72.08
List Price			
€72.08			

	<p>Li-Ion 1600mAh Battery</p> <ul style="list-style-type: none">• IP Rating: IP54• Dimensions HxWxD (mm): 90.70 x 55.20 x 18.70• Weight (g): 125• Chemistry: Li-Ion• Operational Time (Hrs): 9• Capacity (mAh): 1600mAh (Typical)• Intelligent: No• Number of Charge Cycles: 350• Energy Density (mAh/cm³): 16.02• Operating Tem Range: (-10 - +60 deg C)• Memory Effect: None• Requires Maintenance: No• Intrinsic Safety Std: No		
<p>Part Number: PMNN4202AR ASSEMBLY,BATTERY,BATT STD IP54 LIION1500M1600T Unit of Measure: EA CE: Yes RTTE: Yes</p>	<table><tr><th>List Price</th></tr><tr><td>€80.46</td></tr></table>	List Price	€80.46
List Price			
€80.46			

Compact Professional Portable Radio Accessories

Pricing Information Valid As Of: Wednesday, December 17, 2014


Carrying Solutions

	Universal Nylon Chest Pack <ul style="list-style-type: none"> Material: Nylon Attachment Type: Chest Belt Swivel: N Display/Non-Display: Both
Part Number: HLN6602A UNIVERSAL CHESTPACK Unit of Measure: EA CE: No RTTE: No	List Price €26.08
	Waterproof Bag <ul style="list-style-type: none"> Material: Plastic Attachment Type: Shoulder Belt Swivel: N Display/Non-Display: Both
Part Number: HLN9985B WEATHERPOOF BAGGIE Unit of Measure: EA CE: No RTTE: No	List Price €33.23
	Hand Carry Strap <ul style="list-style-type: none"> Material: Nylon Belt Attachment: N/A Belt Swivel: N/A Quick Release: Yes
Part Number: JMZN4020A HAND STRAP FOR RADIO Unit of Measure: EA CE: No RTTE: No	List Price €3.59
	Plastic Carry Holder with Belt Clip <ul style="list-style-type: none"> Material: Plastic Belt Attachment: Clip Belt Swivel: No Quick release: Yes
Part Number: JMZN4023A CARRY ACCESSORY-BELT CLIP, PLASTIC CARRY HOLDER WITH BELT CLIP Unit of Measure: EA CE: No RTTE: No	List Price €5.37
	Carry Case Shoulder Strap <ul style="list-style-type: none"> Adjustable Black Nylon Strap for cases with D-rings Material: Nylon Attachment Type: NA Belt Swivel: NA Quick Release of Radio: Yes
Part Number: NTN5243A STRAP Unit of Measure: EA CE: No RTTE: No	List Price €24.75
	Soft Leather Case with Swivel Clip for GP344/GP644 <ul style="list-style-type: none"> Material: Soft Leather Belt Attachment: Clip Belt Swivel: Yes Quick Release: Yes
Part Number: PMLN4421B CARRY CASE SOFT LEATHER Unit of Measure: EA CE: No RTTE: No	List Price €10.12
	Nylon Case with Belt Loop for GP344/GP388/GP644/GP688 <ul style="list-style-type: none"> Material: Nylon Belt Attachment: Belt Loop Belt Swivel: No Quick Release: Yes
Part Number: PMLN4470A NYLON CARRY CASE, BELT LOOP Unit of Measure: EA CE: No RTTE: No	List Price €10.74
	Hard Leather Case with Swivel Belt Loop for GP344/GP388/GP644/GP688 <ul style="list-style-type: none"> Material: Hard Leather Belt Attachment: Belt Loop Belt Swivel: Yes D-Rings: Yes Quick Release: Yes
Part Number: PMLN4471B HARD LEATHER CASE SWIVEL BELT LOOP Unit of Measure: EA CE: No RTTE: No	List Price €13.80
	Soft Leather Case with Swivel Belt Loop for GP388/GP688 <ul style="list-style-type: none"> Material: Soft Leather Belt Attachment: Belt Loop Belt Swivel: Yes D-Rings: Yes Quick Release: Yes
Part Number: PMLN4521A LEATHER CASE W/SWIVEL CLIP, DISPLAY Unit of Measure: EA CE: No RTTE: No	List Price €16.70
	Nylon Case with Belt Loop for GP366R/GP388R/GP666R/GP688R <ul style="list-style-type: none"> Material: Nylon Belt Attachment: Yes Belt Swivel: No D-rings: Yes Quick Release: Yes
Part Number: PMLN5089A NYLON CASE FOR MINNOW IP67 DISPLAY Unit of Measure: EA CE: No RTTE: No	List Price €16.00

Compact Professional Portable Radio Accessories

Pricing Information Valid As Of: Wednesday, December 17, 2014


Carrying Solutions (Continued)


 <p>IMAGE COMING SOON</p>	<p>Nylon Case with Belt Loop for GP344R/GP644R</p> <ul style="list-style-type: none"> Material: Nylon Belt Attachment: Yes Belt Swivel: No D-rings: Yes Quick Release: Yes 					
	<table> <tr> <td>Part Number: PMLN5090A</td><td>List Price</td></tr> <tr> <td>NYLON CASE FOR MINNOW IP67 PLAIN</td><td>€16.00</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: No RTTE: No</td></tr> </table>	Part Number: PMLN5090A	List Price	NYLON CASE FOR MINNOW IP67 PLAIN	€16.00	Unit of Measure: EA
Part Number: PMLN5090A	List Price					
NYLON CASE FOR MINNOW IP67 PLAIN	€16.00					
Unit of Measure: EA	CE: No RTTE: No					


	<p>Break-A-Way Chest Pack</p> <ul style="list-style-type: none"> Material: Nylon Attachment Type: Chest Belt Swivel: N Display/Non-Display: Both 					
	<table> <tr> <td>Part Number: RLN4570A</td><td>List Price</td></tr> <tr> <td>BREAKAWAY CHEST PACK</td><td>€52.00</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: Yes RTTE: No</td></tr> </table>	Part Number: RLN4570A	List Price	BREAKAWAY CHEST PACK	€52.00	Unit of Measure: EA
Part Number: RLN4570A	List Price					
BREAKAWAY CHEST PACK	€52.00					
Unit of Measure: EA	CE: Yes RTTE: No					


	<p>Universal Radiopak & Utility Case</p> <ul style="list-style-type: none"> Material: Nylon Attachment Type: Chest Belt Swivel: N Display/Non-Display: Both 					
	<table> <tr> <td>Part Number: RLN4815A</td><td>List Price</td></tr> <tr> <td>FANNY PACK CARRY ACCESSORY</td><td>€50.00</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: No RTTE: No</td></tr> </table>	Part Number: RLN4815A	List Price	FANNY PACK CARRY ACCESSORY	€50.00	Unit of Measure: EA
Part Number: RLN4815A	List Price					
FANNY PACK CARRY ACCESSORY	€50.00					
Unit of Measure: EA	CE: No RTTE: No					

Chargers & Conditioners

 <p>IMAGE COMING SOON</p>	<p>Multi Unit Charger Insert</p> <ul style="list-style-type: none"> Allows Compact Professional Radio Series to be used with GP Multiunit Chargers. 					
	<table> <tr> <td>Part Number: PMLN5010A</td><td>List Price</td></tr> <tr> <td>MINNOW/WARIS CHARGER INSERT</td><td>€6.50</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: No RTTE: No</td></tr> </table>	Part Number: PMLN5010A	List Price	MINNOW/WARIS CHARGER INSERT	€6.50	Unit of Measure: EA
Part Number: PMLN5010A	List Price					
MINNOW/WARIS CHARGER INSERT	€6.50					
Unit of Measure: EA	CE: No RTTE: No					

	<p>IMPRES Single Unit Charger (EU Switch mode power supply)</p> <ul style="list-style-type: none"> Dimensions HxWxD (mm): TBA Weight (Kg): TBA Chemistry: Li-ION/NiCd/NiMH Number of Pockets : 1 Maintenance System: Yes Operating Voltage (Vac): 90-264 V Line Cord: Euro Display: No Charger Type: IMPRES 					
	<table> <tr> <td>Part Number: PMLN5188B</td><td>List Price</td></tr> <tr> <td>Impres SUC level v SMPS EU cord</td><td>€62.90</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: Yes RTTE: No</td></tr> </table>	Part Number: PMLN5188B	List Price	Impres SUC level v SMPS EU cord	€62.90	Unit of Measure: EA
Part Number: PMLN5188B	List Price					
Impres SUC level v SMPS EU cord	€62.90					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>IMPRES Single Unit Charger (UK Switch mode power supply)</p> <ul style="list-style-type: none"> Dimensions HxWxD (mm): TBA Weight (Kg): TBA Chemistry: Li-ION/NiCd/NiMH Number of Pockets : 1 Maintenance System: Yes Operating Voltage (Vac): 90-264 Line Cord: UK Display: No Charger Type: IMPRES 					
	<table> <tr> <td>Part Number: PMLN5194B</td><td>List Price</td></tr> <tr> <td>IMPRES SUC LEVEL V SMPS UK CORD</td><td>€62.90</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: Yes RTTE: No</td></tr> </table>	Part Number: PMLN5194B	List Price	IMPRES SUC LEVEL V SMPS UK CORD	€62.90	Unit of Measure: EA
Part Number: PMLN5194B	List Price					
IMPRES SUC LEVEL V SMPS UK CORD	€62.90					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>Core Single Unit Charger (UK Switch mode power supply)</p> <ul style="list-style-type: none"> Dimensions HxWxD (mm): TBA Weight (Kg): TBA Chemistry: Li-ION/NiCd/NiMH Number of Pockets : 1 Maintenance System: No Operating Voltage (Vac): 90-264 Line Cord: UK Display: No Charger Type: Rapid 					
	<table> <tr> <td>Part Number: PMLN5195B</td><td>List Price</td></tr> <tr> <td>Core SUC level v SMPS UK cord</td><td>€55.00</td></tr> <tr> <td>Unit of Measure: EA</td><td>CE: Yes RTTE: No</td></tr> </table>	Part Number: PMLN5195B	List Price	Core SUC level v SMPS UK cord	€55.00	Unit of Measure: EA
Part Number: PMLN5195B	List Price					
Core SUC level v SMPS UK cord	€55.00					
Unit of Measure: EA	CE: Yes RTTE: No					

Chargers & Conditioners (Continued)

	Core Single Unit Charger (EU Switch mode power supply) <ul style="list-style-type: none">• Dimensions HxWxD (mm):TBA• Weight (Kg): TBA• Chemistry: Li-ION/NiCd/NiMH• Number of Pockets : 1• Maintenance System: No• Operating Voltage (Vac): 90-264• Line Cord: Euro• Display: No• Charger Type: Rapid
Part Number: PMLN5196B Core SUC level v SMPS EU cord Unit of Measure: EA CE: Yes RTTE: No	List Price €55.00

	Core Single Unit Charger (US Switch mode power supply) <ul style="list-style-type: none">• Dimensions HxWxD (mm):TBA• Weight (Kg): TBA• Chemistry: Li-ION/NiCd/NiMH• Number of Pockets : 1• Maintenance System: No• Operating Voltage (Vac): 90-264• Line Cord: US• Display: No• Charger Type: Rapid
Part Number: PMLN5197B Core SUC level v SMPS NA/LA cord Unit of Measure: EA CE: Yes RTTE: No	List Price €55.00

	IMPRES Single Unit Charger (US Switch mode power supply) <ul style="list-style-type: none">• Dimensions HxWxD (mm):TBA• Weight (Kg): TBA• Chemistry: Li-ION/NiCd/NiMH• Number of Pockets : 1• Maintenance System: Yes• Operating Voltage (Vac): 90-264• Line Cord: US• Display: No• Charger Type: Impres
Part Number: PMLN5198B Impres SUC level v SMPS NA/LA cord Unit of Measure: EA CE: Yes RTTE: No	List Price €62.90

<div>IMAGE COMING SOON</div>		BOS II Compact Professional Series Adapter <ul style="list-style-type: none">• This BOS II Adapter plate allows battery analyzing capabilities for the GP Compact Professional Series Radios/Batteries.
Part Number: RL-77255 BOS - LITH ION ADAPTER Unit of Measure: EA CE: No RTTE: No		List Price €128.00

	Universal IMPRES Single Unit Charger Insert <ul style="list-style-type: none">• Allows Universal IMPRES Single Unit Chargers to charge GP Professional Series radios/batteries.
Part Number: RLN5647A IMPRES SUC ADAPTER Unit of Measure: EA CE: No RTTE: No	List Price €2.80

	Universal IMPRES Multi-unit Charger Insert <ul style="list-style-type: none">• Allows Universal Multi-unit Charger to charge GP Professional Series radios/batteries.• Kit contains 6 adapters.
Part Number: RLN5648A IMPRES MUC ADAPTER Unit of Measure: P06 CE: No RTTE: No	List Price €12.80

	Battery Maintenance System Plus (BMS+) with US Plug <ul style="list-style-type: none">• Keep your battery in peak performance. The BMS Plus thoroughly diagnoses your battery through Condition, Discharge and Analyse models.• Battery Stations: 6 stations each with 3 button keypad and LCD.• Size: 94mm (H) x 411.5mm (W) x 195.6mm (D)• Weight: 4.2kg.• AC Input: 115 or 230V +/- 10%• Note:Battery Adapters need to be ordered seperately.
Part Number: WPLN4079BR BATTERY MAINTENANCE SYSTEM PLUS Unit of Measure: EA CE: No RTTE: No	List Price €572.07

	Battery Maintenance System Plus (BMS+) with Euro Plug <ul style="list-style-type: none">• Keep your battery in peak performance. The BMS Plus thoroughly diagnoses your battery through Condition, Discharge and Analyse models.• Battery Stations: 6 stations each with 3 button keypad and LCD.• Size: 94mm (H) x 411.5mm (W) x 195.6mm (D)• Weight: 4.2kg.• AC Input: 115 or 230V +/- 10%• Note:Battery Adapters need to be ordered seperately.
Part Number: WPLN4080BR BATTERY MAINTENANCE SYSTEM Unit of Measure: EA CE: Yes RTTE: No	List Price €775.11

Chargers & Conditioners (Continued)

	<p>Battery Optimizing System II (BOS II)</p> <ul style="list-style-type: none">Regular use of the BOS II can optimise battery performance and help extend battery life, helping reduce battery replacement costs.Support of NiCd, NiMH and Li-Ion.Interchangeable adapters accommodate most radio/battery families.Includes a variety of programs and allows custom programming.	<table><tr><th>List Price</th></tr><tr><td>—</td></tr></table>	List Price	—
List Price				
—				
<p>Part Number: WPLN4125BR CADEX BOS II EMEA Unit of Measure: EA CE: Yes RTTE: Yes</p>				

	<p>IMPRES Multi Unit Charger(230V Euro)</p> <ul style="list-style-type: none">Dimensions HxWxD (mm):152 x 450 x 300Weight (Kg): 3.6Chemistry: Li-ION/NiCd/NiMHNumber of Pockets : 6Maintenance System: YesOperating Voltage AC: 230VLine Cord: EuroDisplay: OptionCharger Type: ImpresNote: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R	<table><tr><th>List Price</th></tr><tr><td>€499.00</td></tr></table>	List Price	€499.00
List Price				
€499.00				
<p>Part Number: WPLN4189A ACCESSORY KIT,IMPRES MUC, NO DSPL- EURO PLUG Unit of Measure: EA CE: Yes RTTE: No</p>				

	<p>IMPRES Display Multi Unit Charger(230V Euro)</p> <ul style="list-style-type: none">Dimensions HxWxD (mm):152 x 450 x 300Weight (Kg): 3.7Chemistry: Li-ION/NiCd/NiMHNumber of Pockets : 6Maintenance System: YesOperating Voltage AC: 230VLine Cord: EuroDisplay: YesCharger Type: Impres	<table><tr><th>List Price</th></tr><tr><td>€999.00</td></tr></table>	List Price	€999.00
List Price				
€999.00				
<p>Part Number: WPLN4194A POWER SUPPLY ADAPTOR,IMPRES MUC W/DSPL - EURO PLUG Unit of Measure: EA CE: Yes RTTE: No</p>				

	<p>IMPRES Multi Unit Charger (230V UK)</p> <ul style="list-style-type: none">Dimensions HxWxD (mm):152 x 450 x 300Weight (Kg): 3.6Chemistry: Li-ION/NiCd/NiMHNumber of Pockets : 6Maintenance System: YesOperating Voltage AC: 230VLine Cord: UKDisplay: OptionCharger Type: ImpresNote: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R	<table><tr><th>List Price</th></tr><tr><td>€499.00</td></tr></table>	List Price	€499.00
List Price				
€499.00				
<p>Part Number: WPLN4188A ACCESSORY KIT,ASSEMBLY,ACCESSORY,PROF IMPRES TC DT MUC UK EPP ND Unit of Measure: EA CE: Yes RTTE: No</p>				


	<p>IMPRES Display Multi Unit Charger(230V UK)</p> <ul style="list-style-type: none">Dimensions HxWxD (mm):152 x 450 x 300Weight (Kg): 3.7Chemistry: Li-ION/NiCd/NiMHNumber of Pockets : 6Maintenance System: YesOperating Voltage AC: 230VLine Cord: UKDisplay: YesCharger Type: Impres	<table><tr><th>List Price</th></tr><tr><td>€999.00</td></tr></table>	List Price	€999.00
List Price				
€999.00				
<p>Part Number: WPLN4193A IMPRES MUC W/DSPL - UK PLUG Unit of Measure: EA CE: Yes RTTE: No</p>				


	<p>IMPRES Display Multi Unit Charger (120V US not CE compliant)</p> <ul style="list-style-type: none">Dimensions HxWxD (mm):152 x 450 x 300Weight (Kg): 3.7Chemistry: Li-ION/NiCd/NiMHNumber of Pockets : 6Maintenance System: YesOperating Voltage AC: 120VLine Cord: USDisplay: YesCharger Type: Impres	<table><tr><th>List Price</th></tr><tr><td>€999.00</td></tr></table>	List Price	€999.00
List Price				
€999.00				
<p>Part Number: WPLN4204A MUC WITH DISPLAY INTL 110V Unit of Measure: EA CE: Yes RTTE: No</p>				


Chargers & Conditioners (Continued)


	<p>IMPRES Multi Unit Charger (120V US not CE compliant)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):152 x 450 x 300 • Weight (Kg): 3.6 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets : 6 • Maintenance System: Yes • Operating Voltage AC: 120V • Line Cord: US • Display: Option • Charger Type: Impres • Note: Requires charger adapter PMLN5010 for use with Compact Professional Radios GP344R/366R/388R
<p>Part Number: WPLN4205A MULTI UNIT CHARGER (MUC) INTL 110V Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price €499.00</p>
	<p>IMPRES Single Unit Charger (120V US) Not CE compliant</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):55 x 95 x 150 • Weight (Kg): 0.2 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets : 1 • Maintenance System: Yes • Operating Voltage AC: 120 V • Line Cord: US • Display: No • Charger Type: Impres
<p>Part Number: WPLN4206A SINGLE UNIT CHARGER (SUC) INTL 110V Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price €62.90</p>
<p>IMAGE COMING SOON</p>	<p>Battery Maintenance System - Adapter</p> <ul style="list-style-type: none"> • Allows Compact Professional Batteries to be used with the BMS.
<p>Part Number: WPPN4096AR BMS - LITH ION ADAPTER Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price €183.00</p>


Ear Microphone Solutions


	<p>Remote Ring PTT Switch</p> <ul style="list-style-type: none">• Ring PTT Switch for use with the Ear Mic Systems/Voiceducers.	
<p>Part Number: 0180358B38 REMOTE RING SW PTT Unit of Measure: EA</p>	<p>List Price €75.00</p>	

	<p>1-Wire Earpiece, 3.5mm plug - beige</p> <ul style="list-style-type: none">• 1 wire earpiece 3.5mm plug, beige• Operation: Receive only• PTT: NA• Vox capability: NA• Extra Vox-Switch on PTT: NA• Intrinsic Safety Standard: FM• Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200	
<p>Part Number: BDN6664A BEIGE EARPIECE STANDARD Unit of Measure: EA</p>	<p>List Price €29.14</p>	

	<p>Earpiece with Microphone and Push-To-Talk Combined (2-Wire) - beige</p> <ul style="list-style-type: none">• 2 wire earpiece with microphone and PTT combined, 3.5mm plug, beige• Operation: Receive and transmit• PTT: PTT on mic• Vox capability: Yes• Extra Vox-Switch on PTT: No• Intrinsic Safety Standard: FM• Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200	
<p>Part Number: BDN6667A EARPC W/MIC&PTT COMB BGE 2-WIRE Unit of Measure: EA</p>	<p>List Price €85.00</p>	

	<p>2-Wire Earpiece and combined Microphone PTT, 3.5mm plug (Beige)</p> <ul style="list-style-type: none">• 3 wire earpiece with microphone and PTT separated, 3.5mm plug, beige• Operation: Receive and transmit• PTT: Separate wire PTT• Vox capability: Yes• Extra Vox-Switch on PTT: No• Intrinsic Safety Standard: FM• Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200	
<p>Part Number: BDN6668A EARPIECE W/MIC & PTT 3 WIRE BGE Unit of Measure: EA</p>	<p>List Price €89.00</p>	

	<p>2-Wire Earpiece and combined Microphone PTT, 3.5mm plug, (Beige) [Not for CE Use]</p> <ul style="list-style-type: none">• 2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug, beige• Operation: Receive and transmit• PTT: PTT on mic• Vox capability: Yes• Extra Vox-Switch on PTT: No• Intrinsic Safety Standard: FM• Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200	
<p>Part Number: BDN6669A EARPC XTRA LOUD W/MIC & PTT BLK Unit of Measure: EA</p>	<p>List Price €87.00</p>	

	<p>3-Wire Earpiece, Mic and separate PTT, 3.5mm plug (Beige)</p> <ul style="list-style-type: none">• 3 wire extra-loud earpiece with microphone and PTT separated, 3.5mm plug, beige• Operation: Receive and transmit• PTT: Separate wire PTT• Vox capability: Yes• Extra Vox-Switch on PTT: No• Intrinsic Safety Standard: FM• Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200	
<p>Part Number: BDN6670A EARPC XTRA LOUD BEIGE, 3-WIRE Unit of Measure: EA</p>	<p>List Price €91.00</p>	

Ear Microphone Solutions (Continued)**1-Wire Receive Only Earpiece, 3.5mm plug (Black)**

- 1 wire earpiece 3.5mm plug, black
- Operation: Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6726A

BLACK EARPIECE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€29.14

**1-Wire Extra Loud Earpiece, 3.5mm plug, (Black) [Not for CE Use]**

- 1 wire extra-loud earpiece 3.5mm plug, black
- Operation: Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6727A


REC ONLY EARPC, EXT LOUD, BLK

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€31.19

**Earpiece, 3.5mm plug (Black)**

- 1 wire Earpiece with volume control, 3.5mm plug, black
- Operation: Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6728A

BLK EARPIECE W/VOLUME CONTROL

Unit of Measure: EA

CE: Yes RTTE: No

List Price

—

**2-Wire Earpiece with Combined Mic/PTT, 3.5mm Plug (Black)**

- 2 wire earpiece with microphone and PTT combined, 3.5mm plug black
- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6729A


EARPC W/MIC&PTT COMB BLK 2-WIRE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€85.00

**3-Wire Earpiece Microphone separate PTT, 3.5mm plug (Black)**

- 3 wire earpiece with microphone and PTT separated, 3.5mm plug, black
- Operation: Receive and transmit
- PTT: Separate wire PTT
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6730A

3 WIRE BLK ACCY PTT MIC SEPARATE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€89.00

**2-Wire Earpiece and combined Microphone PTT, 3.5mm plug (Black) [Not for CE Use]**

- 2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug black
- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6731A

EARPC XTRA LOUD W/MIC & PTT BLK

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€87.00

Ear Microphone Solutions (Continued)**3-Wire Earpiece with Microphone separate PTT, 3.5mm plug, (Black) [Not for CE Use]**

- 3 wire extra-loud earpiece with microphone and PTT separated, 3.5mm plug, beige
- Operation: Receive and transmit
- PTT: Separate wire PTT
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM
- Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644, GP688 and BDN6676 for use with GP900-GP1200

Part Number: BDN6732A

EARPC XTRA LOUD BLACK, 3-WIRE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€91.00

**EMS Ear Microphone 95dB, Black**

- Bone inductive ear microphone, black
- PTT: No
- Receive via: Ear Mic
- Headband: No
- VOX Capability: VOX via Voiceducer
- Extra vox switch on PTT: No
- Intrinsic safety standard: No
- Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact and RMN5117 for use with GP Professional.

Part Number: BDN6768A

EAR MIC, STD NOISE BLACK

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€154.00

**Interface Module for BoneMic**

This voiceducer module directly connects to your GP344/388 radio and offers the latest in bone vibration technology. Voiceducers use bone induction technology to pick up speech via vibrations in the ear canal created when the user speaks. This means the radio message can be clearly heard in noisy environments without having to raise their voice above a normal speaking level. The microphone and earpiece are housed in the same small in-ear earpiece that negates the need for a boom microphone. This module includes a Vox/PTT selector allowing the user to operate in either voice activation mode (Vox) or push-to-talk mode.

Part Number: MDJMMN4064B

EAR MIC VOX/PTT RAD INTERF MOD

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€339.00

**Earbud w/combined Mic/PTT**

- 2 wire earbud with microphone and PTT combined
- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: MDPMLN4519B

EARBUD W/COMBINE MIC/PTT

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€45.00

**2 WIRE EARBUD WITH CLEAR VOICE TUBE**

- 2 wire earpiece with clear acoustic tube
- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: Yes
- Extra Vox-Switch on PTT: NO
- Intrinsic Safety Standard: FM
- consisting of PMLN4605 & MDPMLN4519

Part Number: MDPMLN4608A

2 WIRE EARBUD WITH CLEAR VOICE TUBE

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€49.00

**Clear Coiled Voicetube kit for MDPMLN4418 and MDPMLN4519**

- Operation: NA
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

Part Number: PMLN4605A


CLEAR COILED AUDIO KIT

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€15.00

**D-Shell Earpiece with Mic/PTT**

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: -
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM

Part Number: PMLN5002A

D SHELL EARPICCE WITH MIC/PTT(AOBA)

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€33.00

Headsets**Headset Heavy Duty with Boom Mic. Requires Adapter Cable.**

- Heavy duty headset with ear cup PTT
- PTT: Ear cup
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Extra vox switch on PTT: No
- Intrinsic safety standard: FM
- requires adapter cable RKN4093 for use with GP Compact GP344, GP388, GP644, GP688; requires adapter cable BDN6673 for use with GP900-GP1200

Part Number: BDN6645A-EU

NOISE CANCELLING BOOM MIC HSET

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€359.44

**Lightweight Headset with Boom Mic**

- Light weight headset with boom microphone and in-line PTT
- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Extra vox switch on PTT: No
- Intrinsic safety standard: FM

Part Number: MDJMMN4066B

BOOM MIC HEADSET WITH PTT

Unit of Measure: EA

CE: Yes RTTE: Yes

List Price

€77.72

IMAGE
COMING SOON**D-SHELL HEADSET GP344/388**

- D Shell ultra light weight headset with PTT and VOX
- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: None
- VOX capability: Yes
- Extra vox switch on PTT: Yes
- Intrinsic safety standard: No

Part Number: MDPMLN4657A

D-SHELL HEADSET GP344/388

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€37.00

**Lightweight Headset with Boom Microphone (3.5mm Plug)**

- Operation: Receive and Transmit
- PTT: In-Line
- Receive Via: Single Ear
- Transmit Via: Boom Mic
- Voice Activation - VOX: Yes
- Hearing Protection: Yes
- Intrinsic Safety Standard: FM
- NOTE: Requires Audio Adapter MDPMLN4455B

Part Number: NMN6245A

HEADSET LIGHTWEIGHT

Unit of Measure: EA

CE: No RTTE: No

List Price

-

**GP Compact Heavy Duty Headset**

- PTT: Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: FM

Part Number: PMLN5320AAUDIO ACCESSORY-HEADSET, HEAVY DUTY HEADSET
PMLN5320A

Unit of Measure: EA

CE: Yes RTTE: No

List Price

€490.00

IMAGE
COMING SOON**Headset Adapter Cable**

- Allow connection between BDN6645A and the GP Compact Radios.

Part Number: RKN4093B


HEADSET CABLE FOR EX500/EX600

Unit of Measure: EA

CE: No RTTE: No

List Price

€97.68

Remote Speaker Microphones


Remote Speaker Microphone with Jack

- Audio Jack: Yes
- Emergency Button: No
- Volume Control: No
- Windporting: Yes
- IP Rating: IP54
- Intrinsic Safety Standard: FM

Part Number: MDPMMN4022A RSM W/JACK IP 54 FOR GP344/388	List Price
Unit of Measure: EA CE: Yes RTTE: No	€58.00



Remote Speaker Microphone w/o Jack

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: No
- IP Rating: IP57 for RSM Head Only (not connection to radio)
- Intrinsic Safety Standard: FM


Part Number: MDPMMN4023A RSM W/O JACK IP57 FOR GP344/388	List Price
Unit of Measure: EA CE: Yes RTTE: No	€55.00



Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: MDRLN4885B EARBUD WITH 3.5MM PLUG	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€28.50



Receive only Earpiece with Translucent Tube and EarTip

- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: MDRLN4941A RECEIVE-ONLY EARP. W. TRANSC. TUBE	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€49.08



D-Shell Earpiece, 3.5mm for RSM

- Operation: Attach to RSM - Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: PMLN4620B D-SHELL RX-ONLY EARP. (3.5MM)	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€13.90



Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series only)

Part Number: WADN4190B EAR RCVR W/COIL CBL&3.5MM PLUG	List Price
Unit of Measure: EA CE: No RTTE: No	€35.20


Miscellaneous Accessories

Accessory Dust Cover

- Protects the accessory connector whilst there is no accessory connected to the radio.

IMAGE
COMING SOON

Part Number: JMLN4638A DUST COVER KIT Aoba	List Price
Unit of Measure: EA CE: No RTTE: No	€3.94




Audio Adapter (3.5mm socket)


- Allows 3.5mm plug accessories to work with the Compact Radios.
- NOTE: Motorola only approves the following legacy accessories to work with this adapter:
BDN6664_, BDN6726_, BDN6665_, BDN6727_, BDN6666_, BDN6728_, BDN6667_, BDN6729_, BDN6669_, BDN6731_, BDN6668_, BDN6730_, BDN6670_, BDN6732_, BDN6719_, MDPMLN4519_, NMN6245_ and NMN6246_


Part Number: MDPLN4455B AUDIO ADAPTER (3.5MM THREADED)	List Price
Unit of Measure: EA CE: Yes RTTE: No	€39.00


Replacement Parts

 <p>CLIP BELT</p> <ul style="list-style-type: none"> Belt Clip for Remote Speaker Microphones. 		
		Part Number: 4205823V01
		CLIP BELT
Unit of Measure: EA	CE: No RTTE: No	List Price €4.02

 <p>Switch Mode Power Supply (Euro)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): 100(L),48(W),36(H) Operating Temperature(°C):0°C to +50°C Storage Temperature(°C):-40°C to 85°C Operating Voltage (Vac): 90-264 Line cord: Euro 		
		Part Number: EPNN9286B
		BATTERY PACK,SMPS LEVEL V EU CORD
Unit of Measure: EA	CE: Yes RTTE: No	List Price €20.00

 <p>Switch Mode Power Supply (UK)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): 100(L),48(W),36(H) Operating Temperature(°C):0°C to +50°C Storage Temperature(°C):-40°C to 85°C Operating Voltage (Vac): 90-264 Line cord: UK 		
		Part Number: EPNN9287B
		BATTERY PACK,SMPS LEVEL V UK CORD
Unit of Measure: EA	CE: Yes RTTE: No	List Price €20.00

 <p>Switch Mode Power Supply (US)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm):100(L),48(W),36(H) Operating Temperature(°C):0°C to +50°C Storage Temperature (°C):-40°C to 85°C Operating Voltage (Vac): 90-264 Line cord: US 		
		Part Number: EPNN9288B
		POWER SUPPLY ADAPTOR,SMPS LEVEL V NA/LA CORD
Unit of Measure: EA	CE: Yes RTTE: No	List Price €20.00

 <p>Rapid Single Unit Charger Pocket</p> <ul style="list-style-type: none"> Dimensions HxWxD (mm):50 x 110 x 100 Weight (Kg): 0.4 Chemistry: Li-ION/NiCd/NiMH Number of Pockets : 1 Maintenance System: No Display: No Charger Type: Rapid 		
		Part Number: MDHTN9000C
		SINGLE UNIT CHARGER POCKET
Unit of Measure: EA	CE: Yes RTTE: No	List Price €40.90


 <p>ASSEMBLY,ACCESSORY,BLACK,CH G TRICHEM EPP SUC DT PROF IMPRES</p>		
		Part Number: WPLN4199B
		ASSEMBLY,ACCESSORY,BLACK,CHG TRICHEM EPP SUC DT PROF IMPRES
Unit of Measure: EA	CE: Yes RTTE: No	List Price €54.00

Manuals & Documentation


 <p>GP344 Basic User Guide</p> <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP344 Compact Portable Radio. 		
		Part Number: 6864110B54
		BASIC USER GUIDE GP344
Unit of Measure: EA	CE: No RTTE: No	List Price €8.00

 <p>GP388 Basic User Guide</p> <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP388 Compact Portable Radio. 		
		Part Number: 6864110B97
		BASIC USER GUIDE GP388
Unit of Measure: EA	CE: No RTTE: No	List Price €8.00

 <p>GP Compact Radio - Detailed Service Manual</p> <ul style="list-style-type: none"> Detailed Service Manual - covering high level 3 Circuit information for the GP/GP-R Compact Portable Radio Series. 		
		Part Number: 6864115B63
		DET. SVC MAN MINNOW
Unit of Measure: EA	CE: No RTTE: No	List Price €857.60

 <p>GP644 Basic User Guide</p> <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP644 Compact Portable Radio. 		
		Part Number: 6866542D01
		MAN,USR GDE,,MULTI,,GP644 BASIC USE
Unit of Measure: EA	CE: No RTTE: No	List Price €8.00


Manuals & Documentation (Continued)


 GP688 Basic User Guide <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP688/GP688R Compact Portable Radios. 	
Part Number: 6866542D02 MAN,USR GDE,,MULTI,,GP688 BASIC USE Unit of Measure: EA CE: No RTTE: No	List Price €8.00

 GP366R Basic User Guide <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP366R Compact Portable Radio. 	
Part Number: 6866577D01 GP366R BASIC USER GUIDE Unit of Measure: EA CE: No RTTE: No	List Price €8.00


 GP666R Basic User Guide <ul style="list-style-type: none"> Basic User Guide - covering high level getting started information for the GP666R Compact Portable Radio. 	
Part Number: 6866577D02 GP666R BASIC USER GUIDE Unit of Measure: EA CE: No RTTE: No	List Price €8.00

Service and Repair

 Computer Interface Cable 25pin <ul style="list-style-type: none"> Used to connect the computers serial port to the Radio Interface Box RLN4008. RIB to 25 pin D. 	
Part Number: 3080369B71EPP RIB TO PC CABLE, DB15 TO DB25 Unit of Measure: EA CE: No RTTE: No	List Price €77.84

 Computer Interface Cable, 9pin <ul style="list-style-type: none"> Used to connect the computer's serial port to the Radio Interface Box RLN4008. RIB to 9 pin D. 	
Part Number: 3080369B72 CABLE, ASSY. IBM AT TO RIB Unit of Measure: EA CE: No RTTE: No	List Price €69.02

 Vacuum/Pressure Kit Seal <ul style="list-style-type: none"> Seal - allows connection from the vacuum hose to the radio's chassis. 	
Part Number: 3271133M01 FITTING SEAL Unit of Measure: EA CE: No RTTE: No	List Price €1.62

 Vacuum/Pressure Kit Connector <ul style="list-style-type: none"> Connector - allows connection of the vacuum hose to the radio's chassis. 	
Part Number: 5871134M01 CONNECTOR FITTING Unit of Measure: EA CE: No RTTE: No	List Price €7.32






 Dismantling Tool <ul style="list-style-type: none"> Tool to assist with the dismantling of the portable radio for servicing. 	
Part Number: 6680702Z01 OPENER CHASSIS Unit of Measure: EA CE: No RTTE: No	List Price €10.50

 Power Supply for Radio Interface Box <ul style="list-style-type: none"> 230V Power Supply for RLN4008 RIB 	
Part Number: EPN4042A RADIO INTERFACE BOX POWER SUPPLY, RIB PSU 230V Unit of Measure: EA CE: Yes RTTE: No	List Price €12.00



Compact Professional Portable Radio Accessories

Pricing Information Valid As Of: Wednesday, December 17, 2014


Service and Repair (Continued)

	Programming Test Cable <ul style="list-style-type: none"> Allows programming and testing of the Compact Professional Series Radios. 	GP Compact Battery Eliminator <ul style="list-style-type: none"> Allows easier servicing when radio is dismantled. Allows operation without battery attached. <p>IMAGE COMING SOON</p>	
Part Number: MDJMK4123B PROGRAMMING TEST CABLE Unit of Measure: EA CE: No RTTE: No	List Price €125.78	Part Number: MDJMK4125A BATTERY ELIMINATOR Unit of Measure: EA CE: No RTTE: No	List Price €82.14
	Vacuum Pump Test Kit <ul style="list-style-type: none"> The vacuum pump kit includes a vacuum pump with gauge, and a vacuum hose. A connector fitting (part number 5871134M01) and seal (part number 3271133M01), which must be ordered separately, connects the vacuum hose to the radio's chassis. 		Pressure Pump Test Kit <ul style="list-style-type: none"> The pressure pump kit includes a pressure pump with gauge, and a pressure hose. As with the vacuum pump kit above, the connector fitting - fitting seal pair connects the pressure hose to the radio's chassis.
Part Number: NLN9839A VAC PUMP TEST KIT Unit of Measure: EA CE: No RTTE: No	List Price €145.92	Part Number: NTN4265A PRESSURE PUMP TEST Unit of Measure: EA CE: No RTTE: No	List Price €134.60
	Radio Interface Box (PC to Radio) <ul style="list-style-type: none"> Used in radio setup, test and tune. 		Radio Test Box <ul style="list-style-type: none"> Test Box used during radio setup/test and tune.
Part Number: RLN4008E RADIO INTERFACE BOX PC TO RADIO Unit of Measure: EA CE: No RTTE: No	List Price €239.28	Part Number: RLN4460C TEST BOX,MOBILE/PORTABLE Unit of Measure: EA CE: Yes RTTE: No	List Price €461.00

Software and Applications

	GP300/GM300 Professional Series CPS CD <ul style="list-style-type: none"> Customer Programming Software for Professional Portable/Mobiles and Compact Professional Portable Radios Contains 5 Tone CPS version R03.11.16 		GP/GM600-1200 Professional Series CPS <ul style="list-style-type: none"> Customer Programming Software for Professional Portable/Mobiles and Compact Professional Portable Radios Contains MPT CPS version R00.08.08
Part Number: ENLN4115U PRO SERIES GM/GP300 5TONE CPS Unit of Measure: EA CE: No RTTE: No	List Price €20.00	Part Number: ENLN4116P PRO SERIES GP/GM600-1200 MPT CPS Unit of Measure: EA CE: No RTTE: No	List Price €20.00

Software and Applications (Continued)

	<p>Professional Series Tuner CD</p> <ul style="list-style-type: none">• Tuner Software for Professional Portables/Mobiles and Compact Professional Portable Radios.• Contains Tuner versions R02.16.00		
<p>Part Number: GMVN5579B</p> <p>PRO SERIES TUNER CD ROM WARIS PORTABLE</p> <p>Unit of Measure: EA</p>	<table><tr><th>List Price</th></tr><tr><td>€20.00</td></tr></table>	List Price	€20.00
List Price			
€20.00			

Appendix A

GP Compact Series - OPTION REFERENCE SHEET

Option	Option Description	Accessory Kit No.
--------	--------------------	-------------------

GP Compact GPx44, x88

Battery Options

MDH228AC	ADD:GP COM BAT STD IP54 LIION 1600T	PMNN4202_R
STDBAT0004AB	ADD:GP COM BAT STD IP54 LIION 1050T	PMNN4201_R
AZQ393AA	ADD: FM BATTERY GP COMPACT SERIES	PMNN4073_R

Antenna Options

Q23AA	ADD: ANTENNA 9 CM (136-155 MHZ)	PMAD4012_
Q21AB	ADD: ANTENNA 9 CM (155-174 MHZ)	PMAD4013_
Q24AA	ADD: ANTENNA 14 CM (136-155 MHZ)	PMAD4014_
Q22AA	ADD: ANTENNA 14 CM (155-174 MHZ)	PMAD4015_
Q25AA	ADD: ANTENNA 9 CM (150-161 MHZ)	PMAD4025_
Q26AA	ADD: ANT WIDEBAND (146-174 MHZ)	NAD6502_R
Q28AA	ADD: ANTENNA 9CM (403-433 MHZ)	PMAE4002_
Q29AA	ADD: ANTENNA 9CM (438-470 MHZ)	PMAE4003_
Q30AA	ADD: ANTENNA (465-510 MHZ)	PMAE4006_
Q31AA	ADD: ANTENNA (490-527 MHZ)	PMAE4007_
STDANT0004AA	STD ANTENNA 14cm (150-161MHZ)	PMAD4023_
STDANT0004AC	STD ANTENNA WHIP (403-470MHZ)	NAE6483_R
STDANT0004AD	STD ANTENNA WHIP (470-530 MHZ)	PMAE4008_

GP Compact GPx44R,x66R, x88R

Battery Options

QA00522AA	ADD: Li-ion non-FM IP67 Std Battery	PMNN4074_R
QA00523AA	ADD: Li-ion FM IP67 Std Battery	PMNN4073_R
QA01575AA	ADD: Li-ion IP67 Hi Cap Battery	PMNN4094_R

Antenna Options

QA00524AA	ADD: Antenna (IP67) VHF1	NAD6566_
QA00525AA	ADD: Antenna (IP67) VHF2	NAD6567_
QA00856AA	ADD: Antenna (IP67) VHF3	NAD6568_
QA00527AA	ADD: Antenna (IP67) WHIP UHF1	PMAE4022_
QA00528AA	ADD: Antenna (IP67) UHF1 Band 1	PMAE4021_
QA00529AA	ADD: Antenna (IP67) UHF1 Band 2	PMAE4023_
QA00736AA	ADD:VHF+GPS HELICAL ANT 136-147MHZ	PMAD4067_
QA00737AA	ADD:VHF+GPS HELICAL ANT 147-160MHZ	PMAD4068_
QA00738AA	ADD:VHF+GPS HELICAL ANT 160-174MHZ	PMAD4069_
QA01824AA	ADD: PMAD4056 Antenna 330–368 MHz	PMAD4056_
QA01825AA	ADD: PMAD4057 Antenna 370–400 MHz	PMAD4057_

GP Compacts (all)

Single Unit Charger Options

GA00190AB	ADD: GP PRO/GP COM SUC SMPS EU	PMLN5196_
GA00191AB	ADD: GP PRO/GP COM SUC SMPS UK	PMLN5195_
GA00192AB	ADD: SINGLE UNIT CHARGER US	PMLN5197_

GP Compact Series - HISTORY SHEET

<i>Date Revision</i>	<i>Comment</i>
15 th Mar 2012	Last Release
23 rd Jan 2013	Changes since last release: <ul style="list-style-type: none">• BDN6665A and BDN6666A, NMN6246B Audio Accessories removed.• MDPMLN4620A Audio D-Shell Accessory changed to PMLN4620B• ENLN4116P MPT SW CD reinstated.• Several accessory images added and some charger items moved to Replacement Parts section.
2 nd Aug 2013	Changes since last release: <ul style="list-style-type: none">• MDJMMN4064A removed and B version added.
17 th Dec 2014	Changes since last release: <ul style="list-style-type: none">• Radio models disappearing due to cancellations.