MOTOROLA COMMERCIAL SERIES









MOTOROLA COMMERCIAL SERIES CM MOBILE RADIOS and ACCESSORIES

Price Catalogue Western and Central Europe

Contents

CM140 Mobile Radio

CM160 Mobile Radio

CM340 Mobile Radio

CM360 Mobile Radio

Commercial Series Mobile Radio Accessories

Price Catalogues are subject to change without notice. We endeavor to periodically update the price catalogues; however Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2010-2014 by Motorola Solutions, Inc. All rights reserved.



CM140 Commercial Mobile Radio

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

A mobile radio that fits your business, your budget and your vehicle.



Features 8 Channels

- 2 Programmable Button (including Channel Buttons)
- 3 Status LEDs
 - Internal Loudspeaker
 - BNC Antenna Connector
 - 1-25W and 25-45W models
 - PL, MDC1200, DTMF and Quickcall II Signalling
 - Programmable Channel Spacing (12.5/20/25kHz)
 - Adjustable Power Levels
 - Channel Scan
 - Busy Channel Lockout
 - PTT ID
 - Voice Operated Transmit (VOX)
 - Talkaround
 - DTMF Encode Capability (with Keypad Mic)
 - X-Pand Voice Compression

Standard Package

- Mobile Radio
- Standard option adds
- Battery power cable HKN4137,
- Microphone HMN3413,
- Low profile trunnion kit GLN7324)
- Safety Leaflet/RTTE Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided: None

CM140 VHF R1 25W 8CH MM304BA

MODEL NO.	DESCRIPTION	IANUF.	SUGG. PRICE	
MDM50JNC9AA2AN	CM140 VHF R1 25W 8CH MM304BA CE: Yes RTTE: Yes		Product now Cancelled	

CM140 VHF R2 25W 8CH MM304BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KNC9AA2AN	CM140 VHF R2 25W 8CH MM304BB CE: Yes RTTE: Yes	€325.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO- RIES (KNC9AA)		ADD: KEYPAD MIC (KNC9AA) DEL: ACCESSORIES (KNC9AA) STD CM140 VHF R2 25W 8CH	€79.40 €-29.50 €0.00

CM140 VHF R2 45W 8CH MM305BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KQC9AA2AN	CM140 VHF R2 45W 8CH MM305BB CE: No RTTE: No	€283.46
Mandatory O	otions: One option	from each group must be chosen	
CLS ACCESSO		ADD: KEYPAD MIC (KQC9AA)	€79.40
RIES (KQC9AA	G202AC	DEL: ACCESSORIES (KQC9AA)	€-29.50
	STDACC019AC	STD CM140 VHF R2 45W 8CH	€0.00

CM140 UHF R1 25W 8CH MM504BA

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50QNC9AA2AN	CM140 UHF R1 25W 8CH MM504BA CE: Yes RTTE: Yes	€325.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO- RIES (QNC9AA)		ADD: KEYPAD MIC (QNC9AA) DEL: ACCESSORIES (KQF9AA) STD CM140 UHF R1 25W 8CH	€79.40 €-29.50 €0.00

CM140 UHF R2 25W 8CH MM504BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RNC9AA2AN	CM140 UHF R2 25W 8CH MM504BB CE: Yes RTTE: Yes	€325.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (RNC9AA)	€79.40
RIES (RNC9AA)	G202AG	DEL: ACCESSORIES (RNC9AA)	€-29.50
	STDACC019AG	STD CM140 UHF R2 25W 8CH	€0.00

CM140 UHF R2 40W 8CH MM505BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RPC9AA2AN	CM140 UHF R2 40W 8CH MM505BB CE: No RTTE: No	-
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO- RIES (RPC9AA)		ADD: KEYPAD MIC (RPC9AA) DEL: ACCESSORIES (RPC9AA)	€79.40 €-29.50



CM160 Commercial Mobile Radio

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

A mobile radio that fits your business, your budget and your vehicle.

	Features
	• 64 Channels
	• 1 Line 8-character Display
	 4 Programmable Buttons
	• 3 Status LEDs
MOTORPOLA	 Internal Loudspeaker
	Antenna connector : BNC
	• 1 - 25w and 25 - 45 w models
	 PL, MDC1200, DTMF and Quick Call II Signalling
	 Programmable Channel Spacing (12.5 / 25 kHz)
	Voice Operated Transmit (VOX)
	Adjustable Power Levels
	Option Board Expandability
	Talkaround

- Address Book
- X-Pand[™] Voice Compression
- DTMF encode Capability (with Keypad Mic)
- Channel Scan
 - Busy Channel Lockout
 - Emergency Signalling
 - PTT ID
 - Selective Calling
 - Escalert
 - Phone Mode

Standard Package

- Mobile Radio
- Standard option adds
- Battery power cable HKN4137,
- Microphone HMN3413,
- Low profile trunnion kit GLN7324)
- Safety Leaflet/RTTE Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided: None

CM160 VHF R1 25W 64CH MM304AA

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDM50JNF9AA2AN	CM160 VHF R1 25W 64CH MM304AA CE: Yes RTTE: Yes	€375.00
Mandatory Options: One option	from each group must be chosen	
CLS ACCESSO- STDACC019AV RIES (JNF9AA)	STD CM160 VHF R1 25W 64CH	€0.00

CM160 VHF R1 45W 64CH MM305AA

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50JQF9AA2AN	CM160 VHF R1 45W 64CH MM305AA CE: No RTTE: No	-
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (JQF9AA)	€79.40
RIES (JQF9AA)	G202AX	DEL: ACCESSORIES (JQF9AA)	€-29.50
	STDACC019AX	STD CM160 VHF R1 45W 64CH	€0.00

CM160 VHF R2 25W 64CH MM304AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KNF9AA2AN	CM160 VHF R2 25W 64CH MM304AB CE: Yes RTTE: Yes	€375.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (KNF9AA)	€79.40
RIES (KNF9AA)	G202AB	DEL: ACCESSORIES (KNF9AA)	€-29.50
	STDACC019AB	STD CM160 VHF R2 25W 64CH	€0.00

CM160 VHF R2 45W 64CH MM305AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KQF9AA2AN	CM160 VHF R2 45W 64CH MM305AB CE: No RTTE: No	-
Mandatory Op	otions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (KQF9AA)	€79.40
RIES (KQF9AA)	G202AD	DEL: ACCESSORIES (KQF9AA)	€-29.50
	STDACC019AD	STD CM160 VHF R2 45W 64CH	€0.00

CM160 UHF R1 25W 64CH MM504AA

	F. SUGG. PRICE
	_
CM160 UHF R1 25W 64CH MM504AA E: Yes RTTE: Yes	Product now Cancelled
	CM160 UHF R1 25W 64CH MM504AA

CM160 UHF R1 40W 64CH MM505AA

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDM50QPF9AA2AN	CM160 UHF R1 40W 64CH MM505AA CE: No RTTE: No	-
tions: One option	from each group must be chosen	
G199AY	ADD: KEYPAD MIC (QPF9AA)	€79.40
G202AY	DEL: ACCESSORIES (QPF9AA)	€-29.50
STDACC019AY	STD CM160 UHF R1 40W 64CH	€0.00
0	MDM50QPF9AA2AN tions: One option t G199AY G202AY	MDM50QPF9AA2AN CM160 UHF R1 40W 64CH MM505AA CE: No RTTE: No tions: One option from each group must be chosen G199AY ADD: KEYPAD MIC (QPF9AA) G202AY DEL: ACCESSORIES (QPF9AA)

CM160 UHF R2 25W 64CH MM504AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RNF9AA2AN	CM160 UHF R2 25W 64CH MM504AB CE: Yes RTTE: Yes	€375.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (RNF9AA)	€79.40
RIES (RNF9AA)	G202AH	DEL: ACCESSORIES (RNF9AA)	€-29.50
	STDACC019AH	STD CM160 UHF R2 25W 64CH	€0.00

CM160 UHF R2 40W 64CH MM505AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RPF9AA2AN	CM160 UHF R2 40W 64CH MM505AB CE: No RTTE: No	-
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (RPF9AA)	€79.40
RIES (RPF9AA)	G202AK	DEL: ACCESSORIES (RPF9AA)	€-29.50
	STDACC019AK	STD CM160 UHF R2 40W 64CH	€0.00





CM340 Commercial Mobile Radio

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

A mobile radio that fits your business, your budget and your vehicle.

• 9	 ۵

Features • 10 Channels

- 2 Programmable Buttons
- 3 Status LEDs
- Internal Loudspeaker
- BNC Antenna connector
- 1-25W models
- Select 5 (5 Tone) Signalling
- Programmable Channel Spacing (12.5 / 25 kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- Talkaround
- X-Pand[™] Voice Compression
- Channel Scan
- Lone Worker
- Emergency Signalling
- Call Forward
- Car Radio MutePublic Address Mode
- External Alarm

Standard Package

- Mobile Radio
- Standard option adds
- Battery power cable HKN4137,
- Microphone HMN3413,
- Low profile trunnion kit GLN7324)
- Safety Leaflet/RTTE Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided: MB: 83.78 MHz

CM340 MB 25W 10CH 5T MM204B

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50FNC9AN2AN	CM340 MB 25W 10CH 5T MM204B CE: Yes RTTE: Yes	€340.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (FNC9AN)	€69.30
RIES (FNC9AN)	G202AL	DEL: ACCESSORIES (FNC9AN)	€-38.40
	STDACC019AL	STD CM340 MB 25W 10CH 5T	€0.00

CM340 VHF R2 25W 10CH 5T MM304BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KNC9AN2AN	CM340 VHF R2 25W 10CH 5T MM304BB CE: Yes RTTE: Yes	€340.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (KNC9AN)	€69.30
RIES (KNC9AN)	G202AN	DEL: ACCESSORIES (KNC9AN)	€-38.40
	STDACC019AN	STD CM340 VHF R2 25W 10CH 5T	€0.00

CM340 UHF R1 25W 10CH 5T MM504BA

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDM50QNC9AN2A	N CM340 UHF R1 25W 10CH 5T MM504BA CE: Yes RTTE: Yes	€340.00
Mandatory Options: One option	n from each group must be chosen	
CLS ACCESSO- STDACC019AQ RIES (ONC9AN)	STD CM340 UHF R1 25W 10CH 5T	€0.00

CM340 UHF R2 25W 10CH 5T MM504BB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RNC9AN2AN	CM340 UHF R2 25W 10CH 5T MM504BB CE: Yes RTTE: Yes	€340.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (RNC9AN)	€69.30
RIES (RNC9AN)	G202AS	DEL: ACCESSORIES (RNC9AN)	€-38.40
	STDACC019AS	STD CM340 UHF R2 25W 10CH 5T	€0.00



CM360 Commercial Mobile Radio

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

A mobile radio that fits your business, your budget and your vehicle.

9	Arrest Ar	۵

Features

- 100 Channels
- 1 Line 8-character DisplayMenu Navigation Keypad
- 3 Programmable Buttons
- 3 Status LEDs
- Internal Loudspeaker
- Antenna connector: BNC
- Select 5 (5 Tone) Signalling
- Programmable Channel Spacing (12.5 / 25 kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- Option Board Expandability
- Talkaround
- Memory Channel
- X-Pand[™] Voice Compression
- DTMF encode Capability (with Keypad Microphone)
- Channel Scan
- Lone Worker
- Emergency Signalling
- Call Forward
- Car Radio Mute
- Public Address Mode
- Status & Contact Lists
- Missed Calls
- External Alarm

Standard Package

- Mobile Radio
- Standard option adds
- Battery power cable HKN4137,
- Microphone HMN3413,
- Low profile trunnion kit GLN7324)
- Safety Leaflet/RTTE Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided: MB: 83.78 $\rm MHz$

CM360 MB 25W 100CH 5T MM204A (MDM50FNF9AN2AN)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50FNF9AN2AN	CM360 MB 25W 100CH 5T MM204A (MDM50FNF9AN2AN) CE: Yes RTTE: Yes	€415.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (FNF9AN)	€69.30
RIES (FNF9AN)	G202AM	DEL: ACCESSORIES (FNF9AN)	€-38.40
	STDACC019AM	STD CM360 MB 25W 100CH 5T	€0.00

CM360 VHF R1 25W 100CH MM304AA

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50JNF9AN2AN	CM360 VHF R1 25W 100CH MM304AA CE: Yes RTTE: Yes	€415.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (JNF9AN)	€69.30
RIES (JNF9AN)	G202AW	DEL: ACCESSORIES (JQC9AA)	€-38.40
	STDACC019AW	STD CM360 VHF R1 25W 100CH	€0.00

CM360 VHF R2 25W 100CH 5T MM304AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50KNF9AN2AN	CM360 VHF R2 25W 100CH 5T MM304AB CE: Yes RTTE: Yes	€415.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (KNF9AN)	€69.30
RIES (KNF9AN)	G202AP	DEL: ACCESSORIES (KNF9AN)	€-38.40
	STDACC019AP	STD CM360 VHF R2 25W 100CH 5T	€0.00

CM360 UHF R1 25W 100CH 5T MM504AA

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDM50QNF9A	N2AN CM360 UHF R1 25W 100CH 5T MM504AA CE: Yes RTTE: Yes	€415.00
Mandatory Options: One op	tion from each group must be chosen	
CLS ACCESSO- G199AR RIES (QNF9AN) _{G202AR}	ADD: KEYPAD MIC (QNF9AN) DEL: ACCESSORIES (QNF9AN)	€69.30 €-38.40

CM360 UHF R2 25W 100CH 5T MM504AB

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDM50RNF9AN2AN	CM360 UHF R2 25W 100CH 5T MM504AB CE: Yes RTTE: Yes	€415.00
Mandatory Op	tions: One option	from each group must be chosen	
CLS ACCESSO-		ADD: KEYPAD MIC (RNF9AN)	€69.30
RIES (RNF9AN)	G202AT	DEL: ACCESSORIES (RNF9AN)	€-38.40
	STDACC019AT	STD CM360 UHF R2 25W 100CH 5T	€0.00






Commercial Series Mobile Accessories

PRB EU Reseller (EUR)

Pricing Information Valid As Of: Wednesday, December 17, 2014

Antennas


	Mobile Antenna, Mini-U		10
Q	 (136-144MHz) Type: 1/4 Wave Length(mm):500 Frequency Band: VHF Connector : Mini UHF Mount: Direct Gain: dB 0 		ġ
	Colour Code : N/AUser tunable: No		_
	ARTERWAVE VHF 136-144 -	List Price	Part Number: HA
ROOF MOUNT Unit of Measure: EA	CE: Yes RTTE: No	€16.36	ROOF MOUNT Unit of Measure: EA
	Mobile Antenna, Mini-U (151-162MHz)		
Ø	 Type : 1/4 Wave Length (mm) : 500 Frequency Band : VHF Connector : Mini UHF Mount : Direct Gain dB : 0 Colour Code : N/A User tuneable : No 		S
Part Number: HAD4008A UNITY GAIN ANTENNA QU	ARTERWAVE VHF 150.8-162 -	List Price	Part Number: HA
ROOF MOUNT Unit of Measure: EA	CE: No RTTE: No	€16.36	ROOF MOUNT Unit of Measure: EA
	Mobile Antenna, Mini-U (403-430MHz) • Type : 1/4 Wave • Length (mm) : 150 • Frequency Band : VHF • Connector : Mini UHF • Mount : Direct		
I	 Gain dB : 0 Colour Code : N/A User tuneable : No 		280
Part Number: HAE4002A ANTENNA ROOF TOP UHF Unit of Measure: EA	CE: No RTTE: No	List Price €29.80	Part Number: HAUNITY GAIN ANT ROOF MOUNT
~	Antenna Mobile 66 - 88M Wave Direct Mnt • Type: Whip • Length (mm): 1500 • Frequency Band: Mid Band • Connector: UHF • Mount: Direct • Gain dB: 0 • Colour Code: N/A		IMAGI
Part Number: RAC4000AR ANT Unit of Measure: EA	User tunable: No	List Price €16.36	Part Number: R/ ANT Unit of Measure: EA



CE: No RTTE: No

Antennas (Continued)

	Mobile Antenna, BNC (136-144MHz)	
	 Frequency Range: 136-144M 	Hz
	 Type: 3dB Gain 	
	 Connector: BNC 	
	 Mount: Magnetic Mount 	
Q.	Colour Code: N/A	
0	 Length (cm): - 	
	GPS: No	
art Number: RAD4198A NTENNA BNC 136-144 M	μ7	List Price
Init of Measure: EA	CE: No RTTE: No	€25.00
	Mobile Antenna, BNC	
la-	(150.8-162MHz)	
	• Frequency Range: 150.8-162	MHz
v	Type: ¼ Wave	
	Connector: BNC	
	Mount: Through-hole Mount	
00 =81	Colour Code: N/A	
	• Length (cm): -	
	GPS: No	
Part Number: RAD4200A		List Price
ANT, 1/4 WAVE ROOF MT, Jnit of Measure: EA	W/BNC CE: No RTTE: No	€25.00
Init of Weasure: EA	CE: NO RITE: NO	
	Mobile Antenna, BNC (403-430MHz)	
	 Frequency Range: 403-430M 	Hz
	 Type: ¼ Wave 	
	 Connector: BNC 	
4	 Mount: Direct 	
<u>A</u>	 Colour Code: N/A 	
W .	 Length (cm): 70 	
Part Number: RAE4151A		List Price
ANT BNC 403-430 MHZ 1/4		€27.10
	CE: No RTTE: No	
Jnit of Measure: EA	Mobile Antenna, BNC	
Jnit of Measure: EA		
Init of Measure: EA	Mobile Antenna, BNC	Hz
	Mobile Antenna, BNC (450-470MHz)	Hz
Init of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M	Hz
Init of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M • Type: 5dB	Hz
Init of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M • Type: 5dB • Connector: BNC	Hz
Init of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M • Type: 5dB • Connector: BNC • Mount: Direct	Hz
Juit of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M • Type: 5dB • Connector: BNC • Mount: Direct • Colour Code: N/A • Length (cm): 70	
Init of Measure: EA	Mobile Antenna, BNC (450-470MHz) • Frequency Range: 450-470M • Type: 5dB • Connector: BNC • Mount: Direct • Colour Code: N/A	Hz List Price €143.67



Number BAE4152A		Lis
	 Length (cm): 70 	
	· Colour Coue. N/A	

Part Number: RAE4152	2A		List Price
ANT, 1/4 WAVE ROOF	MT, W/BNC		€27.10
Unit of Measure: EA	CE: No	RTTE: No	€27.10

Control Station Accessories


			\bigcirc		
Part Number: 3002695B05 POWER CORD UK PLUG Unit of Measure: EA CE:	No RTTE: No	List Price €28.68	Part Number: GKN6266A PWR CBL DC BASE RENA Unit of Measure: EA	CE: No RTTE: No	List Price €17.38
• U	A Desktop Earthing Kit Jsed to earth the CM Mobile ra Ised in Desktop operation.	adio when		 Mobile Radio Power Supp Motorola 25W Switched Mod supply(EMC Approved). Note: This Power Supply shou used with DM1000 and DM2 Top Configuration. 	de power ould not be
Part Number: GMLN1095A		List Price	Part Number: GPN6145B		List Price
ELM DESKTOP EARTHING KIT Unit of Measure: EA CE:	: No RTTE: No	€4.20	MOBILE RADIO PSU 138W Unit of Measure: EA	CE: Yes RTTE: No	€182.00
Constant of the second se		1V : 0 to 50°C	Part Number: NTN7373AR 110V CHGR LINE CORD Unit of Measure: EA	Power cable with US plug. CE: No RTTE: No	List Price €8.50
Port Number: NTN7374AR	wer Cable (Euro Plug) Power cable with Euro plug.	List Price	Part Number: NTN7375AR	Power Cable (UK Plug) • Power cable with UK plug.	List Price
De • C	Yes RTTE: No		240V UK POWER SUPPLY Unit of Measure: EA	CE: Yes RTTE: No Desktop Tray (without Sp • Offering simple and easy inst local dispatching operation.	-
DESKTOP TRAY W/SPEAKER	: Yes RTTE: No	€79.00	DESKTOP TRAY W/O SPEA Unit of Measure: EA	KER CE: No RTTE: No	€43.00

Control Station Accessories (Continued)

	 Desktop Microphone Makes transmission easier for basestation users. Large Push-to-Talk Button. 	r
Part Number: RMN5068A DESKTOP MIC		List Price

Installation Accessories

.0	 Speaker Extension Cable External speaker extension 	cable.
Part Number: GMKN4084 SPEAKER EXTENSION CAR		List Price
Unit of Measure: EA	CE: No RTTE: No	€3.10
	 High Power Cable used to c battery to the mobile radio c 10ft, 12 AWG, 20A 	
~0	101, 127, 10, 20, 1	
Part Number: HKN4191B	1010, 127000, 2070	List Price
Part Number: HKN4191B MOBILE PWR CABLE 10 F Unit of Measure: EA		List Price €13.50
MOBILE PWR CABLE 10 F	T, 12 AWG, 20A	€13.50 €13.50
MOBILE PWR CABLE 10 F	T, 12 AWG, 20A CE: No RTTE: No Ignition Sense Cable with Fi Cable is used to connect the the radio chassis and is an c mobile radio users who war mobiles to turn on when the ignition. Requires HLN9242_	€13.50 €13.50



extraction tool. Part Number: HLN9242A List Price 16 PIN ACCY KIT W/EXPANDER €4.65

CE: No RTTE: No


Unit of Measure: EA

Microphones and their Accessories

• Oper • PTT: • Volur • Note Mobi	hone Style Handse ation: Transmit & rece Yes me Control: Yes : For use with MTM80 Ile an additional junctio N3002 is required.	ive 0 Enhanced		Universal Hang-Up Clip Allows users to hang-up the result 	microphone.
Part Number: GMUN1006B		List Price	Part Number: HLN9073B		List Price
TELEPHONE-STYLE HANDSET Unit of Measure: EA CE: Yes	RTTE: No	€177.00	HANG UP CLIP Unit of Measure: EA	CE: No RTTE: No	€1.53
Comp	act Microphone (v	vith Clin)		Compact Microphone	
• Stand	dard Compact Palm Mi 7 ft coil cord and with	crophone		 Standard Compact Palm Micr with 7" coil cord. 	rophone
Part Number: HMN3413A		List Price	Part Number: HMN3596A		List Price
COMPACT MICROPHONE WITH CL Unit of Measure: EA CE: Yes	IP RTTE: No	€28.63	COMPACT MICROPHONE Unit of Measure: EA	CE: Yes RTTE: No	€32.72
backlingene users commerce	nced Keypad micropho it 12-digit DTMF keypa rates the standard ton s to access telephone munication systems th ater equipped with tele connect.	ad that es needed by rough a		 Easily and secretly triggers an signal that is sent to the base 	
Part Number: MDRMN5029B		List Price	Part Number: RLN4836AR		List Price
KEYPAD MIC DTMF Unit of Measure: EA CE: Yes	RTTE: No	€117.00	EMERGENCY FOOT SWITC Unit of Measure: EA	CH CE: No RTTE: No	€70.00
Pusht	outton Push-to-Talk	ſ		Gooseneck Push-to-Talk	
• They radio and c com	e in-vehicle accessorie rements specific to pre- ing in vehicles for exter- enable users to operat s with remote press to sustomers their two-w- munications to suit vari- cations.	ofessionals inded periods. e their mobile talk facilities ay		 Placed in the gear stick or the wheel column, it remotely ac PTT in the microphone. These in-vehicle accessories requirements specific to prof working in vehicles for extern. They enable users to operate radios with remote press to t and customers their two-way communications to suit vario applications. 	tivates the cater for essionals ded periods. their mobile alk facilities
Part Number: RLN4857B PUSHBUTTON PTT		List Price	Part Number: RLN4858A GOOSENECK PTT		List Price
	RTTE: No	€25.05	Unit of Measure: EA	CE: Yes RTTE: No	€43.97

Mounting Accessories

CR Sand	CM Series In-Dash I (DIN) • Ideal if you prefer to n directly into the dashb	nount the radio
Part Number: FTN6083	A	List Price
DIN MOUNT KIT Unit of Measure: EA	CE: No RTTE: No	€38.00
·C · Э.	<i>Mounting Bracket</i> Low Profile Mounting Dash or floor mount 	Bracket
Part Number: GLN7324		List Price
ARI LO PROFILE TRUN Unit of Measure: EA	NION KII CE: No RTTE: No	€11.76



Speakers and Sirens





Unit of Measure: EA

	 For receiving in high noise we environments. For professionals who require radio volume output to comp high levels of background noise in the second second noise in the second seco	e louder ensate for
Part Number: RSN4001A		List Price
EXT SPKR 13 W		€32.00

CE: No RTTE: No

Miscellaneous Accessories

Mobile Rear Accessory Terminal Kit • Hardware Kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing) Part Number: HLN9457A List Price EXPANDED ACCY TERMINAL KIT €5.62 Unit of Measure: EA CE: No RTTE: No

Manuals & Documentation

IMAGE COMING SOON			CM340/CM360 User Guide • CM300 Series User instructions in multiple languages. IMAGE COMING SOON		
Part Number: 6866545D0 MAN, USR GDE, CM140/CN Unit of Measure: EA	-	List Price €1.00	Part Number: 6866545D0 MAN,USR GDE,CM340/CN Unit of Measure: EA		List Price €1.00
IMAGE COMING SOON	<i>CM Commercial Series Basic User</i> <i>Guide CD</i> • CD containing User Guide PDFs		IMAGE COMING SOON	CM Commercial Seri Manual CD • CD containing Product	
Part Number: GMLN1070 CM SERIES BASIC U/GUIE Unit of Measure: EA	-	List Price €1.00	Part Number: GMLN1096 CM Product Manual CDRC Unit of Measure: EA	-	List Price €36.40

Service and Repair

	Computer Interface Cable	e 25pin
	 Used to connect the computport to the Radio Interface B RIB to 25 pin D. 	
Part Number: 3080369B7	1EPP	List Price
RIB TO PC CABLE, DB15 T		€77.84
Unit of Measure: EA	CE: No RTTE: No	
	CM Housing Eliminator	
1144.65	the Commercial Series Mob	les.
IMAGE COMING SOON		
	4	List Price
COMING SOON	4 CE: No RTTE: No	List Price €95.00
COMING SOON Part Number: 8180384N6 HOUSING ELIMINATOR	-	€95.00 apter 3 pin adapter h CPS/Flash
COMING SOON Part Number: 8180384N6 HOUSING ELIMINATOR Unit of Measure: EA IMAGE	CE: No RTTE: No CM Series Flash/Data Ad • Used with RKN4081C (10 to 1 for front Telco connector wit switch for programming/flas	€95.00 apter 3 pin adapter h CPS/Flash




Service and Repair (Continued)

	 Mobile Programming Cab. The GTF374 Programming Capassive cable used to connect radio to the RLN4008 Radio Im (RIB) when the radio is to be a programmed. The cable has a 10-pin male T connector at one end, which of the radio microphone connect 25-way female 'D' type connector to the radio for connection for connection for the radio for connection for connection for the radio for connection for the radio for connection for the radio for connection for connection for the radio for connection for c	ble is a the mobile terface Box tuned or elco connects to tor, and a ector at the
Part Number: GTF374C MOBILE PROGRAMMING Unit of Measure: EA	GABLE CE: No RTTE: No	List Price €43.97
	MOBILE PROGRAMMING	TEST
IMAGE COMING SOON	 The RKN4083 Programming/T connects the CM/GM Mobile F RLN4008 Radio Interface Box radio programming, and/or to RLN4460 Radio Test Set for radio 	Radio to the (RIB) for the
	connects the CM/GM Mobile F RLN4008 Radio Interface Box radio programming, and/or to	Radio to the (RIB) for the adio testing.
	connects the CM/GM Mobile F RLN4008 Radio Interface Box radio programming, and/or to RLN4460 Radio Test Set for ra • The RIB receives power from t	Radio to the (RIB) for the adio testing. the radio via r of the CM
	 connects the CM/GM Mobile f RLN4008 Radio Interface Box radio programming, and/or to RLN4460 Radio Test Set for ra The RIB receives power from t this cable. Connection is made to the rea Series radio via adapter cable 	Radio to the (RIB) for the adio testing. the radio via r of the CM

	Radio lest box	
	 Test Box used during rad tune. 	io setup/test and
Part Number: RLN4460C		List Price
TEST BOX, MOBILE/PORTA Unit of Measure: EA	ABLE CE: Yes RTTE: No	€461.00

Software and Applications







Professional Series Tuner CD

- Tuner Software for Professional Portables/Mobiles and Compact Professional Portable Radios.
- Contains Tuner versions R02.16.00

Part Number: GMVN5579B

Part Number: GMVN5579B		List Price		
PRO SERIES TUNER CD RC) M WAF	RIS PORTABLE		€20.00
Unit of Measure: EA	CE: No	RTTE: No		20.00

Appendix A

CM Series - OPTION REFERENCE SHEET

Option Option Description

Accessory Kit No.

TBD

CM Series - HISTORY SHEET

Date Revision	Comment
8 th May 2012	Last Release
26 th February 2013	GMMN4065B Visor Microphone Price change
23 rd December 2014	Removal of some model options as they deplete for cancelled radios